

## Official Bid Documents (OBD)

**NOTE:** This OBD is compliant with the Philippine Bidding Documents (Goods), 6<sup>th</sup> Edition as of July 2020 prepared by GPPB.

Some minor changes have been made to suit the requirements of the

**Development Academy of the Philippines (DAP)** 

as the Procuring Entity

#### for

"ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, CONFIGURATION, TESTING & COMMISSIONING, AND UPGRADING OF THE CLOSED-CIRCUIT TELEVISION SURVEILLANCE SYSTEM AT DAP CONFERENCE CENTER IN TAGAYTAY"

with Approved Budget for the Contract of P3,500,000.00 Invitation to Bid No.: IB No. IB23-408235-04

DAP Bldg., San Miguel Avenue, Pasig City 1600 P.O. Box 12788, Ortigas Center, Pasig City 1600 Telephone: (632) 8631 0921 loc. 133 website: http://www.dap.edu.ph email address of BAC Secretariat: dapbacsec@dap.edu.ph

#### **Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No.9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract) respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

### **Table of Contents**

Glossary of Acronyms, Terms, and Abbreviations	5
Section I. Invitation to Bid	8
Section II. Instructions to Bidders	11
1. Scope of Bid	11
2. Funding Information	11
3. Bidding Requirements	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5. Eligible Bidders	12
6. Origin of Goods	12
7. Subcontracts	12
8. Pre-Bid Conference	12
9. Clarification and Amendment of Bidding Documents	12
10. Documents comprising the Bid: Eligibility and Technical	
Components	
11.Documents comprising the Bid: Financial Component	
12. Bid Prices	13
13. Bid and Payment Currencies	14
14. Bid Security	
15. Sealing and Marking of Bids	
16. Deadline for Submission of Bids	
17. Opening and Preliminary Examination of Bids	
18. Domestic Preference	
19. Detailed Evaluation and Comparison of Bids	
20. Post-Qualification	
21. Signing of the Contract	16
Section III. Bid Data Sheet	17
Section IV. General Conditions of Contract	20
1. Scope of Contract	
2. Advance Payment and Terms of Payment	20
3. Performance Security	20
4. Inspection and Tests	20
5. Warranty	21
6. Liability of the Supplier	21
Section V. Special Conditions of Contract	22
Section VI. Schedule of Requirements	25
Section VII. Technical Specifications	
Section VIII. Checklist of Technical and Financial Documents	45
Section IX: Bidding Forms	49
Section X. Filenames	
Section XI. Guide on How to Submit Electronic-Bids	93

## Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*.(2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section5[i])

**CDA** - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

#### Section I. Invitation to Bid



#### **INVITATION TO BID**

#### **FOR**

## "ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, CONFIGURATION, TESTING, COMMISSIONING AND UPGRADING OF THE CLOSED-CIRCUIT TELEVISION SURVEILLANCE SYSTEM AT THE DEVELOPMENT ACADEMY OF THE PHILIPPINES AT TAGAYTAY CITY"

per Invitation to Bid No.: IB23-408235-04

- 1. The Development Academy of the Philippines (DAP), through the Corporate Operating Budget (COB) for FY 2023 intends to apply the sum of THREE MILLION FIVE HUNDRED THOUSAND PESOS (P3,500,000.00) being the Approved Budget for the Contract (ABC) under the contract for "ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, CONFIGURATION, TESTING, COMMISSIONING AND UPGRADING OF THE CLOSED-CIRCUIT TELEVISION SURVEILLANCE SYSTEM AT THE DEVELOPMENT ACADEMY OF THE PHILIPPINES AT TAGAYTAY CITY" per Invitation to Bid No. IB23-408235-04. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The **DAP** now invites bids for the above Project. Delivery of the Goods is required within **60 calendar days** after the receipt of the Notice to Proceed. Bidders should have completed, within a 5-year period at least two (2) similar contracts and the aggregate contract amounts should be equivalent to at least fifty percent (50%) of the ABC; and that the largest of these similar contracts must be equivalent to at least twenty-five percent (25%) of the ABC. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No.9184.
  - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 4. Prospective Bidders may obtain further information from DAP and inspect the Bidding Documents at the address given below during Monday to Friday, **9:00AM to 4:30PM**.

5. A complete set of Official Bidding Documents (OBD) may be acquired by interested Bidders on **September 29, 2023 (Fri)** to **10 November 2023 (Fri)** from 09:00AM to 04:30PM, of the non-refundable applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, the cost for the Official Bidding Documents is **THREE THOUSAND FIVE HUNDRED PESOS (P3,500.00)**.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the DAP. In order for bidders to participate, they shall pay the cost of the OBD not later than the scheduled Submission and Opening of the Bids.

6. Interested bidders must make payment to:

Account Name:	Development Academy of the Philippines
Account Number:	0671-0105-40
Bank:	Landbank of the Philippines
Branch of Account:	Pasig Capitol Branch

A copy of proof of payment must be emailed to DAP's Finance Department at: **cashtreasury@dap.edu.ph** for the issuance of Official Receipt (OR) and the BAC Secretariat will provide assistance to the On-line Bidder for the creation of "**bidms account**" and dedicated site in the **bidms.dap.edu.ph**.

- 7. The DAP will hold a Pre Bid Conference on **October 10, 2023** (**Tue**), **10:00AM** via Google Meet Platform which shall be opened to all interested Bidders upon formal request through the BAC Secretariat. Requests shall be coursed through email at **dapbacsec@dap.edu.ph** and an invitation link will be then provided for at most three (3) email addresses per On-line Bidder.
- 8. In compliance with GPPB Resolution No. 12-2020, all electronic-Bids must be duly received by the Bids and Awards Committee (BAC) Secretariat, through the designated bidms.dap.edu.ph secured account on or before **November 14, 2023** (**Tue**) and not later than **10:00AM.** All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on **November 14, 2023** (**Tue**) at **10:00AM** via Google Meet Platform. Electronic bids will be opened in the presence of the bidders' authorized representative/s who are authorized to attend the proceedings. **LATE BIDS SHALL NOT BE ACCEPTED**.
- 10. The **DAP** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time in accordance with the provisions of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

#### RODEL DV. CASTILLO

Division Chief, BAC Secretariat Division
DEVELOPMENT ACADEMY OF THE PHILIPPINES
GF DAP Bldg., San Miguel Avenue, Pasig City 1600
P.O. Box 12788 Ortigas Center, Pasig City 1600 Philippines

Telephone No. : (632) 8631-0921 loc. 133

BAC Secretariat email : dapbacsec@dap.edu.ph

Website address : http://www.dap.edu.ph

#### 12. You may visit the following websites:

Issued this 29th day of September 2023

For the **DAP** Bids & Awards Committee 2:

ALAN S. CAJES
Chairperson, BAC
>> Nothing Follows <<

#### Section II. Instructions to Bidders

#### 1. Scope of Bid

The Procuring Entity, Development Academy of the Philippines wishes to receive Bids for the "ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, CONFIGURATION, TESTING, COMMISSIONING AND UPGRADING OF THE CLOSED-CIRCUIT TELEVISION SURVEILLANCE SYSTEM AT THE DEVELOPMENT ACADEMY OF THE PHILIPPINES AT TAGAYTAY CITY" per IB No. IB23-408235-04, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1 The GOP through the source of funding as indicated below for year 2023 in the amount of **THREE MILLION FIVE HUNDRED THOUSAND PESOS** (P3,500,000.00).
- 2.2 The source of funding is:
  - a. NGA, the Corporate Operating Budget.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder should have completed at least two (2) similar contracts and the aggregate contract amounts should be equivalent to at least fifty percent (50%) of the ABC; and that the largest of these similar contracts must be equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No.9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. Subcontracting is not allowed.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time **through videoconferencing/webcasting** as indicated in paragraph 7 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10.Documents comprising the Bid: Eligibility and Technical Components

- 10.1 The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Eligibility and Technical Documents)**.
- 10.2 The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **5 years** prior to the deadline for the submission and receipt of bids.
- 10.3 If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be

accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1 The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (**Checklist of Financial Documents**).
- 11.2 If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No.9184.
- 11.3 Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.
- 11.4 For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No.9184.

#### 12.Bid Prices

- 12.1 Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in the **BDS**.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible

source country.

ii. The price of other (incidental) services, if any, as listed in the **BDS**.

#### 13.Bid and Payment Currencies

- 13.1 For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2 Payment of the contract price shall be made in **Philippine Pesos.**

#### 14.Bid Security

- 14.1 The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2 The Bid and bid security shall be valid for 120 calendar days. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16.Deadline for Submission of Bids

16.1 The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 8 of the **ITB**.

#### 17. Opening and Preliminary Examination of Bids

17.1 The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **ITB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded

by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2 The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No.9184.

#### 18.Domestic Preference

18.1 The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No.9184.

#### 19. Detailed Evaluation and Comparison of Bids

- 19.1 The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No.9184.
- 19.2 If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3 The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4 The Project shall be awarded as follows:
  - One Project having several items that shall be awarded as one contract.
- 19.5 Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### **20.Post-Qualification**

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, that it is one of the

eligible bidders who have submitted bids that are found to be technically and financially compliant, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## Section III. Bid Data Sheet

ITB Clause	Details of BID DATA SHEET
<b>5.3</b> Eligible Bidders	For this purpose, contracts similar to the Project shall be:
210015	a. Supply and Installation of a Closed-Circuit Television Surveillance System; and
	b. At least two (2) similar contracts and the aggregate contract amounts should be equivalent to at least fifty percent (50%) of the ABC; and the largest of these similar contracts must be equivalent to at least twenty-five percent (25%) of the ABC.
7.1 Subcontracts	Subcontracting is not allowed.
10.1 Documents	Bidders shall submit the following:
comprising	CLASS "A" Documents
the Technical Envelope:	I. FOR LEGAL DOCUMENTS:
Legal, Technical and Financial	1. Valid PhilGEPS Certificate of Registration under <u>PLATINUM</u> <u>CATEGORY</u> with the <b>current and updated</b> copy of the documents as follows;
Components	<ol> <li>1.1. Photocopy of Registration Certificate from SEC, DTI, or CDA, whichever is applicable;</li> </ol>
	1.2. Photocopy of valid Mayor's/Business Permit or its Equivalent Document;
	1.3. Photocopy of Tax Clearance Certificate for FY2023 issued by the Bureau of Internal Revenue (BIR);
	1.4. Photocopy of Audited Financial Statements for FY2021 and FY2022 stamped "received" by the BIR or its duly accredited and authorized institutions.
	H. EOD TECHNICAL DOCUMENTS.
	II. FOR TECHNICAL DOCUMENTS:
	<ol> <li>Statement of <u>ALL</u> its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid. Submit accomplished <u>FORM 6: STATEMENT OF ALL ONGOING CONTRACTS INCLUDING AWARDED BUT NOT YET STARTED;</u></li> </ol>
	<ol> <li>Statement of its Single Largest Completed Contract (SLCC), in accordance with BDS clause 5.3, similar to the contract to be bid and supported by a Certificate of Completion or Final Acceptance. Submit accomplished FORM 7: STATEMENT OF BIDDER'S SINGLE LARGEST COMPLETED CONTRACT (SLCC);</li> </ol>
	<ul><li>4. Bid Security in accordance with BDS Clause 14 (please refer to FORM 3: BID SECURING DECLARATION);</li></ul>

- 5. Conformity with the Technical Specifications. Bidders must state on the statement of compliance column whether the Bidder will "Comply" or "Not Comply" on the stated requirements declared in Section VII of this Official Bidding Documents (please refer to FORM 10: CONFORMITY TO TECHNICAL SPECIFICATIONS);
- 6. Duly Notarized Omnibus Sworn Statement (please refer to FORM5: OMNIBUS SWORN STATEMENT)
- 7. Certificate of Site Inspection duly signed by any of the following (please refer to FORM 9: CERTIFICATE OF SITE INSPECTION)
  - 7.1. CELSO A. MACATUGGAL
    Chief Safety and Security Officer, DAP Conference Center
  - 7.2. **ARMIN JAMES S. KRAFT**Chief Operating Security Officer, DAP
  - 7.3. ALBERTO ANGELO M. JIMENEZ

    Manager, Engineering & Maintenance Services, DAP Conference
    Center

**Note:** Interested bidders shall coordinate with the BAC Secretariat on their proposed date of inspection of the project site.

- **8.** Company Profile with a List of All Completed Contracts within the last five (5) years, including the list of Company Officers, and bidder's company address per BDS Clause 10.1 under Technical Documents item no. 8
- **9. Certificate of distribution and service per BDS** Clause 10.1 under Technical Documents item no. 9

#### **III.FOR FINANCIAL DOCUMENTS:**

**10.**NFCC computation of at least equal to the ABC. Submit accomplished **FORM 8**: **NET FINANCIAL CONTRACTING CAPACITY** (**NFCC**).

#### CLASS "B" Documents

11. Joint Venture Agreement (JVA), if applicable. Submit requirements as required by Section 23.1 (b) for Goods. If not applicable, the bidder must indicate in writing that they will not be partaking in a Joint Venture for this project.

# Documents comprising the Bid: Financial Component

Bidders shall submit the following documents using the prescribed forms:

#### **FINANCIAL DOCUMENTS:**

- 1. **Financial Bid Form or "F01"** duly signed and accomplished by the bidder. (please refer to **FORM 1**: FINANCIAL BID FORM); and
- 2. Price Schedule or "F02" duly signed and accomplished by the

	bidder. (please refer to <b>FORM 2</b> : PRICE SCHEDULE).
12 Bid Prices	The price of the Goods shall be quoted in <b>Philippine Peso</b> .
14.1 Bid Security	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:  a The amount of not less than SEVENTY THOUSAND PESOS (P70,000.00) or 2% of the ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter
	b The amount of not less than <b>ONE HUNDRED SEVENTY-FIVE THOUSAND PESOS ONLY</b> ( <b>P175,000.</b> 00) or 5% of the ABC, if bid security is in Surety Bond.
19.3 Detailed Evaluation and Comparison of Bids	No further instructions.
20 Post- Qualification	Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, that it is one of the eligible bidders who have submitted bids that are found to be technically and financially compliant, the Bidder shall submit its updated income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.
21 Signing of the Contract	No further instructions.

### **Section IV. General Conditions of Contract**

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No.9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No.9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## **Section V. Special Conditions of Contract**

~ C C C C C	on vibpecial conditions of contract
GCC Clause	Details of SPECIAL CONDITIONS OF CONTRACT
1 Scope of	Delivery and Documents
Contract	The delivery terms applicable to this Contract are delivered to <b>Development Academy of the Philippines Conference Center, Isaac O. Tolentino Avenue, Brgy. Sungay East, Tagaytay City.</b> Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is <b>Engr. ALBERTO ANGELO M. JIMENEZ.</b>
	Incidental Services –
	<ul> <li>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <ul> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract;</li> <li>e. provide service unit to the Procuring Entity during claims of replacement or repair within the warranty period; and</li> <li>f. provide orientation, training, technology-transfer, and technical knowledge for the operation and maintenance of the supplied equipment.</li> </ul> </li> <li>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other</li> </ul>
	parties by the Supplier for similar services.  Packaging –
	The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

GCC	Details of SPECIAL CONDITIONS OF CONTRACT
Clause	The packaging, marking, and documentation within and outside the packages
	shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
	The outer packaging must be clearly marked on at least four (4) sides as follows:
	Name of the Procuring Entity Name of the Supplier Contract Description Final
	Description Final Destination Gross
	weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation-
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit

GCC Clause	Details of SPECIAL CONDITIONS OF CONTRACT
	other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights – The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
	Installation of Close-Circuit Television Surveillance System The Supplier shall do the installation of the Closed-Circuit Television Surveillance System within the prescribed DAP office / location.
2.2 Terms of Payment	One hundred percent (100%) in thirty (30) days after final acceptance.
4 Inspection	The inspections and tests that will be conducted are:
	Inspection and testing of equipment upon delivery.
5 Warranty	CCTV System Equipment and Accessories: Two (2) Years Warranty Copper Cabling and Accessories: Five (5) Years Warranty Fiber Optic Cabling and Accessories: Two (2) Years Warranty Workmanship: One (1) Year Warranty

## Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Delivered, Weeks/Months
1	IP CCTV Cameras	73 pcs	Within 60 days from receipt of NTP
2	64 Channel Network Video Recorder	2 pcs	Within 60 days from receipt of NTP
3	24-port Network Switch- Hardware	6 pcs	Within 60 days from receipt of NTP
4	Data Cabinet 2U w/built-in Fan	4 pcs	Within 60 days from receipt of NTP
5	55" LED 4K Monitor	2 pcs	Within 60 days from receipt of NTP
6	Smart-UPS Power Supply	1 pc	Within 60 days from receipt of NTP
7	Surveillance Hard Drive (10TB)	16 pcs	Within 60 days from receipt of NTP
8	Fiber Patch Cable End to end (300M)	1 roll	Within 60 days from receipt of NTP
9	Fiber Optic Module	6 pcs	Within 60 days from receipt of NTP
10	UTP CAT6 Cable	1 lot	Within 60 days from receipt of NTP
11	Fiber Patch Panel	6 pcs	Within 60 days from receipt of NTP
12	Fiber Patch Cord	80 pcs	Within 60 days from receipt of NTP
13	RJ45	1 lot	Within 60 days from receipt of NTP

### Section VII. Technical Specifications

Instructions: Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of the manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test, data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.

Item	Specification	Qty	unit	Statement of Compliance
HARDWARE	S			
1.01 Dome IP Camera	Supply and installation of Dome IP CCTV Camera:  • 4MP (1920 × 1080) @30 fps, 1/2.9"" image sensor  • 24/7 Full-color image, starlight, WDR  • SMART H.264+/H.265+  • 2.8/3.6 mm fixed lens  • Built-in warm light/IR LED, the max. illumination distance is 30 m and the max. warm light distance is 10m  • Intelligent monitoring: Intrusion, tripwire (the two functions support the classification and accurate detection of vehicle and human).  • 12V DC/PoE power supply  • IP67 protection	52.00	pcs	
	with Warranty			
1.02 Bullet IP Camera	Supply and installation of Bullet IP CCTV Camera:  • 5MP (2592 × 1944) @20 fps, 1/2.7"" image sensor, 24/7 Full-color image  • SMART H.264+/H.265+, AI H.264/H.265 encoding  • 2.8/3.6 mm fixed lens  • Built-in warm light and IR LED; the max. IR illumination distance is 30m  • Smart Dual Illumination Active Deterrence: Sound and light alarm  • Support vehicle and human classification	21.00	pcs	

Item	Specification	Qty	unit	Statement of Compliance
	<ul> <li>Intelligent detection: Intrusion, tripwire</li> <li>12V DC/PoE power supply</li> <li>IP67 protection</li> <li>with Warranty</li> </ul>			
1.03 Smart POE Unmanaged Data Switch	Supply and installation of 24 port Smart POE Unmanaged Data Switch:  • Smart POE Unmanaged Data Switch (The next generation Smart switch, provides 48ports – 48 10/100/1000Base-T POE ports, 4SFP optical ports, support IEEE 802.3af/ at power supply standard, single port maximum output PoE power 30W, 370W max output PoE power, support unified/ centralized management, lifetime license);  • Combo PoE Switch  • Interface: Combo 1000BASE-T/SFP port x 110/100 Base-T x16 (Hi PoE/PoE+/PoE) PoE budget: 135W Dimension: 340mm x200mm x43mm CCTV monitor mode, VLAN isolation mode  • with Warranty	6.00	pcs	
1.04 64 Channel Network Video Recorder	Supply and installation of Two (2) 64 Channel Network Video Recorder:  Smart H.265+/Smart H.264+/H.265/H.264  support 64-ch IPC inputs, max resolution 12MP  320Mbps input Bandwidth Support 16-ch 1080p@30 fps selfadaptive decoding ability  8 SATA III ports, up to 10 TB for a single HDD  2 VGA, 2 HDMI, 2 RJ45(1000M)  Supports ONVIF protocol, DHCP, P2P function  1-channel fisheye dewarping (AI by NVR)  AI by Camera: Perimeter protection; face detection and recognition; SMD Plus; video metadata; ANPR; people counting; heat map  with Warranty	2.00	pcs	
1.05 Data Cabinet	Supply and installation of Data Cabinet:  Data Cabinet with a minimum	4.00	pcs	

Item	Specification	Qty	unit	Statement of Compliance
	specification of at least: Can accommodate at least four (4) and two (2) Data Switches each;  (9U & 12U) 19" standard opening; Framing and Paneling Gauge#16, Black (powder-coated); Adjustable with mounting railings; Plexiglas Front Door with Lock;  Detachable Side Panels with Lock & Ventilation; Detachable Back Panels with Lock; With 1 unit Vertical powerstrip 4 CO's, 3-prong, 220V, 20Amp fuse; With 1 unit Vertical Cable Manager at the back ring type; and with 2 pcs. Exhaust Fan at the top panel;  with Warranty			
1.06 <b>10TB</b>	10TB Surveillance Hard Disk Drive	16.00	pcs	
Hard Disk Drive	SATA III;			
1.07 Fiber	<ul><li>with Warranty</li><li>LC with Standard Boots;</li></ul>	1.00	roll	
Patch Cable End to End (300M)	<ul> <li>LC 12mm/18mm with Short Boots;</li> <li>SC 25mm with Short Boots</li> <li>Polish Type SMF: UPC-UPC; UPC-APC; APC-APC; MMF: UPC-UPC Connector Ferrule Zirconia Ceramic Cable Outside Diameter Duplex: 1.6/2.0/3.0mm, Simplex: 0.9/2.0/3.0mm, Interchangeability ≤0.2dB, Vibration ≤0.2dB</li> <li>with Warranty</li> </ul>	1.00	1011	
1.08 Fiber Optical Module	<ul> <li>Single mode single fiber; LC port; 1310nm sending, and 1550nm receiving; Transmission distance up to 20km;</li> <li>with Warranty</li> </ul>	6.00	pcs	
1.09 55" LED 4K Monitor	<ul> <li>55" 4K UHD LED Monitor;</li> <li>Industrial level LCD panel, suitable for continuous 24/7 operation</li> <li>4K Ultra-HD resolution</li> <li>Using tamper-proof metal housing</li> <li>Built-in 3D COMB filter and 3D noise reduction</li> <li>6ms response time for no motion blur or ghosting</li> <li>1.07G colors, for a realistic and immersive visual experience</li> <li>High-fidelity digital processing</li> </ul>	2.00	pcs	

Item	Specification	Qty	unit	Statement of Compliance
	<ul> <li>178°/178° wide uninterrupted viewing angle</li> <li>With Bracket</li> <li>with Warranty</li> </ul>			
1.10 Fiber Patch Panel	<ul> <li>Category 6 180° 1U 24-Port Unshielded Patch Panel, Dual Type IDC, W/ Two Cable Management Bars, Black;</li> <li>with Warranty</li> </ul>	6.00	pcs	
1.11 Fiber Patch Cord	<ul> <li>LC/UPC - SC/UPC Duplex Single mode,</li> <li>9/125 Patch Cord 2M,2.0mm, LSOH;</li> <li>with Warranty</li> </ul>	80.00	pcs	
1.12 UTP CAT6 Cable	<ul><li>Supply &amp; Installation of UTP CAT6 Cable;</li><li>with Warranty</li></ul>	1	lot	
1.13 LC Pigtail	<ul> <li>Multimode OM3 Simples 1M, 4.0 mm, LSOH;</li> <li>with Warranty</li> </ul>	25.00	pcs	
1.14 Smart- UPS Power Supply	<ul> <li>Supply &amp; Installation of High frequency, On-line Smart UPS, Rack-Tower Convertible, Hot-Swappable Battery Module Design,</li> <li>3KVA/2.7 KW, PF: 0.9, 72Vdc, with 6pcs X 9Ah built-in battery, with USB, RS232, EPO, SNMP function Port</li> <li>with Warranty</li> </ul>	1.00	рс	
1.15 <b>RJ45</b>	Supply & Installation of RJ45	1.00	lot	
1.16 Cable Manager	24 P, 1 U Cable Manager	15.00	sets	
ROUGHING-IN	<ul> <li>Supply, installation and termination of Fiber Optic 4 core multimode outdoor type</li> </ul>	1.00	Lot	
1.18	Supply, installation and termination of conduits, structured cabling installation of UTP CAT 6 Cable and Fiber Optic Cable, cable trays around the Main Conference Building, and in the side of Connecting Hallway, cable pulling, CCTV Weatherproof Conduit Boxes (100X100X70) (73 pcs), fittings, boxes, support/hangers, connectors, accessories, testing,	1.00	Lot	

Item	Specification	Qty	unit	Statement of Compliance
	commissioning, and decommissioning.			•
Area 1 (Data	<b>Cabinet Installation at PABX Room)</b>			
1.19	Installation of Data Cabinet with height 12U/ 2ft., Powder Coated, Black, perforated two side panels, Perforated back, and front Door; German cooling fan, with three pins German type plug, 1wire/4 fans (cable length,1M); 1U 19" power distribution unit, w/aluminum body, US (NEMA5-15P) Plug, 6 universal outlets, w/LED master switch at PABX	1.00	Lot	
1.20	Room; Installation, testing, and commissioning of Two (2) Smart PoE Managed Switch, Two (2) Network Video Recorders, and Rackmount Smart-UPS power supply to the Data Cabinet;	1.00	Lot	
1.21	Wall installation, testing, and commissioning of Two (2) 55" LED 4K Monitors connected to NVR located at PABX Room;	1.00	Lot	
1.22	Installation of Roughing-Ins (cable trays, conduits and other necessary accessories).	1.00	Lot	
1.23	Supply, Installation, Cable Wiring Termination, Testing and Commissioning of New Electrical Panel Board with 1 pc. Main Circuit Breaker (100 Amperes) Bolt-On Type and 8 pcs. Branch Circuit Breakers Bolt-On Type (1 pc. 20 Amperes for the Lighting Circuits, 1 pc. 30 Amperes for the Air Conditioning Unit, 1pc. 30 Amperes for the Convenience Outlets, 1 pc. 40 Amperes for the UPS of the existing IT Network Infrastructure, 1pc. 40 Amperes or higher for the UPS of CCTV Surveillance System, other 3 pcs. 20 Amperes Circuit Breaker for Spare Provisions)	1.00	Lot	
Area 2 (Lower Lobby Electrical and Mechanical Room IP CCTV Positions)				
1.24	Installation of Roughing-Ins (cable trays, conduits and other necessary accessories)	1.00	Lot	
1.25	Installation of Two (2) units of Indoor Dome IP CCTV Cameras at the Mechanical Room and Electrical Room	1.00	Lot	

Item	Specification	Qty	unit	Statement of Compliance
	Entrance;			•
1.26	Wire Pulling, Laying, and Structured cabling from Smart PoE Network Switch at PABX room (for IP CCTV Cameras) to Mechanical and Electrical Room located at the Lower lobby (Camera No. 74 & 75) based on Floor Plan/ Layout. (See attached plan/ layout)	1.00	Lot	
Area 3 (Data )	Cabinet Installation at Electrical room	m locato	d at the	PES Office)
1.27			1	Kr3 Office)
1.27	Installation of One (1) unit Data Cabinet with specifications of 600 x 450, 9U/ 1.5Ft. 90.7kg max. loading capacity), toughed glass door w/ spring lock, detachable side panel (not vented), 2pcs. Exhaust fan w/ cable entry at the top panel, 6 outlet PDU w/ 3.0mm cable length (220V,3prong,10A), powder coated finish, with exhaust fans at the Electrical room located at the RFS Office area;	1.00	Lot	
1.28	Installation, testing, and commissioning of Two (2) Smart PoE Managed Switch to the Data Cabinet;	1.00	Lot	
1.29	Installation of Roughing-Ins (cable trays, conduits and other necessary accessories).	1.00	Lot	
Area 4 (Data	Cabinet Installation at Electrical rooi	m locate	d at the	Workshop Area)
1.30	Installation of One (1) unit Data Cabinet with specifications of 600 x 450, 9U/ 1.5Ft. 90.7kg max. loading capacity), toughed glass door w/ spring lock, detachable side panel (not vented), 2pcs. Exhaust fan w/ cable entry at the top panel, 6 outlet PDU w/ 3.0mm cable length (220V,3prong,10A), powder coated finish, with exhaust fans at the Electrical room located at the RFS Office area;	1.00	Lot	
1.31	Installation, testing, and commissioning of Two (2) Smart PoE Managed Switch to the Data Cabinet.	1.00	Lot	
Area 5 (Dining and Basement Left-wing and Right-wing area, Engineering and Parking area IP CCTV Positions)				
1.32	Installation of Roughing-Ins (cable trays, conduits and other necessary accessories);	1.00	Lot	
1.33	Installation of Seventeen (17) units of Indoor Dome IP CCTV Cameras and Eight	1.00	Lot	

Item	Specification	Qty	unit	Statement of Compliance
	(8) Outdoor Bullet IP CCTV Cameras;			•
1.34	Wire Pulling, Laying, and Structured cabling from Smart PoE Network Switch at Electrical room located at Dining lobby of two (2) runs each UTP Cable (for IP CCTV Cameras) to Dining Area (No. 70, 47, 48, 49, 71, 46, 53, 68, 54), and to Basement Area (No. 45, 44, 43, 42, 40, 61,41) based on Floor Plan/ Layout. (See	1.00	Lot	
	attached plan/ layout);			
1.35	Another Wire Pulling, Laying, and Structured cabling from Smart POE Network Switch at Electrical room located at Dining lobby of two (2) runs each UTP Cable (for IP CCTV Cameras) to Engineering, Staff lounge and Side Parking area (No. 55, 56, 59, 69, 72, 73, 76, 77, 78) based on Floor Plan/ Layout. (See attached plan/ layout);	1.00	Lot	
1.36	Conduction of Wire Termination/s along with appropriate Testing & Commissioning and De-commissioning of old wires and hardware.	1.00	Lot	
Area 6 (2nd-fl	oor and 3rd floor Left-wing and Rigl	ht-wing I	P CCTV I	Positions)
1.37	Installation of Roughing-Ins (cable trays, conduits and other necessary accessories);	1.00	Lot	
1.38	Installation of Fifteen (15) units of Indoor Dome IP CCTV Cameras;	1.00	Lot	
1.39	Wire Pulling, Laying, and Structured cabling from Smart PoE Network Switch at Electrical room located at Dining lobby of two (2) runs each UTP Cable (for IP CCTV Cameras) to 2nd floor Area (No. 24, 33, 34, 35, 36, 37, 38, 39), and to 3rd floor Area (No. 26, 27, 28, 29, 30, 31, 32) based on Floor Plan/ Layout. (See attached plan/ layout);	1.00	Lot	
1.40	Conduction of Wire Termination/s along with appropriate Testing & Commissioning and De-commissioning of old wires and hardware.	1.00	Lot	
Area 7a (Uppe	er Lobby and Function Room Area IF	CCTV P	ositions)	
1.41	Installation of Roughing-Ins (cable trays, conduits and other necessary accessories);	1.00	Lot	
1.42	Installation of Thirteen (13) units of Indoor Dome IP CCTV Cameras and Five	1.00	Lot	

Item	Specification	Qty	unit	Statement of Compliance
	(5) Outdoor Bullet IP CCTV Cameras;			•
1.43	Wire Pulling, Laying, and Structured cabling from Smart PoE Network Switch at Electrical room located in front of Workshop Male CR of two (2) runs each UTP Cable (for IP CCTV Cameras) to Upper lobby and Function room Area (No.1, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 25, 52) based on	1.00	Lot	
	Floor Plan/ Layout. (See attached plan/ layout);			
1.44	Conduction of Wire Termination/s along with appropriate Testing & Commissioning and De-commissioning of old wires and hardware.	1.00	Lot	
Area 7b (Upp	er Lobby and Function Room Area If	CCTV P	ositions)	
1.45	Installation of Roughing-Ins (cable trays, conduits and other necessary accessories);	1.00	Lot	
1.46	Installation of Two (2) units of Indoor Dome IP CCTV Cameras and Two (2) Outdoor Bullet IP CCTV Cameras;	1.00	Lot	
1.47	Wire Pulling, Laying, and Structured cabling from Smart PoE Network Switch located at PABX of two (2) runs each UTP Cable (for IP CCTV Cameras) to Upper lobby and Function room Area (No.7, 8, 50, 51) based on Floor Plan/ Layout. (See attached plan/ layout);	1.00	Lot	
1.48	Conduction of Wire Termination/s along with appropriate Testing & Commissioning.	1.00	Lot	
Area 8 (Lowe	r Lobby and Side Parking Area IP CC	ΓV Positi	ons)	
1.49	Installation of Roughing-Ins (cable trays, conduits and other necessary accessories);	1.00	Lot	
1.50	Installation of Five (5) units of Indoor Dome IP CCTV Cameras and Four (4) Outdoor Bullet IP CCTV Cameras;	1.00	Lot	
1.51	Wire Pulling, Laying, and Structured cabling from Smart PoE Network Switch located at PABX of two (2) runs each UTP Cable (for IP CCTV Cameras) to Upper lobby and Function room Area (No.2, 3, 4, 5, 6, 57, 58, 60, 62) based on Floor Plan/ Layout. (See attached plan/layout);	1.00	Lot	
1.52	Conduction of Wire Termination/s along	1.00	Lot	

Item	Specification	Qty	unit	Statement of Compliance
	with appropriate Testing & Commissioning.			•
General Requ	uirements			
1.53	Mobilization of Manpower, equipment, tools, and temporary facilities. Provide temporary field office with health/safety/first aid facility and utilities with corresponding sub-meters to be connected to sub-meters to be connected to supply of water and electricity. Provide Personal Protective Equipment (PPE) and other Safety & Health Paraphernalia.	1.00	Lot	
1.54	Obtain building permits, and other necessary permits such as Electronic and/or Electrical Permits as required for the project;	1.00	Lot	
1.55	Supply and deliver all devices needed to install the upgraded CCTV System such as but not limited to: IP CCTV Cameras, Network Video Recorder, Wires and Cables, Data Switches, Monitors, Hard Disk Drives, etc.;	1.00	Lot	
1.56	Install piping, structured cabling, cable trays, hangers, base mountings, cabinets, accessories, CCTV devices such as cameras and video recorder, etc. in accordance to correct engineering standards and material specifications as cited in its operating manual;	1.00	Lot	
Turn-Over and	d Acceptance			
1.57	End to End Termination, Testing including Fluke testing and Optimal Time-Domain Reflectometer (OTDR) & Commissioning, Fiber Optics, Networking, Fiber Optic Cable Design, and Installation, Fiber Termination and Fusion Splicing (FOC Fusion Machine), FOC Patch Panel Splicing, and Termination, Continuity Testing Power source and Light Meters Configuration, Installation/termination and adjustment, and Programming, for the entire IP CCTV system;	1.00	Lot	
1.58	Clean and restore the areas affected during and after the installation and testing including rectification/correction of punch-listed items;	1.00	Lot	

Item	Specification	Qty	unit	Statement of Compliance
1.59	Demobilization. Dismantling of temporary facilities, pullout of debris resulting from the conduct of the works	1.00	Lot	
1.60	The Contractor/Supplier shall provide a quarterly preventive maintenance checkup, free of charge for at least one year after the system has been commissioned and accepted by DAP;	1.00	Lot	
1.61	Submission of Post Documentary requirements:  Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpgformat;  As-Built Plans: ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print copies in 30" x 40" sheets signed and sealed by appropriate professional architects and engineers; and ✓ Complete set of electronic files in USB Thumb Drive of "ASBUILT PLANS" in PDF and CAD format.  Manuals of all supplied and installed equipment comprising the Technical Specifications and Product Installation Instructions; Operational Brochure/s; Maintenance Manuals, including draft of Process and Work Instruction Manual (PAWIM) for the use of DAPCC Maintenance Personnel; Conduct training of the DAP maintenance personnel who will operate and maintain all	1.00	Lot	

Item	Specification	Qty	unit	Statement of Compliance
	<ul> <li>equipment, facilities and utilities installed; and</li> <li>Warranty Certificate that complies to the GCC Clause 5 Warranty under Section V Special Conditions of Contract</li> </ul>			

## DAPCC PROPOSED CCTV LOCATION, VIEW, AND NUMBER

Location	Area (based on Floor Plan)	Description of View	Natu	Nature of Action	Cernies Type (for septrate & colutions)	Remarks
			(Casaling) Comers for University Appears	Mehroe New Lourier	62	
Main Gate / Guard House	Upper	Main gate, guard house, & LBP ATM. Camera should have	1		Amp bullet	
Lower Lobby Driveway	Lower	Driveway; Incoming vehicle/s.	1		4mp bullet	
Lower Lobby 1 Entrance	Lower	Lower lobby stairs & Audi Main Door.	1		dem deme	
Lower Lobby 2 Entrance	Lower	Lower lobby, & entrance. Camera at Lower Lobby Stairs.		1	4mp dome	
Auditorium 1	tower	Hoor area & stage. Upgrade the camera to wide-angle.	1		denn dome	
Auditorium 2 (Stage - Left Side)	Lower	Main floor, main entrance, & side emergency exit; Camera unit is		1	denp denne	
Auditorium 3 (Balcony 1.)	Upper	Balcony area. Camera unit will be mounted at the Ladies Comfort		1	4mp bullet	
Auditorium 4 (Balcony 2)	Upper	Balcony area. Camera unit will be mounted at the entrance.		1	4mp bullet	
Front Office	Upper	Upgrade the comera to wide-angle camera.	1		4mp donse	
Upper Lobby 1 (Entrance P.A. Side)	Upper	Upper lobby PA quarter left side, stalls from Auditorium & Upper	1		4mp dome	
UpperLobby 2 (Right Side)	Upper	Upper lobby right side - Prayer room area.	1		4mp dome	
Upper Lobby 3 (DAP Shap carner side)	Upper	Upper lobby corner of DAP Shap		1	damp dome	
Upper Lobby 4 (Right Side Entrance)	Upper	Incoming people passing through the S curve, and auditorium		1	derup bullet	
Pathway outside/Side of conference 5-8	Upper	Pathway going to the S-curve pathway. Camera unit to be		1	Serip bullet	
Workshop Area (Outside)	Upper	Camera Unit will be installed near Women CR at Workshop area		-	4mp bullet	
Cottage Rotunda	Upper	Cottage 7-9 rotonda & LPG area. Camera will be installed at the		1	Harip buller	
Workshop Hallway (Male CR Side)	Upper	Hallway from workshop male CR.	1		deny dome	
Workshop Haliway (Fernale CR Side)	Upper	Hallway from workshop female CR.	1		Amp dome	
Conference 1 - 4 Halfway	Upper	Conference 1 to 4 hailway & partly include the door entrances.	1		dang dome	
Conference 4 - 1 Hallway	Upper	Conference 4 to 1 hallway & partly include the door entrances.	1		4mp dome	
Admin Hillway	Upper	Office's (Cashier, ORD, & DSS) hallway and door entrances.	1		4mp dome	
OP to Conference 5 Hallway	Upper	Hallway infront of OP, FMSO, Conference 8 to 5.	1		denot dense	
Conf 5-8 Hallway	Upper	Hallway infront of Conference 8 to OP.	1		4mp dome	
Connecting Hallway 1	2nd & 3rd Floor	Connecting hallway from Guest bldg to Upper Lobby, Includes	1		Airra bullet	
Connecting Hallway 2	Upper	Connecting hallway from Upper Lobby to Guest bldg. Includes		1	4mp dome	
3rd Floor Emergency Exit, Left Wing	2nd & 3rd Floor	Left hallway emergency exit stairway	1		4mp dome	
3rd Floor Left Wing Hallway 1	2nd & 3rd Floor	Left halfway from water station, Housekeeping room 320 to 336.	1		читр доте	
3rd Floor Left Wing Hallway 2	2nd & 3rd Floor	Left hallway from water station, Housekeeping room 336 to 320.	1		dmy dome	
3" Floor Right Wing Hallway 1	2nd & 3rd Floor	Right hallway from Room 301 to 318.	1		drap dome	
3rd Floor Right Wing Hallway 2	2nd & 3rd Floor	Right hallway from Room 318 to 301.	1		4mp dome	
3rd Floor Emergency Exit, Right Wing	2nd & 3rd Floor	Right hallway emergency exit stairway.	1		4mp dome	
3rd Floor Middle, Lobby	2nd & 3rd Floor	3rd floor Main lobby pointing to the stairs.		1	4mp dame	
2nd Floor Left Wing Hallway 1	2nd & 3rd Floor	Left hallway from water station. RFS office to room 236.				
The Parish and a second		The state of the s			ACTIO GOTTE	


2" Floor Right Wing Hallway 1	2nd & 3rd Floor	Right hallway from Room 201 to 218.			dring dome	
= 2"d Hoor Right Wing Hallway 2	2nd & 3rd Floor	Right hallway from Room 218 to 201.	1		4mp dome	
2 2nd Floor Emergency Exit (Left Wing)	2nd & 3rd Floor	Left hallway emergency exit stairway.	-		4mb dome	
2 <sup>nd</sup> Floor Emergency Exit (Right Wing)	2nd & 3rd Floor	Right hallway emergency exit stairway.	1		deno dorne	
2 nd Floor Middle, Lobby	2nd & 3rd Floor	2nd floor lobby stairs from connecting halway, & dining floor.	1		Amp dame	
Basement 1 (101 - 106)	Basement & Dining	Hallway from 101-106. Camera will be installed near 101.		1	demo doerne	
Basement 2 Emergency Exit 106 - 101	Basement & Dining	Emergency exit at Basement Hallway 106 - 101.	1		Army dorne	
Basement 3 Lobby Right Corner	Basement & Dining	Game room & lobby. Camera will be installed at the Right Corner	1		drip dorne	
Basement 4 Left Wing 107 - 118	Basement & Dining	Linen area & stockroom door, Hallway room 107 to 118.	1		deny dorne	
Basement 5 Left Wing 118 - 107	Basement & Dfning	From Clinic area. Hallway room from 118 - 107		1	Jeny duene	
Basement 6 (Clinic Area)	Basement & Dining	Clinic entrance and hallway going basement.	1		Amp dome	
1	Basement & Dining	Dining A area. Camera installed near the FBS office.	1		4mp dome	
Dining 8 Workshop 5 Side	Basement & Dining	Dining B floor area. Camera installed near workshop 5.		1	amp dome	
Dining 8 Main Entrance	Basement & Dining	Dining B floor area to Workshop 5. Camera will be installed near	1		deny dome	
Dining tobby	Basement & Dining	Waiter's counter table, stairs going up to dorm area, CR	1		Aenja doene	
Barbeque Plaza 8 (Right)	Upper	Barbeque Plaza B right side. Connecting hallway steps,		1	Arms bullet	
Barbeque Plaza 8 (Left)	Upper	Barbeque Plaza B Left side. Camera will be installed at the side of		1	4mp bullet	
Barbeque Plaza A	Upper	Back of conference 4 to dining A side entrance. Camera will be		1	Arms buillet	
Kitchen Entry Front	Basement & Dining	Side entrance (Bbque Plaza Aside).	1		4mp bullet	
Kitchen Stockroom Area	Basement & Dining	Stockroom area hallway & entrances,		1	deny dome	
Staff Lounge Area	Lower	Staff lounge & driveway, Camera should be wide angled.	1		4mp bullet	
EMS Office & Wrisp Roadside	Lower	Road from EMS office, & DAPCC car parking area.	1		4mp buller	
Parking A - Near Gate 2	Lower	Carmera will be installed at Street light post pointing at Side		1	drup tuiller	
Parking B - Near Gate 2	Lower	Carnera will be installed at Street light post pointing at DAPCC		1	desp suffer	
	Lower	Camera to be upgraded to 4mp bullet type pointing at		1	drnp multer	
Parking D - Near Clinic	Lower	Camera to be installed at Wall post pointing at Side Parking.		1	denp bullet	
Gym	Basement & Dining	Floor area of gym & entrances.		1	Jung deme	
Cashler	Lower	Inside new cashler's office, previously Business Center		1	Amp dome	
Gallery Hallway	Lower	Hallway & entrance of gallery, entrance of IT room & PABX.	1		to be m	to be maintained
Gallery inside 1	Lower	National Artist Collection area	1		to be m	to be maintained
Gallery inside 2	Lower	Gallery middle area side A	1		n ed or	to be maintained
Gallery Inside 3	Lower	Gallery middle area side 8	1		m ed ot	to be maintained
PABK	Lower	Floor area of PABX room & critical installations.	1		m ad ct	to be maintained or
kitchen Inside	Basement & Dfning	Main Kitchen Area	1		Armp donne	
Driveway @ Engineering Office Area	Lower	Camera will be place @ the Engineering office pointing the	1		4mp bullet	
Emergency exit beside Workshop 5	Basement & Dining	Camera will be placed @ the side of Workshop 5/ Emergency		1	4mp dume	
Dining A Entrance	Basement & Dining	Camera will be installed near the Dining Amain entrance.		1	drup dome	
Staff Lounge Inside	Lower	Camera is installed inside the Staff Lounge	1		4mp dome	
EMS Workstation (Generator Area)	Lower	Camera will be installed inside EMS Workstation pointing to the		1	4mp bullet	
Electrical Room (Lower Lobby)	Lower (Mech. & Elect.	Camera will be installed inside Electrical room at Lower Lobby		1	dryp buffet	
Mechanical Room (Lower Lobby)	Lower (Mech. & Elect.	Camera will be installed inside Mechanical room at Lower Lobby		1	4mp bullet	
Sewage Treatment Plant (STP)	Lower	Camera will be installed at Utility Center pointing at STP.		1	4mp buffer	
Utility Center near Engineering Building	Lower	Camera will be installed at the Utility Center area.		1	4mp bullet	
Engineering Workshop area	Lower	Camera will be installed at Engineering workshop area.		1	drup buffet	
Front Parking Driveway (Main Gate)	Cottage Area	Camera installed at Landbank ATM (Main Gate) pointing at Front	1		to be m	to be maintained
Cottone Deliverant	Compate Area	Cartara inctalled at another & TA colleges of Catago Driveson	*		-	bearing of at


36	32	13	41	Total		
to be maintained		1		Camera installed at the back of Cottage 9 pointing at FBS ramp	Cottage Area	# Cottage 9 (Back Area)
to be maintained		1		Camera installed at the side of Houskeeping storage room wall	Cottage Area	* Housekeeping Storage Room
to be maintained		1		Camera installed at the back of Cottage 3 pointing at the back of Cottage 4 and Cottage Electrical and Data Room area.	Cottage Area	Cottage 3 (Back Area)
to be maintained		#4		Camera installed at the back of Cottage 1 pointing at perimeter	Cottage Area	Cottage 2 (Back Area)
to be meintained		-1		Camera installed at the back of Cottage 1 pointing at perimeter	Cottage Area	* Cottage 1 (Back Area)
to be maintained		н		Camers installed at Cottage 5 pointing at Rotunda	Cottage Area	III Cottage 5

No. of Cameras	26	47	73	13
Type of Camera to be Purchased	4mp Bullet Type Camera	4mp Dome Type Camera	Total No. of Cameras to be purchased:	No. of Cameras to be Maintained:

(REAS:	No. of Cameras
Jpper	22
ower	23
ower (Mech. & Elect. Room)	2
Sasement & Dining	16
2nd & 3rd Floor	15

## DAPCC PROPOSED CCTV SURVEILLANCE SYSTEM LAYOUTS






# DAPCC FLOOR PLAN · LOWER LOBBY (CCTV LAY-OUT)




DOME CAMERA

TOTAL NO. OF CAMERAS - 2



#### 日日 STOCK HOOM 88 MISHON 200 THE REAL 80 O Canage 800 NE N COMMIST A 100 development academy of the philippines DAPCC FLOOR PLAN - DINING & BASEMENT (CCTV LAY-OUT) 1.0887 0 LOBER 0 10 COUNTRY 200 ğD: ğs 質 D 0 SE DIEK 副 8= **H** TOTAL NO. OF CAMERAS - 16 DOME CAMERA 100 100 NOS EE NOS III 0 0 100 117

BASEMENT



## Section VIII. Checklist of Technical and Financial Documents

#### Bid Document CHECKLIST - Technical (Including Eligibility)

- 01. All submissions of the Bidder must clearly indicate the paper the document number. For example, photocopy of valid PhilGEPS registration papers (i.e., 5pcs) of "Bidder Corporation", **Technical Component** should be marked "T01~1", "T01~2", "T01~3", "T01~4", and "T01~5".
- 02. On this checklist; the column "As Checked" shall be marked ...
  - ✓ "PASSED" to indicate that said document was available; or
  - ✓ "FAILED" when the document listed is not available in the bid proposal submitted; or
  - ✓ "NO NEED" if the item in the checklist will not be appropriate
- 03. At any stage of the procurement process, a proposal may still be declared "not eligible" if the contents/substance of the document is missing, or its found inappropriate or does not comply with the given requirements for this transaction.

	,,,,,,					
Bidding No	).	IB23-408235-04	Total ABC:	P3,5	500,000.00	
Particulars	s:	"ONE (1) LOT SUP	PLY, DELIVE	ERY,	INSTALLATION,	CONFIGURATION,
		TESTING & COMN	MISSIONING,	ANI	UPGRADING (	OF THE CLOSED-
		CIRCUIT TELEVISION	ON SURVEIL	LAN(	CE SYSTEM AT I	DAP CONFERENCE
		CENTER IN TAGAY	ГАҮ"			
Venue of Bi	d	Via Google Meet Platforn	1		DATE & TIME of Bid	November 14, 2023
Openin	g				Opening	(Tue) at 10:00AM
						(100) 00 1010
	COMPANY NAME:					
o z						
<b>7,</b> 4∏C	COMPANY WEBSITE OR EMAIL ADDRESS:  COMPANY WEBSITE OR EMAIL ADDRESS:					
<b>SIDDER'</b> INFORMATI						
NFC	COMPANY WEBSITE OR EMAIL ADDRESS:					
ш –	COMPANT WEBSITE ON EMAIL ADDRESS.					
Representati		NAME OF THE COMPANY	REPRESENTATIV	'E:		
attending the						
Biddin	ıg:	Position Title of the	COMPANY REPR	ESENTA	ATIVE:	
JV Inf	fo:	IS THE BIDDER INTO .	JOINT VENTUR	E AGR	EEMENT WITH ANO	THER
0 0 1111		ENTITY/IES? YES /N	0			

#### I. Technical Component Envelope

DAP DOES NOT ALLOW ANY BIDDER from any country outside the Philippines

, , , , , , , , , , , , , , , , , , , ,		
Class "A" Documents		
Legal Documents	mark	As Checked
<ol> <li>Valid PhilGEPS Certificate of Registration (Platinum Membership), with the current, updated, and clear copy of the documents as follows, per BDS Clause 10.1, item no. 1.</li> <li>Clear and readable Photocopy of Registration Certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI), or Cooperative</li> </ol>	T01	□ Passed □ Failed

	D1		
	Development Authority (CDA), whichever is applicable;		
	□ Clear and readable Photocopy of valid Mayor's/Business Permit or its Equivalent Document;		
	□ Clear and readable Photocopy of Tax Clearance Certificate for FY2022 issued by the Bureau of Internal Revenue (BIR);		
	□ Clear and readable Photocopy of Audited Financial Statements for FY2021 and FY2022 stamped "received" by the BIR or its duly accredited and authorized institutions.		
	Technical Documents	mark	As Checked
2)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid, per <b>BDS Clause 10.1, item no. 2</b> .;	T02	□Passed □Failed
3)	Statement of the bidder's SLCC at least two (2) completed similar contracts and the aggregate contract amounts should be equivalent to at least fifty percent (50%) of the ABC; and that the largest of these similar contracts must be equivalent to at least twenty-five (25%) of the ABC. pursuant to the exception provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents per <b>BDS Clause 10.1, item no. 3</b> ;	Т03	□Passed □Failed
4)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission.  or  Original copy of Notarized Bid Securing Declaration, per BDS Clause 10.1, item no. 4;	T04	□Passed □Failed
5)	Conformity with the Technical Specifications, which may include fabrication / Shop drawings, material board, mock-ups, production/delivery schedule, and/or after- sales/parts, if applicable as per <b>BDS Clause 10.1, item no. 5</b> ;	T05	□Passed □Failed
6)	Original duly signed Omnibus Sworn Statement (OSS); and applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder, per BDS Clause 10.1, item no. 6.;	Т06	□Passed □Failed
7)	Certificate of Site Inspection duly signed by TWG-End-user representative or TWG Chairperson or the End-User, <b>per BDS</b> Clause 10.1, item no. 7;	Т07	□Passed □Failed

the last five (5)	years, including address pe	ng the	l Completed Control e list of Company Of S Clause 10.1 under	fficers, a	ınd	T08	□Passed □Failed
9) Certificate of ounder Technical			_	Clause 10	0.1	T09	□Passed □Failed
	Financia	l Doci	uments			mark	As Checked
Contracting Cap	pacity (NFCC) Commercial B	); <u>or</u> a ank ii	nputation of Net a committed Line of n lieu of its NFCC c and	Credit f	rom	T10	□Passed □Failed
	Class "B"	Dod	cuments				
joint venture is from all the pot enter into and a that the bid is	11) If applicable, valid Joint Venture Agreement (JVA), in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful, shall be included in the bid, per BDS Clause 10.1, item no. 11.					T11	□Passed □Failed □N/A
BAC's Evaluation on the submitted TECHNICAL COMPONENT:					□ <b>P</b>	ASSED	□ FAILED
DAC'S D	END OF TECHNICAL COMPONENT CHECKLIST						
BAC's Remarks:	BAC's Remarks:				REC	ONSIDERA <sup>-</sup>	TION
CHECKED BY:		NOTE	D BY:	DOCUME	ENTS R	RECEIVED B	Y:
ARMIN JAMES S. TWG Chairpers			ALAN S. CAJES BAC Chairperson	_		L DV. CAS BAC Secre	STILLO etariat Division

#### **Checklist No.2 FINANCIAL DOCUMENTS**

- 01. All submissions of the Bidder must clearly indicate the paper the document number. For example, Financial Component (i.e., 4pcs) should be marked "F01~1", "F01~2", "F01~3", and "F01~4".
- 02. On this checklist; the column "As Checked" shall be marked ...
  - ✓ "PASSED" to indicate that said document was available; or
  - ✓ "FAILED" when the document listed is not available in the bid proposal submitted; or
- 03. At any stage of the procurement process, a proposal may still be declared "not eligible" if the contents/substance of the document is missing, or its found inappropriate or does not comply with the given requirements for this transaction.

Bidding No.   IB23-408235-04   Total ABC: P3,500,000.00   Particulars: "ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, CONFIGURATION,					
Particulars:	"ONE (1) LOT SUP TESTING & COM				
	CIRCUIT TELEVISICENTER IN TAGAY	ION SURVEILLAN			
Venue of Bid	Via Google Meet Platform		DATE & TIME of Bi	14046	mber 14, 2023
Opening			Openin	g (Tue	e) at 10:00AM
	COMPANY NAME:				
BIDDER'S INFORMATION	COMPANY HEAD OFFICE M.	AILING ADDRESS:			
BIDD	COMPANY WEBSITE OR EM	AIL ADDRESS:			
Representative		/ REPRESENTATIVE:			
attending the Bidding		COMPANY REPRESENT	TATIVE:		
JV Info	: IS THE BIDDER INTO ENTITY/IES? YES /N		REEMENT WITH AN	NOTHER	
II. Financial Component Envelope					
Dap DOES NOT ALLOW ANY BIDDER from any country outside the Philippines					
	FINANCIAL	DOCUMENTS		mark	As Checked
a. Original of duly signed and accomplished Financial Bid Form, per BDS Clause 11.1.   F01 □ Passed □ Failed					
b. Original of duly signed and accomplished Price Schedule(s), per BDS Clause 11.1.    F02 □ Passed □ Failed					
BAC's Evaluation on the submitted Financial Component:   PASSED FAILED					
		F FINANCIAL DOCUMEN	15 5 5		
BAC's Ren		□ INELIGIBLE		ONSIDERA <sup>*</sup>	
CHECKED	DBY:	NOTED BY:	DOCUMENT	TS RECEIVE	D BY:
ADMIN	JAMES S. KRAFT	ALAN S. CAJES	ב סרטו	EL DV. CA	STILLO
	VG Chairperson	BAC-Chairpersor			etariat Division

### Section IX. BIDDING FORMS

#### **TABLE OF CONTENTS**

Form 1: BID FORM	50
Form 2: PRICE SCHEDULE FOR GOODS OFFERED FROM WITHIN THE PHILIPPINES	52
Form 3: BID SECURING DECLARATION	70
Form 4: CONTRACT AGREEMENT FORM	72
Form 5: OMNIBUS SWORN STATEMENT	74
Form 6: STATEMENT OF ALL ONGOING CONTRACTS INCLUDING CONTRACTS AWARDED BUT NOT STARTED	
Form 7: STATEMENT OF BIDDER'S SINGLE LARGEST COMPLETED CONT (SLCC)	
Form 8: NET FINANCIAL CONTRACTING CAPACITY	78
Form 9: CERTIFICATE OF SITE INSPECTION	80
Form 10: TECHNICAL SPECIFICATIONS COMPLIANCE	81

### Bidder's LETTERHEAD

#### FORM 1: FINANCIAL BID FORM

#### **INSTRUCTIONS to BIDDERS**:

- **01.** THIS FORM SHOULD BE ACCOMPLISHED USING THE BIDDER'S LETTERHEAD, SIGNED COPY SHOULD BE SUBMITTED AS PART OF THE FINANCIAL DOCUMENTS MARKED AS "**F01**";
- 02. THE SIGNED COPY OF THIS DOCUMENT (IN PDF OR JPEG FORMAT) MUST BE PART OF THE ELECTRONIC FILES THAT SHOULD BE CONTAINED IN THE SUBMITTED ELECTRONIC BID; AND,
- 03. THE FILENAME STRUCTURE SHOULD BE "FOI XXX=FINANCIAL\_BID\_FORM=<BIDDERNAME>".

#### **BID FORM**

Issued by the GPPB through GPPB Resolution 16-2020, dated 16 September 2020

Date:	

Invitation to Bid No.: IB23-408235-04

#### **BIDS & AWARDS COMMITTEE**

Development Academy of the Philippines 3F, DAP Bldg., San Miguel Avenue, Pasig City 1600 P.O. Box 12788 Ortigas Center, Pasig City1600 Philippines Telephone: (632) 8631-0921 loc. 133

BAC Secretariat email: dapbacsec@dap.edu.ph

<u>Website address:</u> http://www.dap.edu.ph

Having examined the Bidding Documents, including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledge, we undersigned, offer to [supply/deliver/perform] for the Contract: **"ONE (1)** LOT SUPPLY, DELIVERY, CONFIGURATION, **TESTING** & COMMISSIONING, INSTALLATION. UPGRADING OF THE CLOSED-CIRCUIT TELEVISION SURVEILLANCE SYSTEM AT DAP CONFERENCE CENTER IN TAGAYTAY" with the said OBDs for the sum of total Bid amount in words and figures] or the total calculated bid price as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules.

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the OBD;
- b. to provide a performance security in the form, amounts, and within the times prescribed in the OBD;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below<sup>1</sup>:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
NOTE: if none, state "None"		

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the lowest or any Bid you may receive; and,

We certify/confirm that we comply with the eligibility requirements pursuant to the OBD.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

	Yours sincerely,
SIGNATURE OF THE AUTHORIZED REPRESENTATIVE	
Name of the Authorized Representative	
Position Title of Signatory:	
Name of Firm\Bidder:	
Postal Address:	
TELEPHONE NUMBER:	
EMAIL ADDRESS:	

---

<sup>&</sup>lt;sup>1</sup>Applicable only if the Funding Source is the ADB, JICA or WB.

## Bidder's LETTERHEAD

#### FORM 2: PRICE SCHEDULE

(AS PER GPPB RESOLUTION NO. 16-2020)

#### **INSTRUCTIONS to BIDDERS**:

- 01. THIS FORM SHOULD BE ACCOMPLISHED USING THE BIDDER'S LETTERHEAD, SIGNED COPY SHOULD BE SUBMITTED AS PART OF THE FINANCIAL DOCUMENTS MARKED AS "F02";
- 02. THE SIGNED COPY OF THIS DOCUMENT (IN PDF OR JPEG FORMAT) MUST BE PART OF THE ELECTRONIC FILES THAT SHOULD BE CONTAINED IN THE SUBMITTED ELECTRONIC BID, AND
- 03. DO NOT LEAVE BLANK CELLS. KINDLY PUT **N/A** IF "NOT APPLICABLE";
- 04. KINDLY USE ADDITIONAL SHEETS IF NECESSARY; AND
- 05. THE FILENAME STRUCTURE SHOULD BE "FOZ XXX=PRICE SCHEDULE=<BIDDERNAME>".

### **For Goods Offered From Within the Philippines** Name of Bidder \_\_\_\_\_ Page \_\_\_ of \_\_\_\_.

Invitation to Bid Number:

EXW per item and Insurance other taxes and all other payable if Services, if (col 5+6+7+8) December 2.1. Services, if (col 5+6+7+8)	Total Price livered Final Destination ol 9) x (col 4)
HARDWARES	
HAMPWARED	
1.01 Dome IP Camera  Supply and installation of Dome IP CCTV Camera:  4MP (1920 × 1080)  @30 fps, 1/2.9"" image sensor  24/7 Full-color image, starlight, WDR  SMART H.264+/H.265+  2.8/3.6 mm fixed lens  Built-in warm light/IR LED, the max. illumination distance is 30 m and the max warm light distance is 10m  Intelligent monitoring: Intrusion, tripwire (the two functions support the classification and	

	T			Г	 1	Г	
	accurate detection of vehicle and human).  12V DC/PoE power supply  IP67 protection with Warranty						
1.02 Bullet IP Camera	Supply and installation of Bullet IP CCTV Camera:  • 5MP (2592 × 1944) @20 fps, 1/2.7"" image sensor, 24/7 Full-color image  • SMART H.264+/H.265+, AI H.264/H.265 encoding  • 2.8/3.6 mm fixed lens  • Built-in warm light and IR LED; the max. IR illumination distance is 30m  • Smart Dual Illumination Active Deterrence: Sound and light alarm  • Support vehicle and human classification  • Intelligent detection: Intrusion, tripwire  • 12V DC/PoE power supply  • IP67 protection • with Warranty	21.00	pcs				
1.03 Smart POE Unmana ged Data Switch	Supply and installation of 24 port Smart POE Unmanaged Data Switch:  • Smart POE Unmanaged Data Switch (The next generation Smart switch, provides 48ports – 48 10/100/1000Base-T POE ports, 4SFP optical ports,	6.00	pcs				

	support IEEE					
	802.3af/ at power					
	supply standard,					
	single port					
	maximum output					
	PoE power 30W,					
	370W max output					
	PoE power, support					
	unified/ centralized					
	management,					
	lifetime license);					
	<ul> <li>Combo PoE Switch</li> </ul>					
	Interface: Combo					
	1000BASE-T/SFP					
	port x 110/100					
	Base-T x16 (Hi					
	PoE/PoE+/PoE) PoE					
	budget : 135W					
	Dimension: 340mm					
	x200mm x43mm					
	CCTV monitor					
	mode, VLAN					
	isolation mode					
	with Warranty					
1.04 64	Supply and installation	2.00	ncc			
Channel	of Two (2) 64 Channel	2.00	pcs			
Network	Network Video					
Video	Recorder:					
Recorder						
	H.265+/Smart					
	H.264+/H.265/H.26					
	4					
	• support 64-ch IPC					
	inputs, max					
	resolution 12MP					
	• 320Mbps input					
	Bandwidth					
	• Support 16-ch					
	1080p@30 fps self-					
	adaptive decoding					
	ability					
	8 SATA III ports, up					
	to 10 TB for a single					
	HDD					
	• 2 VGA, 2 HDMI, 2					
	RJ45(1000M)					
	• Supports ONVIF					
	protocol, DHCP,					
	P2P function					
	P2P function • 1-channel fisheye					
	P2P function					

	T	_			1	1	1	,
1.05 Data Cabinet	<ul> <li>Al by Camera Perimeter protection; face detection and recognition; SMI Plus; video metadata; ANPR people counting heat map</li> <li>with Warranty</li> <li>Supply and installation of Data Cabinet:</li> <li>Data Cabinet with a minimum specification of a least: Can accommodate a least four (4) and two (2) Data Switches each;</li> <li>(9U &amp; 12U) 19 standard opening Framing and Paneling Gauge#16 Black (powder coated); Adjustable with mounting railings; Plexigla Front Door with Lock;</li> <li>Detachable Side Panels with Lock &amp; Ventilation; Detachable Back Panels With Panel</li></ul>	4.00  4.00	pcs					
	3-prong, 220V							
	<ul><li>with Warranty</li></ul>							
1.06	• 10TB Surveillance	16.00	pcs					
10TB	Hard Disk Drive	ا اد						
Hard	SATA III;							
Disk	<ul> <li>with Warranty</li> </ul>							
Drive				 				
1.07	LC with Standard	1.00	roll	 				

	1				l	1		
Fiber		Boots;						
Patch	•	LC 12mm/18mm						
Cable		with Short Boots;						
End to	•	SC 25mm with						
End		Short Boots						
(300M)	•	Polish Type SMF:						
		UPC-UPC; UPC-						
		APC; APC-APC;						
		MMF: UPC-UPC						
		Connector Ferrule						
		Zirconia Ceramic						
		Cable Outside						
		Diameter Duplex:						
		1.6/2.0/3.0mm,						
		Simplex:						
		0.9/2.0/3.0mm,						
		Interchangeability						
		≤0.2dB, Vibration						
		≤0.2dB						
	•	with Warranty						
1.08	•	Single mode single	6.00	pcs				
Fiber		fiber; LC port;						
Optical		1310nm sending,						
Module		and 1550nm						
		receiving;						
		Transmission						
		distance up to						
		20km;						
	•	with Warranty						
1.09 <b>55"</b>	•	55" 4K UHD LED	2.00	pcs				
LED 4K		Monitor;						
Monitor	•	Industrial level LCD						
		panel, suitable for						
		continuous 24/7						
		operation						
	•	4K Ultra-HD						
		resolution						
	•	Using tamper-proof						
		metal housing						
	•	Built-in 3D COMB						
		filter and 3D noise						
		reduction						
	•	6ms response time						
		for no motion blur						
		or ghosting						
	•	1.07G colors, for a realistic and						
		immersive visual						
		experience						
	•	High-fidelity digital						
		processing						
	•	178°/178° wide						

	uninterrupted							
	viewing angle							
	With Bracket							
1 10	with Warranty     Catagory 6 100° 111	C 00						
1.10	Category 6 180° 1U	6.00	pcs					
Fiber	24-Port Unshielded							
Patch Panel	Patch Panel, Dual							
Panei	Type IDC, W/ Two Cable Management							
	Bars, Black;							
1.11	<ul><li>with Warranty</li><li>LC/UPC - SC/UPC</li></ul>	20.00						
Fiber		80.00	pcs					
Patch	Duplex Single mode,							
Cord	• 9/125 Patch Cord							
Coru	2M,2.0mm, LSOH;							
	• with Warranty							
1.12 <b>UTP</b>	· · · · · · · · · · · · · · · · · · ·	1	lot					
CAT6	Installation of UTP	-	101					
Cable	CAT6 Cable;							
Cabic	<ul><li>with Warranty</li></ul>							
1.13 <b>LC</b>	Multimode OM3	25.00	pcs					
Pigtail	Simples 1M, 4.0	23.00	Pos					
	mm, LSOH;							
	with Warranty							
1.14	• Supply &	1.00	рс					
Smart-	Installation of High							
UPS	frequency, On-line							
Power	Smart UPS, Rack-							
Supply	Tower Convertible,							
	Hot-Swappable							
	Battery Module							
	Design,							
	• 3KVA/2.7 KW, PF:							
	0.9, 72Vdc, with							
	6pcs X 9Ah built-in							
	battery, with USB,							
	RS232, EPO, SNMP							
	function Port							
1.15	with Warranty	1.00	1 - 2					
1.15 <b>RJ45</b>	Supply & Installation of RJ45	1.00	lot					
1.16	24 P, 1 U Cable	15.00	sets					
Cable	Manager Cable	13.00	3612					
Manager	Ivialiagei							
	NG-IN INSTALLATION	MATE	RIAIS		<u> </u>			
1.17	Supply, installation and		Lot					
1.1/	termination of Fiber	1.00	LUI					
	Optic 4 core multimode							
	outdoor type							
1.18	Supply, installation and	1.00	Lot					
	and		_0.	 <u> </u>	L	L	l	

	termination of						
	conduits, structured						
	cabling installation of						
	UTP CAT 6 Cable and						
	Fiber Optic Cable, cable						
	trays around the Main						
	Conference Building,						
	and in the side of						
	Connecting Hallway,						
	cable pulling, CCTV						
	Weatherproof Conduit						
	Boxes (100X100X70)						
	(73 pcs), fittings, boxes,						
	support/hangers,						
	connectors,						
	accessories, testing,						
	commissioning, and						
	decommissioning.						
Area 1 (I	Data Cabinet Installat	ion at I	PABX	Room)			
1.19	Installation of Data	1.00	Lot				
	Cabinet with height						
	12U/ 2ft., Powder						
	Coated, Black,						
	perforated two side						
	panels, Perforated						
	back, and front Door;						
	German cooling fan,						
	with three pins German						
	type plug, 1wire/4 fans						
	(cable length,1M); 1U						
	19" power distribution						
	unit, w/aluminum						
	body, US (NEMA5-15P)						
	Plug, 6 universal						
	outlets, w/LED master						
	switch at PABX Room;						
1.20	Installation, testing,	1.00	Lot				
	and commissioning of						
	Two (2) Smart PoE						
	Managed Switch, Two						
	(2) Network Video						
	Recorders, and						
	Rackmount Smart-UPS						
	power supply to the						
	Data Cabinet;						
1.21	Wall installation,	1.00	Lot				
	testing, and						
	commissioning of Two						
	(2) 55" LED 4K Monitors						
	connected to NVR						
	located at PABX Room;						
1.22	Installation of	1.00	Lot				

	5 1: / 11								
	Roughing-Ins (cable								
	trays, conduits and								
	other necessary								
	accessories).								
1.23	Supply, Installation,	1.00	Lot						
	Cable Wiring								
	Termination, Testing								
	and Commissioning of								
	New Electrical Panel								
	Board with 1 pc. Main								
	Circuit Breaker (100								
	Amperes) Bolt-On Type								
	and 8 pcs. Branch								
	Circuit Breakers Bolt-On								
	Type (1 pc. 20 Amperes								
	for the Lighting Circuits,								
	1 pc. 30 Amperes for								
	the Air Conditioning								
	Unit, 1pc. 30 Amperes								
	for the Convenience								
	Outlets, 1 pc. 40								
	Amperes for the UPS of								
	the existing IT Network								
	Infrastructure, 1pc. 40								
	Amperes or higher for								
	the UPS of CCTV								
	Surveillance System,								
	other 3 pcs. 20								
	Amperes Circuit								
	Breaker for Spare								
	Provisions)								
Area 2 (	Lower Lobby Electrica	I and N	/lecha	anical Roc	m IP CCTV	<b>Position</b>	s)		
1.24	Installation of	1.00	Lot						
	Roughing-Ins (cable								
	trays, conduits and								
	other necessary								
	accessories)								
1.25	Installation of Two (2)	1.00	Lot						
	units of Indoor Dome IP								
	CCTV Cameras at the								
	Mechanical Room and								
	Electrical Room								
	Entrance;								
1.26	Wire Pulling, Laying,	1.00	Lot						
	and Structured cabling								
	from Smart PoE								
	Network Switch at								
	PABX room (for IP CCTV								
	Cameras) to								
	Mechanical and								
	Electrical Room located								
	at the Lower lobby								
	· · · · · · · · · · · · · · · · · · ·		<u> </u>					1	

	<del></del>	1		1		1	ı	ı	ı
	(Camera No. 74 & 75)								
	based on Floor Plan/								
	Layout. (See attached								
	plan/ layout)								
Area 3 (	Data Cabinet Installat	ion at	Electr	rical room	located at	t the RFS	Office)		
1.27	Installation of One (1)	1.00	Lot						
	unit Data Cabinet with								
	specifications of 600 x								
	450, 9U/ 1.5Ft. 90.7kg								
	max. loading capacity),								
	toughed glass door w/								
	spring lock, detachable								
	side panel (not vented),								
	2pcs. Exhaust fan w/								
	cable entry at the top								
	panel, 6 outlet PDU w/								
	3.0mm cable length								
	(220V,3prong,10A),								
	powder coated finish,								
	with exhaust fans at the								
	Electrical room located								
	at the RFS Office area;								
1.28	Installation, testing,	1.00	Lot						
1.20	and commissioning of	1.00	LOT						
	Two (2) Smart PoE								
	Managed Switch to the								
	Data Cabinet;								
1.29	· · · · · · · · · · · · · · · · · · ·	1.00	Lot						
1.23	Roughing-Ins (cable	1.00							
	trays, conduits and								
	other necessary								
	accessories).								
Area 4 (	Data Cabinet Installat	ion at	Electr	rical room	located at	t the Wor	kshop Area	a)	
1.30	Installation of One (1)	1.00	Lot						
	unit Data Cabinet with								
	specifications of 600 x								
	450, 9U/ 1.5Ft. 90.7kg								
	max. loading capacity),								
	toughed glass door w/								
	spring lock, detachable								
	side panel (not vented),								
	2pcs. Exhaust fan w/								
	cable entry at the top								
	panel, 6 outlet PDU w/								
	3.0mm cable length								
	(220V,3prong,10A),								
	powder coated finish,								
	with exhaust fans at the								
	Electrical room located								
	at the RFS Office area;								
1.31	Installation, testing,	1.00	Lot						
<b>-</b>	and commissioning of								
	1	I	1	i		i	<u> </u>		

	Two (2) Smart PoE								
	Managed Switch to the								
	Data Cabinet.								
	Dining and Basemen	t Left-	wing	and Righ	t-wing are	a, Engine	ering and	Parking ar	ea IP CCTV
Position	· •						ı	T	
1.32		1.00	Lot						
	Roughing-Ins (cable								
	trays, conduits and								
	other necessary								
1.33	accessories); Installation of	1.00	Lot						
1.55	Seventeen (17) units of	1.00	LOT						
	Indoor Dome IP CCTV								
	Cameras and Eight (8)								
	Outdoor Bullet IP CCTV								
	Cameras;								
1.34	Wire Pulling, Laying,	1.00	Lot						
	and Structured cabling								
	from Smart PoE								
	Network Switch at								
	Electrical room located at Dining lobby of two								
	(2) runs each UTP Cable								
	(for IP CCTV Cameras)								
	to Dining Area (No. 70,								
	47, 48, 49, 71, 46, 53,								
	68, 54), and to								
	Basement Area (No. 45,								
	44, 43, 42, 40, 61,41)								
	based on Floor Plan/								
	Layout. (See attached								
1.35	plan/ layout); Another Wire Pulling,	1.00	Lot						
1.55	Laying, and Structured	1.00	LOT						
	cabling from Smart POE								
	Network Switch at								
	Electrical room located								
	at Dining lobby of two								
	(2) runs each UTP Cable								
	(for IP CCTV Cameras)								
	to Engineering, Staff								
	lounge and Side Parking								
	area (No. 55, 56, 59, 69,								
	72, 73, 76, 77, 78) based on Floor Plan/ Layout.								
	(See attached plan/								
	layout);								
1.36	Conduction of Wire	1.00	Lot						
	Termination/s along								
	with appropriate								
	Testing &								
	Commissioning and De-								

	commissioning of old								
	wires and hardware.								
Area 6 (2	2nd-floor and 3rd floo	r Left-	wing	and Right	-wing IP C	CTV Posit	ions)		
1.37	Installation of	1.00	Lot						
	Roughing-Ins (cable								
	trays, conduits and								
	other necessary								
	accessories);								
1.38	Installation of Fifteen	1.00	Lot						
	(15) units of Indoor								
1.20	Dome IP CCTV Cameras;	1.00	1 - 4						
1.39	Wire Pulling, Laying,	1.00	Lot						
	and Structured cabling from Smart PoE								
	Network Switch at								
	Electrical room located								
	at Dining lobby of two								
	(2) runs each UTP Cable								
	(for IP CCTV Cameras)								
	to 2nd floor Area (No.								
	24, 33, 34, 35, 36, 37,								
	38, 39), and to 3rd floor								
	Area (No. 26, 27, 28, 29,								
	30, 31, 32) based on								
	Floor Plan/ Layout. (See								
	attached plan/ layout);								
1.40	Conduction of Wire	1.00	Lot						
	Termination/s along								
	with appropriate Testing &								
	Commissioning and De-								
	commissioning of old								
	wires and hardware.								
Δrea 7a	(Upper Lobby and Fu	nction	Room	Δrea IP (	CCTV Posit	ions)			
1.41		1.00	Lot						
	Roughing-Ins (cable								
	trays, conduits and								
	other necessary								
	accessories);								
1.42	Installation of Thirteen	1.00	Lot						
	(13) units of Indoor								
	Dome IP CCTV Cameras								
	and Five (5) Outdoor								
4.42	Bullet IP CCTV Cameras;	4.00	ļ						
1.43	Wire Pulling, Laying,	1.00	Lot						
	and Structured cabling								
	from Smart PoE Network Switch at								
	Electrical room located								
	in front of Workshop								
	Male CR of two (2) runs								
	each UTP Cable (for IP								
1			1			1	1	1	i

	T .						1	ı	1
	CCTV Cameras) to								
	Upper lobby and								
	Function room Area								
	(No.1, 9, 10, 11, 12, 13,								
	14, 15, 16, 17, 18, 19,								
	20, 21, 22, 23, 25, 52)								
	based on Floor Plan/								
	Layout. (See attached								
	plan/ layout);								
1.44	Conduction of Wire	1.00	Lot						
	Termination/s along								
	with appropriate								
	Testing &								
	Commissioning and De-								
	commissioning of old								
	wires and hardware.								
Area 7b	(Upper Lobby and Fu	nction	Roon	n Area IP	CCTV Posit	ions)			
1.45		1.00	Lot						
	Roughing-Ins (cable								
	trays, conduits and								
	other necessary								
	accessories);								
1.46	Installation of Two (2)	1.00	Lot						
	units of Indoor Dome IP								
	CCTV Cameras and Two								
	(2) Outdoor Bullet IP								
	CCTV Cameras;								
1.47	Wire Pulling, Laying,	1.00	Lot						
	and Structured cabling								
	from Smart PoE								
	Network Switch located								
	at PABX of two (2) runs								
	each UTP Cable (for IP								
	CCTV Cameras) to								
	Upper lobby and								
	Function room Area								
	(No.7, 8, 50, 51) based								
	on Floor Plan/ Layout.								
	(See attached plan/								
	layout);								
1.48	Conduction of Wire	1.00	Lot						
	Termination/s along								
	with appropriate								
	Testing &								
	Commissioning.								
Area 8 (I	ower Lobby and Side	Parkir	ig Are	ea IP CCT\	/ Positions	)			
1.49		1.00	Lot						
	Roughing-Ins (cable								
	trays, conduits and								
	other necessary								
	accessories);								
1.50	Installation of Five (5)	1.00	Lot						
	(5)					İ	J	İ	<u> </u>

	ita af Indaan Dana ID					
	units of Indoor Dome IP					
	CCTV Cameras and Four					
	(4) Outdoor Bullet IP					
	CCTV Cameras;					
1.51	Wire Pulling, Laying,	1.00	Lot			
	and Structured cabling					
	from Smart PoE					
	Network Switch located					
	at PABX of two (2) runs					
	each UTP Cable (for IP					
	CCTV Cameras) to					
	Upper lobby and					
	Function room Area					
	(No.2, 3, 4, 5, 6, 57, 58,					
	60, 62) based on Floor					
	Plan/ Layout. (See					
	attached plan/layout);					
1.52	Conduction of Wire	1.00	Lot			
	Termination/s along					
	with appropriate					
	Testing &					
	Commissioning.					
General	Requirements					
1.53	Mobilization of	1.00	Lot			
	Manpower, equipment,					
	tools, and temporary					
	facilities. Provide					
	temporary field office					
	with health/safety/first					
	aid facility and utilities					
	with corresponding					
	sub-meters to be					
	connected to sub-					
	meters to be connected					
	to supply of water and					
	electricity. Provide					
	Personal Protective					
	Equipment (PPE) and					
	other Safety & Health					
	Paraphernalia.					
1.54	Obtain building	1.00	Lot			
	permits, and other					
	necessary permits such					
	as Electronic and/or					
	Electrical Permits as					
	required for the					
4.55	project;	4.00				
1.55	Supply and deliver all	1.00	Lot			
	devices needed to					
	install the upgraded					
	CCTV System such as					
Ī	but not limited to: IP	1		1		

	CCTV Cameras,							
	Network Video							
	Recorder, Wires and							
	Cables, Data Switches,							
	Monitors, Hard Disk							
	Drives, etc.;							
1.56	Install piping,	1.00	Lot					
	structured cabling,							
	cable trays, hangers,							
	base mountings,							
	cabinets, accessories,							
	CCTV devices such as							
	cameras and video							
	recorder, etc. in							
	accordance to correct							
	engineering standards							
	and material							
	specifications as cited in its operating manual;							
Turn Ov								
1.57	er and Acceptance End to End	1.00	Lot		<u> </u>	<u> </u>		
1.57	Termination, Testing	1.00	LOI					
	including Fluke testing							
	and Optimal Time-							
	Domain Reflectometer							
	(OTDR) &							
	Commissioning, Fiber							
	Optics, Networking,							
	Fiber Optic Cable							
	Design, and Installation,							
	Fiber Termination and							
	Fusion Splicing (FOC							
	Fusion Machine), FOC							
	Patch Panel Splicing,							
	and Termination,							
	Continuity Testing							
	Power source and Light							
	Meters Configuration,							
	Installation/terminatio							
	n and adjustment, and							
	Programming, for the							
4.50	entire IP CCTV system;	4.00						
1.58	Clean and restore the	1.00	Lot					
	areas affected during							
	and after the							
	installation and testing including							
	rectification/correction							
1.59	of punch-listed items; Demobilization.	1.00	l o+					
1.39	Dismantling of	1.00	Lot					
	temporary facilities,							
	Lemporary racincles,			L		1	<u> </u>	

resulting from the conduct of the works  1.60 The conduct of the works  1.60 The shall provide a quarterly preventive maintenance checkup, free of charge for at least one year after the system has been commissioned and accepted by DAP;  1.61 Submission of Post 1.00 Lot Documentary requirements:  • Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  • Complation of Poict Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpeg-format;  • As-Built Plans:  • As-Built Plans:  • As-Built Plans:  • Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and saudy or engineers;  • Six (6) sets of blue print copies in 30" x		. II				1		
Conduct of the works   Contractor/Supplier   Shall provide   A quarterly preventive maintenance checkup, free of charge for at least one year after the system has been commissioned and accepted by DAP;   Continued and accepted with legend, technical specifications, and measurements;   Complete with legend, technical specifications, and measurements;   Complete in complete with legend, technical specifications, and measurements;   Complete for project Reports including photo documentation works. Each photo-documentation works. Each photo-documentation works. Each photo-documentation should have the date and time stamps, in jpg-format;   As-Built Plans:   As-Built		pullout of debris						
The Contractor/Supplier shall provide a quarterly preventive maintenance checkup, free of charge for at least one year after the system has been commissioned and accepted by DAP.  1.6.1 Submission of Post Documentary requirements:  Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  Complation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format,  As-Built Plans:  Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  Six (6) sets of blue print		_						
Contractor/Supplier shall provide a quarterly preventive maintenance checkup, free of charge for at least one year after the system has been commissioned and accepted by DAP;  1.61 Submission of Post 1.00 Lot Documentary requirements:  Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  Compliation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo- documentation before, during, and after implementation works. Each photo- documentation should have the date and time stamps, in jpg- format;  As-Built Plans:  Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  Six (6) sets of blue print								
shall provide a quarterly preventive maintenance checkup, free of charge for at least one year after the system has been commissioned and accepted by DAP;  1.61 Submission of Post 1.00 Lot Documentary requirements:  • Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  • Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in Jog-format;  • As-Built Plans:  • As-Built Plans:  • Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  • Six (6) sets of blue print	1.60		1.00	Lot				
quarterly preventive maintenance checkup, free of charge for at least one year after the system has been commissioned and accepted by DAP;  1.61 Submission of Post 1.00 Lot Documentary requirements:  • Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  • Complation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jng-format;  • As-Built Plans:  • As-Built Plans:  • Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  • Six (6) sets of blue print		Contractor/Supplier						
maintenance checkup, free of charge for at least one year after the system has been commissioned and accepted by DAP;  1.61 Submission of Post Documentary requirements:  • Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  • Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photodocumentation should have the date and time stamps, in jpg-format;  • As-Built Plans:  • As-Built Plans:  • Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  • Six (6) sets of blue print		shall provide a						
free of charge for at least one year after the system has been commissioned and accepted by DAP;  1.61 Submission of Post Documentary requirements:  • Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  • Compllation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format;  • As-Built Plans:  • Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  • Six (6) sets of blue print		quarterly preventive						
least one year after the system has been commissioned and accepted by DAP;  1.61 Submission of Post 1.00 Lot Documentary requirements:  • Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  • Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photodocumentation should have the date and time stamps, in jpg-format;  • As-Built Plans:  • As-Built Plans:  • As-Built Plans:  • As-Built Plans:  • Signed and seaded by appropriate professional and/or engineers;  • Sis (6) sets of blue print		maintenance checkup,						
system has been commissioned and accepted by DAP;  1.61 Submission of Post 1.00 Lot Documentary requirements:  • Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  • Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format;  • As-Built Plans:  • As-Built Plans:  • Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  • Six (6) sets of blue print		free of charge for at						
commissioned and accepted by DAP;  Submission of Post Documentary requirements:  Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements; Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format; As-Built Plans:  Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; Six (6) sets of blue print		least one year after the						
accepted by DAP;  Submission of Post Documentary requirements:  Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  Completion of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format;  As-Built Plans: ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print		system has been						
1.61 Submission of Post Documentary requirements:  ■ Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  ■ Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format;  ■ As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of biue print		commissioned and						
1.61 Submission of Post Documentary requirements:  ■ Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  ■ Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format;  ■ As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of biue print		accepted by DAP;						
Documentary requirements:  ■ Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  ■ Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo- documentation should have the date and time stamps, in jpg- format;  ■ As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of blue print	1.61		1.00	Lot				
requirements:  • Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  • Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format;  • As-Built Plans:  • Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  • Six (6) sets of blue print								
<ul> <li>Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;</li> <li>Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format;</li> <li>As-Built Plans:</li> <li>✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;</li> <li>✓ Six (6) sets of blue print</li> </ul>		-						
"Record Drawings/Plans" complete with legend, technical specifications, and measurements;  Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo- documentation should have the date and time stamps, in jpg- format;  As-Built Plans: ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print								
Drawings/Plans" complete with legend, technical specifications, and measurements;  Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo- documentation should have the date and time stamps, in jpg- format;  As-Built Plans: ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print								
complete with legend, technical specifications, and measurements;  ■ Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format;  ■ As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of blue print								
legend, technical specifications, and measurements;  Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format;  As-Built Plans: ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print		_						
specifications, and measurements;  Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format;  As-Built Plans:  Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  Six (6) sets of blue print		-						
measurements;  Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo- documentation should have the date and time stamps, in jpg- format;  As-Built Plans: ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print		_						
<ul> <li>Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photodocumentation should have the date and time stamps, in jpg-format;</li> <li>As-Built Plans:</li> <li>✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;</li> <li>✓ Six (6) sets of blue print</li> </ul>								
Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpg-format;  • As-Built Plans:  • Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  • Six (6) sets of blue print								
Reports including photo documentations before, during, and after implementation works. Each photo- documentation should have the date and time stamps, in jpg- format;  • As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of blue print		=						
photo documentations before, during, and after implementation works. Each photo- documentation should have the date and time stamps, in jpg- format;  ■ As-Built Plans: ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print		_						
documentations before, during, and after implementation works. Each photo- documentation should have the date and time stamps, in jpg- format;  • As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print		-						
before, during, and after implementation works. Each photodocumentation should have the date and time stamps, in jpg-format;  ■ As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of blue print		•						
after implementation works. Each photo- documentation should have the date and time stamps, in jpg- format;  ■ As-Built Plans: ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print								
implementation works. Each photo- documentation should have the date and time stamps, in jpg- format;  ■ As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of blue print		_						
works. Each photo- documentation should have the date and time stamps, in jpg- format;  ■ As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of blue print								
documentation should have the date and time stamps, in jpg- format;  ■ As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print		-						
should have the date and time stamps, in jpg-format;  • As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of blue print								
date and time stamps, in jpg-format;  • As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of blue print								
stamps, in jpg- format;  As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print								
format;  • As-Built Plans:  ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print								
<ul> <li>As-Built Plans:</li> <li>✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;</li> <li>✓ Six (6) sets of blue print</li> </ul>								
✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print		-						
original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print								
30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print								
sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of blue print								
on a mylar sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of blue print								
sheets) signed and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of blue print								
and sealed by appropriate professional and/or engineers;  ✓ Six (6) sets of blue print								
appropriate professional and/or engineers; ✓ Six (6) sets of blue print								
professional and/or engineers;  ✓ Six (6) sets of blue print		-						
and/or engineers;  ✓ Six (6) sets of blue print								
engineers;  ✓ Six (6) sets of blue print		-						
✓ Six (6) sets of blue print								
blue print		_						
copies in 30" x		·						
		copies in 30" x		<u> </u>	 	<u> </u>		

		1	1	ı	ı	ı	
	40" sheets						
	signed and						
	sealed by						
	appropriate						
	professional						
	architects and						
	engineers; and						
	✓ Complete set of						
	electronic files						
	in USB Thumb						
	Drive of "AS-						
	BUILT PLANS"						
	in PDF and CAD						
	format.						
•	Manuals of all						
	supplied and						
	installed						
	equipment						
	comprising the						
	Technical						
	Specifications and						
	Product Installation						
	Instructions;						
•	Operational						
	Brochure/s;						
	Maintenance						
	Manuals, including						
	draft of Process and						
	Work Instruction						
	Manual (PAWIM)						
	for the use of						
	DAPCC						
	Maintenance						
	Personnel;						
•	Conduct training of						
	the DAP						
	maintenance						
	personnel who will						
	operate and						
	maintain all						
	equipment,						
	facilities and						
	utilities installed;						
•	Warranty						
	Certificate that						
	complies to the						
	GCC Clause 5						
	Warranty under						
	Section V Special						
	Conditions of						
	Contract						

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign Bid for and on behalf of	

			- ~	1 0 00 1		•		
NT (	CD: 11		For Go	oods Offered	From Abro		C	
Name of	f Bidder					Page	οι	
Invitatio	on to Bid Number:							
1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (Specify border point or place of	Total CIF or CIP price per item (col.4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col.4 x 8)
				destination)				
A								
В								
Signatur	apacity: re: thorized to sign Bi							

### Bidder's LETTERHEAD

#### FORM 3: BID SECURING DECLARATION

undertake.

INSTRUCTIO	THIS FORM SHOULD BE ACCOMPLISHED USING THE DIDDER S LETTERHEAD
CITY OF _	C OF THE PHILIPPINES )) S.Sx
	BID-SECURING DECLARATION
	Invitation to Bid No. <b>IB23-408235-04</b>
dapbacsec	ment Academy of the Philippines @dap.edu.ph  ndersigned, declare that:
1.	I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
2.	I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and69.1, except

- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;

69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may

- (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
- (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

**IN WITNESS WHEREOF**, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

<sup>&</sup>lt;sup>2</sup> Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

## [Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

Philippines. Affiant/s is/are personally know evidence of identity as defined in the 200 Affiant/s exhibited to me his/her [insert two	ne this day of [month] [year] at [place of execution], in to me and was/were identified by me through competent 04 Rules on Notarial Practice (A.M. No. 02-8-13-SC). (2) government identification cards used], with his/her, with 1st ID No issued on at and
Witness my hand and seal this d	ay of [month] [year].
	NAME OF NOTARY PUBLIC  Serial No. of Commission  Notary Public for until  Roll of Attorneys No  PTR No [date issued], [place issued]  IBP No [date issued], [place issued]
Doc. No Page No Book No Series of	

#### FORM 4: CONTRACT AGREEMENT FORM

#### CONTRACT AGREEMENT

Invitation to Bid No.

THIS AGREEMENT made the	_ day of	20	between Develo	opment Academy	y of the
Philippines hereinafter called "DAP"	of the one part	and [name of S	Supplier] of [city	y and country of	Supplier]
(hereinafter called "the Supplier") of	the other part:				

WHEREAS the Entity invited Bids for certain goods and ancillary services, viz., "ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, CONFIGURATION, TESTING & COMMISSIONING, AND UPGRADING OF THE CLOSED-CIRCUIT TELEVISION SURVEILLANCE SYSTEM AT DAP CONFERENCE CENTER IN TAGAYTAY" and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures] (hereinafter called "the Contract Price").

#### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, viz.:
- i. Official Bidding Documents (OBDs);
  - i. Schedule of requirements;
  - ii. Technical Specifications;
  - iii. General and Special Conditions of Contracts;
  - iv. Supplemental or Bid Bulletins, if any
- ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted:

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.
- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The **DAP** agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

for the Development Academy of the Philippines("DAP"):	for the {name of the Firm of the Winning Bidder} ("SUPPLIER"):		
Atty. ENGELBERT C. CARONAN, JR., MNSA  President and CEO	name of Authorized Representative.  position-title of "Supplier"		
***witnesse	<sub>2S</sub> ***		
Witness1 of DAP  position-title of "DAP's Witness1"	Witness1 of the Bidder position-title of "Supplier's Witness1"		
Witness2 of DAP  position-title of "DAP's Witness2"	Witness2 of the Bidder position-title of "Supplier's Witness2"		

**REMINDER:** [Addendum showing the corrections, if any, made during the bid evaluation and/or negotiation should be attached to this Contract]

## FORM 5: OMNIBUS SWORN STATEMENT

**INSTRUCTIONS**: THIS FORM SHOULD BE ACCOMPLISHED USING THE BIDDER'S LETTERHEAD

REPUBLIC OF THE PHILIPPINES	)
CITY/MUNICIPALITY OF	) S.S.

## **AFFIDAVIT**

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

#### 1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor of [Name of Bidder] with office address at [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

#### 2. Select one, delete the other:

[If a sole proprietorship:] As the owner and sole proprietor, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for "ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, CONFIGURATION, TESTING & COMMISSIONING, AND UPGRADING OF THE CLOSED-CIRCUIT TELEVISION SURVEILLANCE SYSTEM AT DAP CONFERENCE CENTER IN TAGAYTAY" of the Development Academy of the Philippines, as shown in the attached duly notarized Special Power of Attorney;

"If a sole proprietorship:] As authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for "ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, CONFIGURATION, TESTING & COMMISSIONING, AND UPGRADING OF THE CLOSED-CIRCUIT TELEVISION SURVEILLANCE SYSTEM AT DAP CONFERENCE CENTER IN TAGAYTAY" of the Development Academy of the Philippines, as shown in the attached duly notarized Special Power of Attorney;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the "ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, CONFIGURATION, TESTING & COMMISSIONING, AND UPGRADING OF THE CLOSED-CIRCUIT TELEVISION SURVEILLANCE SYSTEM AT DAP CONFERENCE CENTER IN TAGAYTAY" and/or to represent the [Name of Bidder] in the bidding as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate issued by the corporation or the members of the joint venture)];

3. **[Name of Bidder]** is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government

Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the **Development Academy of the Philippines** or its duly authorized representative(s) to verify all the documents submitted;
- 6. Select one, delete the rest:

[If a sole proprietorship:] I am not related by consanguinity or affinity up to the third civil degree to the Head of the **Development Academy of the Philippines**, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the Head of the Project Management Office or the end-user unit, and the project consultants;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related by consanguinity or affinity up to the third civil degree to the Head of the **Development Academy of the Philippines**, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the Head of the Project Management Office or the end-user unit, and the project consultants:

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related by consanguinity or affinity up to the third civil degree to the Head of the **Development** Academy of the Philippines, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the Head of the Project Management Office or the end-user unit, and the project consultants;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
  - a) Carefully examined all of the Bidding Documents;
  - b) Acknowledged all conditions, local or otherwise, affecting the implementation of the Contract;
  - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and,
  - d) Inquired or secured Supplemental/Bid Bulletin(s) issued for the "ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, CONFIGURATION, TESTING & COMMISSIONING, AND UPGRADING OF THE CLOSED-CIRCUIT TELEVISION SURVEILLANCE SYSTEM AT DAP CONFERENCE CENTER IN TAGAYTAY"
- 9. **[Name of Bidder]** did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the

government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the
Revised Penal Code.
IN WITNESS WHEREOF, I have hereunto set my hand this day of, 20 at, Philippines.
Bidder's Representative/Authorized Signatory (JURAT)

# FORM 6: STATEMENT OF ALL ONGOING CONTRACTS INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED

#### **INSTRUCTIONS to BIDDERS:**

- **01.** THIS FORM SHOULD BE ACCOMPLISHED USING THE BIDDER'S LETTERHEAD, SIGNED COPY SHOULD BE SUBMITTED AS PART OF THE TECHNICAL DOCUMENTS MARKED AS "T02";
- **02.** IF THERE IS NO ONGOING INCLUDING AWARDED BUT NOT YET STARTED GOVERNMENT OR PRIVATE CONTRACTS, STATE "NONE", OR EQUIVALENT TERM;
- **03.** THE TOTAL AMOUNT OF THE ONGOING AND AWARDED BUT NOT YET STARTED CONTRACTS SHOULD BE CONSISTENT WITH THOSE FIGURES USED IN THE NET FINANCIAL CONTRACTING CAPACITY (NFCC).

Note: Excel file will be provided through email, which forms part of the OBD bought by the Bidder.

## Bidder's LETTERHEAD

# FORM 7: STATEMENT OF BIDDER'S SINGLE LARGEST COMPLETED CONTRACT (SLCC)

## **INSTRUCTIONS to BIDDERS:**

- **01.** This FORM should be accomplished using the Bidder's Letterhead, signed copy should be submitted as part of the Technical Documents marked as "T03";
- **02.** ATTACHED PHOTOCOPY OF CERTIFICATE OF FINAL ACCEPTANCE OR OFFICIAL RECEIPT ISSUED TO THE PROCURING ENTITY OR ANY EQUIVALENT DOCUMENT WITH INDICATED AMOUNT;
- 03. THE TOTAL AMOUNT OF THE SLCC SHOULD BE EQUIVALENT TO AT LEAST FIFTY PERCENT (50%) OF THE ABC.

Note: Excel file will be provided in email, which forms part of the OBD bought by the Bidder.

## FORM 8: NET FINANCIAL CONTRACTING CAPACITY

INSTRUCTIONS to BIDDERS

THIS FORM SHOULD BE ACCOMPLISHED USING THE BIDDER'S LETTERHEAD, SIGNED COPY SHOULD BE SUBMITTED AS PART OF THE TECHNICAL COMPONENT MARKED AS "T10".

A. Summary of the Applicant/Bidder's assets and liabilities on the basis of the attached income tax return and audited financial statement, stamped "RECEIVED" by the Bureau of Internal Revenue or BIR authorized collecting agent, for the immediately preceding year and a certified copy of Schedule of Fixed Assets particularly the list of construction equipment.

		Year 2022
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NFCC = [(current asset minus current liabilities) ( $\underline{15}$ )] minus [value of all outstanding or uncompleted portions of the projects under ongoing contracts including awarded contracts yet to be started coinciding with the contract to be bid].

The values of the domestic bidder's current assets and current liabilities shall be based on the <u>latest Audited Financial Statements</u> submitted to the BIR.

	Amount
Current Assets	
Less: Current Liabilities	
Net Current Assets	
Multiplied by 15	x 15
Sub-Total	
Less: Total value of all outstanding or	
uncompleted portions of the projects	
under on-going contracts including	
awarded contracts yet to be started	
coinciding with the contract to be	
negotiated	
Net Financial Contracting Capacity	
(NFCC)	

Herewith attached are certified true copies of the Income Tax Return (filed through the Electronic Filing and Payments System (EFPS) and Audited Financial Statement: stamped "RECEIVED" by the BIR or BIR authorized collecting agent for the immediately preceding year.

SIGNATURE OF THE AUTHORIZED REPRESENTATIVE
Name of the Authorized Representative
POSITION TITLE OF SIGNATORY:
Name of Firm\Bidder:

Postal Address:	
Telephone Number:	
EMAIL ADDRESS:	

NOTE: If Partnership or Joint Venture, each Partner or Member Firm of Joint Venture shall submit the above requirements.

## FORM 9: CERTIFICATE OF SITE INSPECTION

#### **INSTRUCTIONS to BIDDERS**:

- 01. SIGNED COPY SHOULD BE SUBMITTED AS PART OF THE TECHNICAL DOCUMENTS MARKED AS "T02";
- 02. THE SIGNED COPY OF THIS DOCUMENT (IN PDF OR JPEG FORMAT) MUST BE PART OF THE ELECTRONIC FILES THAT SHOULD BE CONTAINED IN THE SUBMITTED ELECTRONIC BID;
- 03. THE FILENAME STRUCTURE SHOULD BE "TO7 XXX=CERT SITE INSPECTION=<BIDDERNAME>".

# CERTIFICATE OF SITE INSPECTION in DAPCC Tagaytay

BIDDING NO.:	IB23-408235-04	
CONTRACT:	CONFIGURATION, TUPGRADING OF	UPPLY, DELIVERY, INSTALLATION, TESTING & COMMISSIONING, AND THE CLOSED-CIRCUIT TELEVISION TEM AT DAP CONFERENCE CENTER IN
Bidder's Company Name:		
Bidder's Rep.#1 Name /Position		
Bidder's Rep.#2 Name / Position		
Bidder's Rep.#3 Name / Position		
Bidder's Rep.#4 Name / Position		
DAP Representative during inspection		
Date and time of Inspection		
inspected the DAP-Co and was able to get en	nat we have adequately inference Center facilities ough info/data pertaining	This is to certify that the above-named Bidder/Bidder's Representative had indeed visited/ inspected the DAP-Conference
to the above stated Pro		Center facilities in reference to the above stated Project.
By Bidder/ Bidder's A Representative:	Luthorized	By:
Signature:		Signature:
Name:		Name:
Position Title:		Position Title:

## FORM 10: TECHNICAL SPECIFICATIONS COMPLIANCE

Instructions: Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.

Item	Specification	Qty	unit	Statement of Compliance
HARDWARE	S			
1.01 Dome IP Camera	Supply and installation of Dome IP CCTV Camera:  • 4MP (1920 × 1080) @30 fps, 1/2.9"" image sensor  • 24/7 Full-color image, starlight, WDR  • SMART H.264+/H.265+  • 2.8/3.6 mm fixed lens  • Built-in warm light/IR LED, the max. illumination distance is 30 m and the max. warm light distance is 10m  • Intelligent monitoring: Intrusion, tripwire (the two functions support the classification and accurate detection of vehicle and human).  • 12V DC/PoE power supply  • IP67 protection • with Warranty	52.00	pcs	
1.02 Bullet IP Camera	Supply and installation of Bullet IP CCTV Camera:  • 5MP (2592 × 1944) @20 fps, 1/2.7"" image sensor, 24/7 Full-color image  • SMART H.264+/H.265+, AI H.264/H.265 encoding  • 2.8/3.6 mm fixed lens  • Built-in warm light and IR LED; the max. IR illumination distance is 30m  • Smart Dual Illumination Active	21.00	pcs	

Item	Specification	Qty	unit	Statement of Compliance
	<ul> <li>Deterrence: Sound and light alarm</li> <li>Support vehicle and human classification</li> <li>Intelligent detection: Intrusion, tripwire</li> <li>12V DC/PoE power supply</li> <li>IP67 protection</li> <li>with Warranty</li> </ul>			
1.03 Smart POE Unmanaged Data Switch	Supply and installation of 24 port Smart POE Unmanaged Data Switch:  • Smart POE Unmanaged Data Switch (The next generation Smart switch, provides 48ports – 48 10/100/1000Base-T POE ports, 4SFP optical ports, support IEEE 802.3af/ at power supply standard, single port maximum output PoE power 30W, 370W max output PoE power, support unified/ centralized management, lifetime license);  • Combo PoE Switch • Interface: Combo 1000BASE-T/SFP port x 110/100 Base-T x16 (Hi PoE/PoE+/PoE) PoE budget: 135W Dimension: 340mm x200mm x43mm CCTV monitor mode, VLAN isolation mode • with Warranty	6.00	pcs	
1.04 64 Channel Network Video Recorder	<ul> <li>Supply and installation of Two (2) 64 Channel Network Video Recorder: <ul> <li>Smart H.265+/Smart H.264+/H.265/H.264</li> <li>support 64-ch IPC inputs, max resolution 12MP</li> <li>320Mbps input Bandwidth</li> <li>Support 16-ch 1080p@30 fps self-adaptive decoding ability</li> <li>8 SATA III ports, up to 10 TB for a single HDD</li> <li>2 VGA, 2 HDMI, 2 RJ45(1000M)</li> <li>Supports ONVIF protocol, DHCP, P2P function</li> <li>1-channel fisheye dewarping (AI by NVR)</li> <li>AI by Camera: Perimeter protection; face detection and recognition; SMD Plus; video metadata; ANPR; people counting; heat map</li> <li>with Warranty</li> </ul> </li> </ul>	2.00	pcs	

Item	Specification	Qty	unit	Statement of Compliance
1.05 Data Cabinet	<ul> <li>Supply and installation of Data Cabinet:</li> <li>Data Cabinet with a minimum specification of at least: Can accommodate at least four (4) and two (2) Data Switches each;</li> <li>(9U &amp; 12U) 19" standard opening; Framing and Paneling Gauge#16, Black (powder-coated); Adjustable with mounting railings; Plexiglas Front Door with Lock;</li> <li>Detachable Side Panels with Lock &amp; Ventilation; Detachable Back Panels with Lock; With 1 unit Vertical powerstrip 4 CO's, 3-prong, 220V, 20Amp fuse; With 1 unit Vertical Cable Manager at the back ring type; and with 2 pcs. Exhaust Fan at the top panel;</li> <li>with Warranty</li> </ul>	4.00	pcs	
1.06 10TB Hard Disk Drive	<ul> <li>10TB Surveillance Hard Disk Drive SATA III;</li> <li>with Warranty</li> </ul>	16.00	pcs	
1.07 Fiber Patch Cable End to End (300M)	<ul> <li>LC with Standard Boots;</li> <li>LC 12mm/18mm with Short Boots;</li> <li>SC 25mm with Short Boots</li> <li>Polish Type SMF: UPC-UPC; UPC-APC; APC-APC; MMF: UPC-UPC Connector Ferrule Zirconia Ceramic Cable Outside Diameter Duplex: 1.6/2.0/3.0mm, Simplex: 0.9/2.0/3.0mm, Interchangeability ≤0.2dB, Vibration ≤0.2dB</li> <li>with Warranty</li> </ul>	1.00	roll	
1.08 Fiber Optical Module	<ul> <li>Single mode single fiber; LC port; 1310nm sending, and 1550nm receiving; Transmission distance up to 20km;</li> <li>with Warranty</li> </ul>	6.00	pcs	
1.09 55" LED 4K Monitor	<ul> <li>55" 4K UHD LED Monitor;</li> <li>Industrial level LCD panel, suitable for continuous 24/7 operation</li> <li>4K Ultra-HD resolution</li> <li>Using tamper-proof metal housing</li> <li>Built-in 3D COMB filter and 3D noise reduction</li> <li>6ms response time for no motion blur or ghosting</li> <li>1.07G colors, for a realistic and immersive visual experience</li> </ul>	2.00	pcs	

Specification	Qty	unit	Statement of Compliance
High-fidelity digital processing			•
• 178°/178° wide uninterrupted			
viewing angle			
With Bracket			
with Warranty			
• Category 6 180° 1U 24-Port	6.00	pcs	
·	00.00		
	80.00	pcs	
,			
	1	lo+	
• • •	1	101	
•			
,	25.00	ncs	
	23.00	pcs	
	1.00	nc	
,	1.00	PC	
• • • • • • • • • • • • • • • • • • • •			
6pcs X 9Ah built-in battery, with			
USB, RS232, EPO, SNMP function			
Port			
<ul><li>with Warranty</li></ul>			
Supply & Installation of RJ45	1.00	lot	
• 24 P, 1 U Cable Manager	15.00	sets	
Supply, installation and termination	1.00	Lot	
•			
, ,	4.00		
* * * *	1.00	Lot	
- · · · · · · · · · · · · · · · · · · ·			
· · · · · · · · · · · · · · · · · · ·			
<b>o</b> .			
•			
connectors, accessories, testing,			
	<ul> <li>High-fidelity digital processing</li> <li>178°/178° wide uninterrupted viewing angle</li> <li>With Bracket</li> <li>with Warranty</li> <li>Category 6 180° 1U 24-Port Unshielded Patch Panel, Dual Type IDC, W/ Two Cable Management Bars, Black;</li> <li>with Warranty</li> <li>LC/UPC – SC/UPC Duplex Single mode,</li> <li>9/125 Patch Cord 2M,2.0mm, LSOH;</li> <li>with Warranty</li> <li>Supply &amp; Installation of UTP CAT6 Cable;</li> <li>with Warranty</li> <li>Multimode OM3 Simples 1M, 4.0 mm, LSOH;</li> <li>with Warranty</li> <li>Supply &amp; Installation of High frequency, On-line Smart UPS, Rack-Tower Convertible, Hot-Swappable Battery Module Design,</li> <li>3KVA/2.7 KW, PF: 0.9, 72Vdc, with 6pcs X 9Ah built-in battery, with USB, RS232, EPO, SNMP function Port</li> <li>with Warranty</li> <li>Supply &amp; Installation of RJ45</li> <li>24 P, 1 U Cable Manager</li> <li>INSTALLATION MATERIALS</li> <li>Supply, installation and termination of Fiber Optic 4 core multimode outdoor type</li> <li>Supply, installation and termination of conduits, structured cabling installation of UTP CAT 6 Cable and Fiber Optic Cable, cable trays around the Main Conference Building, and in the side of Connecting Hallway, cable pulling, CCTV Weatherproof Conduit Boxes (100X100X70) (73 pcs), fittings, boxes, support/hangers,</li> </ul>	<ul> <li>High-fidelity digital processing</li> <li>178°/178° wide uninterrupted viewing angle</li> <li>With Bracket</li> <li>with Warranty</li> <li>Category 6 180° 1U 24-Port Unshielded Patch Panel, Dual Type IDC, W/ Two Cable Management Bars, Black;</li> <li>with Warranty</li> <li>LC/UPC - SC/UPC Duplex Single mode,</li> <li>9/125 Patch Cord 2M,2.0mm, LSOH;</li> <li>with Warranty</li> <li>Supply &amp; Installation of UTP CAT6 Cable;</li> <li>with Warranty</li> <li>Multimode OM3 Simples 1M, 4.0 mm, LSOH;</li> <li>with Warranty</li> <li>Supply &amp; Installation of High frequency, On-line Smart UPS, Rack-Tower Convertible, Hot-Swappable Battery Module Design,</li> <li>3KVA/2.7 KW, PF: 0.9, 72Vdc, with 6pcs X 9Ah built-in battery, with USB, RS232, EPO, SNMP function Port</li> <li>with Warranty</li> <li>Supply &amp; Installation of RJ45</li> <li>1.00</li> <li>INSTALLATION MATERIALS</li> <li>Supply, installation and termination of Fiber Optic 4 core multimode outdoor type</li> <li>Supply, installation and termination of conduits, structured cabling installation of UTP CAT 6 Cable and Fiber Optic Cable, cable trays around the Main Conference Building, and in the side of Connecting Hallway, cable pulling, CCTV Weatherproof Conduit Boxes (100X100X70) (73 pcs), fittings, boxes, support/hangers,</li> </ul>	High-fidelity digital processing 178°/178° wide uninterrupted viewing angle With Bracket with Warranty  Category 6 180° 1U 24-Port Unshielded Patch Panel, Dual Type IDC, W/ Two Cable Management Bars, Black; with Warranty  LC/UPC — SC/UPC Duplex Single mode, 9/125 Patch Cord 2M,2.0mm, LSOH; with Warranty  Supply & Installation of UTP CAT6 Cable; with Warranty  Multimode OM3 Simples 1M, 4.0 25.00 pcs mm, LSOH; with Warranty  Supply & Installation of High frequency, On-line Smart UPS, Rack-Tower Convertible, Hot-Swappable Battery Module Design, 3KVA/2.7 KW, PF: 0.9, 72Vdc, with 6pcs X 9Ah built-in battery, with USB, RS232, EPO, SNMP function Port with Warranty  Supply & Installation of RJ45  1.00 lot  24 P, 1 U Cable Manager  15.00 sets  INSTALLATION MATERIALS  Supply, installation and termination of Conduits, structured cabling installation of UTP CAT 6 Cable and Fiber Optic Cable, cable trays around the Main Conference Building, and in the side of Connecting Hallway, cable pulling, CCTV Weatherproof Conduit Boxes (100X100X70) (73 pcs), fittings, boxes, support/hangers,

Item	Specification	Qty	unit	Statement of Compliance
	commissioning, and			
	decommissioning.			
-	Cabinet Installation at PABX Room)		T	
1.19	Installation of Data Cabinet with height 12U/ 2ft., Powder Coated, Black, perforated two side panels, Perforated back, and front Door; German cooling fan, with three pins German type plug, 1wire/4 fans (cable length,1M); 1U 19" power distribution unit, w/aluminum body, US (NEMA5-15P) Plug, 6 universal outlets, w/LED master switch at PABX Room;	1.00	Lot	
1.20	Installation, testing, and commissioning of Two (2) Smart PoE Managed Switch, Two (2) Network Video Recorders, and Rackmount Smart-UPS power supply to the Data Cabinet;	1.00	Lot	
1.21	Wall installation, testing, and commissioning of Two (2) 55" LED 4K Monitors connected to NVR located at PABX Room;	1.00	Lot	
1.22	Installation of Roughing-Ins (cable trays, conduits and other necessary accessories).	1.00	Lot	
1.23	Supply, Installation, Cable Wiring Termination, Testing and Commissioning of New Electrical Panel Board with 1 pc. Main Circuit Breaker (100 Amperes) Bolt-On Type and 8 pcs. Branch Circuit Breakers Bolt-On Type (1 pc. 20 Amperes for the Lighting Circuits, 1 pc. 30 Amperes for the Air Conditioning Unit, 1pc. 30 Amperes for the Convenience Outlets, 1 pc. 40 Amperes for the UPS of the existing IT Network Infrastructure, 1pc. 40 Amperes or higher for the UPS of CCTV Surveillance System, other 3 pcs. 20 Amperes Circuit Breaker for Spare Provisions)	1.00	Lot	
Area 2 (Lower	Lobby Electrical and Mechanical Ro	om IP C	CTV Posi	itions)
1.24	Installation of Roughing-Ins (cable trays, conduits and other necessary accessories)	1.00	Lot	·
1.25	Installation of Two (2) units of Indoor Dome IP CCTV Cameras at the Mechanical Room and Electrical Room Entrance;	1.00	Lot	

1.26   Wire Pulling, Laying, and Structured cabling from Smart PGE Network Switch at PABX room (for IP CCTV Cameras) to Mechanical and Electrical Room located at the Lower lobby (Camera No. 74 & 75) based on Floor Plan/ Layout. (See attached plan/ layouts)   Area 3 (Data Cabinet Installation at Electrical room located at the RFS Office)   1.27   Installation of One (1) unit Data Cabinet with specifications of 600 x 450, 9U/ 1.5Ft. 90.7kg max. loading capacity), toughed glass door w/ spring lock, detachable side panel (not vented), 2/pcs. Exhaust fan w/ cable entry at the top panel, 6 outlet PDU w/ 3.0mm cable length (220V.3prong,10A), powder coated finish, with exhaust fans at the Electrical room located at the RFS Office area;   1.28	Item	Specification	Qty	unit	Statement of Compliance
Area 3 (Data Cabinet Installation at Electrical room located at the RFS Office)   1.27	1.26	cabling from Smart PoE Network Switch at PABX room (for IP CCTV Cameras) to Mechanical and Electrical Room located at the Lower lobby (Camera No. 74 & 75)	1.00	Lot	•
1.27				• •	
with specifications of 600 x 450, 9U/ 1.5Ft. 90.7kg max. loading capacity), toughed glass door w/ spring lock, detachable side panel (not vented), 2pcs. Exhaust fan w/ cable entry at the top panel, 6 outlet PDU w/ 3.0mm cable length (220V,3prong,10A), powder coated finish, with exhaust fans at the Electrical room located at the RFS Office area;  1.28 Installation, testing, and commissioning of Two (2) Smart PoE Managed Switch to the Data Cabinet; conduits and other necessary accessories).  Area 4 (Data Cabinet Installation at Electrical room located at the Workshop Area)  1.30 Installation of One (1) unit Data Cabinet with specifications of 600 x 450, 9U/ 1.5Ft. 90.7kg max. loading capacity), toughed glass door w/ spring lock, detachable side panel (not vented), 2pcs. Exhaust fan w/ cable entry at the top panel, 6 outlet PDU w/ 3.0mm cable length (220V,3prong,10A), powder coated finish, with exhaust fans at the Electrical room located at the RFS Office area;  1.31 Installation, testing, and commissioning of Two (2) Smart PoE Managed Switch to the Data Cabinet.  Area 5 (Dining and Basement Left-wing and Right-wing area, Engineering and Parking area IP CCTV Positions)  1.32 Installation of Seventeen (17) units of Indoor Dome IP CCTV Cameras and Eight (8) Outdoor Bullet IP CCTV Cameras;	•				RFS Office)
1.28	1.27	with specifications of 600 x 450, 9U/1.5Ft. 90.7kg max. loading capacity), toughed glass door w/ spring lock, detachable side panel (not vented), 2pcs. Exhaust fan w/ cable entry at the top panel, 6 outlet PDU w/3.0mm cable length (220V,3prong,10A), powder coated finish, with exhaust fans at the Electrical room located at the RFS Office	1.00	Lot	
conduits and other necessary accessories).  Area 4 (Data Cabinet Installation at Electrical room located at the Workshop Area)  1.30	1.28	Installation, testing, and commissioning of Two (2) Smart PoE Managed Switch to	1.00	Lot	
Installation of One (1) unit Data Cabinet with specifications of 600 x 450, 9U/1.5Ft. 90.7kg max. loading capacity), toughed glass door w/ spring lock, detachable side panel (not vented), 2pcs. Exhaust fan w/ cable entry at the top panel, 6 outlet PDU w/3.0mm cable length (220V,3prong,10A), powder coated finish, with exhaust fans at the Electrical room located at the RFS Office area;  1.31 Installation, testing, and commissioning of Two (2) Smart PoE Managed Switch to the Data Cabinet.  Area 5 (Dining and Basement Left-wing and Right-wing area, Engineering and Parking area IP CCTV Positions)  1.32 Installation of Roughing-Ins (cable trays, conduits and other necessary accessories);  1.33 Installation of Seventeen (17) units of Indoor Dome IP CCTV Cameras and Eight (8) Outdoor Bullet IP CCTV Cameras;	1.29	Installation of Roughing-Ins (cable trays, conduits and other necessary	1.00	Lot	
with specifications of 600 x 450, 9U/ 1.5Ft. 90.7kg max. loading capacity), toughed glass door w/ spring lock, detachable side panel (not vented), 2pcs. Exhaust fan w/ cable entry at the top panel, 6 outlet PDU w/ 3.0mm cable length (220V,3prong,10A), powder coated finish, with exhaust fans at the Electrical room located at the RFS Office area;  1.31 Installation, testing, and commissioning of Two (2) Smart PoE Managed Switch to the Data Cabinet.  Area 5 (Dining and Basement Left-wing and Right-wing area, Engineering and Parking area IP CCTV Positions)  1.32 Installation of Roughing-Ins (cable trays, conduits and other necessary accessories);  1.33 Installation of Seventeen (17) units of Indoor Dome IP CCTV Cameras and Eight (8) Outdoor Bullet IP CCTV Cameras;	Area 4 (Data (	Cabinet Installation at Electrical roo	m locate	d at the	Workshop Area)
of Two (2) Smart PoE Managed Switch to the Data Cabinet.  Area 5 (Dining and Basement Left-wing and Right-wing area, Engineering and Parking area IP CCTV Positions)  1.32 Installation of Roughing-Ins (cable trays, conduits and other necessary accessories);  1.33 Installation of Seventeen (17) units of Indoor Dome IP CCTV Cameras and Eight (8) Outdoor Bullet IP CCTV Cameras;	1.30	with specifications of 600 x 450, 9U/ 1.5Ft. 90.7kg max. loading capacity), toughed glass door w/ spring lock, detachable side panel (not vented), 2pcs. Exhaust fan w/ cable entry at the top panel, 6 outlet PDU w/ 3.0mm cable length (220V,3prong,10A), powder coated finish, with exhaust fans at the Electrical room located at the RFS Office	1.00	Lot	
1.32 Installation of Roughing-Ins (cable trays, conduits and other necessary accessories);  1.33 Installation of Seventeen (17) units of Indoor Dome IP CCTV Cameras and Eight (8) Outdoor Bullet IP CCTV Cameras;	1.31	Installation, testing, and commissioning of Two (2) Smart PoE Managed Switch to	1.00	Lot	
1.32 Installation of Roughing-Ins (cable trays, conduits and other necessary accessories);  1.33 Installation of Seventeen (17) units of Indoor Dome IP CCTV Cameras and Eight (8) Outdoor Bullet IP CCTV Cameras;					
1.33 Installation of Seventeen (17) units of 1.00 Lot Indoor Dome IP CCTV Cameras and Eight (8) Outdoor Bullet IP CCTV Cameras;		Installation of Roughing-Ins (cable trays, conduits and other necessary	1.00	Lot	
1.34 Wire Pulling, Laying, and Structured 1.00 Lot	1.33	Installation of Seventeen (17) units of Indoor Dome IP CCTV Cameras and Eight	1.00	Lot	
	1.34	Wire Pulling, Laying, and Structured	1.00	Lot	

Item	Specification	Qty	unit	Statement of Compliance
	cabling from Smart PoE Network Switch			•
	at Electrical room located at Dining			
	lobby of two (2) runs each UTP Cable (for			
	IP CCTV Cameras) to Dining Area (No. 70,			
	47, 48, 49, 71, 46, 53, 68, 54), and to			
	Basement Area (No. 45, 44, 43, 42, 40,			
	61,41) based on Floor Plan/ Layout. (See			
	attached plan/ layout);			
1.35	Another Wire Pulling, Laying, and	1.00	Lot	
	Structured cabling from Smart POE			
	Network Switch at Electrical room			
	located at Dining lobby of two (2) runs			
	each UTP Cable (for IP CCTV Cameras) to			
	Engineering, Staff lounge and Side			
	Parking area (No. 55, 56, 59, 69, 72, 73,			
	76, 77, 78) based on Floor Plan/ Layout.			
	(See attached plan/ layout);			
1.36	Conduction of Wire Termination/s along	1.00	Lot	
	with appropriate Testing &			
	Commissioning and De-commissioning			
	of old wires and hardware.			
Area 6 (2nd-f	loor and 3rd floor Left-wing and Rig	ht-wing I	P CCTV	Positions)
1.37	Installation of Roughing-Ins (cable trays,	1.00	Lot	
	conduits and other necessary			
	accessories);			
1.38	Installation of Fifteen (15) units of	1.00	Lot	
	Indoor Dome IP CCTV Cameras;			
1.39	Wire Pulling, Laying, and Structured	1.00	Lot	
	cabling from Smart PoE Network Switch			
	at Electrical room located at Dining			
	lobby of two (2) runs each UTP Cable (for			
	IP CCTV Cameras) to 2nd floor Area (No.			
	24, 33, 34, 35, 36, 37, 38, 39), and to 3rd			
	floor Area (No. 26, 27, 28, 29, 30, 31, 32)			
	based on Floor Plan/ Layout. (See			
	attached plan/ layout);			
1.40	Conduction of Wire Termination/s along	1.00	Lot	
	with appropriate Testing &			
	Commissioning and De-commissioning			
	of old wires and hardware.			
Area 7a (Upp	er Lobby and Function Room Area IF	CCTV P	ositions)	
1.41	Installation of Roughing-Ins (cable trays,	1.00	Lot	
<u>-</u>	conduits and other necessary			
	accessories);			
1.42	Installation of Thirteen (13) units of	1.00	Lot	
1.74	Indoor Dome IP CCTV Cameras and Five	1.00	1 200	
	(5) Outdoor Bullet IP CCTV Cameras;			
1.43	Wire Pulling, Laying, and Structured	1.00	Lot	
1.73	cabling from Smart PoE Network Switch	1.00	Lot	
	Cabing Hom Smart For Network Switch		l .	

Item	Specification	Qty	unit	Statement of Compliance
	at Electrical room located in front of Workshop Male CR of two (2) runs each UTP Cable (for IP CCTV Cameras) to Upper lobby and Function room Area (No.1, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 25, 52) based on			
	Floor Plan/ Layout. (See attached plan/ layout);			
1.44	Conduction of Wire Termination/s along with appropriate Testing & Commissioning and De-commissioning of old wires and hardware.	1.00	Lot	
Area 7b (Upp	er Lobby and Function Room Area IF	CCTV P	ositions)	
1.45	Installation of Roughing-Ins (cable trays, conduits and other necessary accessories);	1.00	Lot	
1.46	Installation of Two (2) units of Indoor Dome IP CCTV Cameras and Two (2) Outdoor Bullet IP CCTV Cameras;	1.00	Lot	
1.47	Wire Pulling, Laying, and Structured cabling from Smart PoE Network Switch located at PABX of two (2) runs each UTP Cable (for IP CCTV Cameras) to Upper lobby and Function room Area (No.7, 8, 50, 51) based on Floor Plan/ Layout. (See attached plan/ layout);	1.00	Lot	
1.48	Conduction of Wire Termination/s along with appropriate Testing & Commissioning.	1.00	Lot	
Area 8 (Lower	Lobby and Side Parking Area IP CC	ΓV Positi	ons)	
1.49	Installation of Roughing-Ins (cable trays, conduits and other necessary accessories);	1.00	Lot	
1.50	Installation of Five (5) units of Indoor Dome IP CCTV Cameras and Four (4) Outdoor Bullet IP CCTV Cameras;	1.00	Lot	
1.51	Wire Pulling, Laying, and Structured cabling from Smart PoE Network Switch located at PABX of two (2) runs each UTP Cable (for IP CCTV Cameras) to Upper lobby and Function room Area (No.2, 3, 4, 5, 6, 57, 58, 60, 62) based on Floor Plan/ Layout. (See attached plan/layout);	1.00	Lot	
1.52	Conduction of Wire Termination/s along with appropriate Testing & Commissioning.	1.00	Lot	
General Requ	uirements			
1.53	Mobilization of Manpower, equipment,	1.00	Lot	

Item	Specification	Qty	unit	Statement of Compliance
	tools, and temporary facilities. Provide			•
	temporary field office with			
	health/safety/first aid facility and			
	utilities with corresponding sub-meters			
	to be connected to sub-meters to be			
	connected to supply of water and			
	electricity. Provide Personal Protective			
	Equipment (PPE) and other Safety &			
	Health Paraphernalia.			
1.54	Obtain building permits, and other	1.00	Lot	
	necessary permits such as Electronic			
	and/or Electrical Permits as required for			
4.55	the project;	4.00		
1.55	Supply and deliver all devices needed to	1.00	Lot	
	install the upgraded CCTV System such			
	as but not limited to: IP CCTV Cameras, Network Video Recorder, Wires and			
	Cables, Data Switches, Monitors, Hard			
	Disk Drives, etc.;			
1.56	Install piping, structured cabling, cable	1.00	Lot	
1.50	trays, hangers, base mountings,	1.00	Lot	
	cabinets, accessories, CCTV devices such			
	as cameras and video recorder, etc. in			
	accordance to correct engineering			
	standards and material specifications as			
	cited in its operating manual;			
Turn-Over a	nd Acceptance			
1.57	End to End Termination, Testing	1.00	Lot	
	including Fluke testing and Optimal			
	Time-Domain Reflectometer (OTDR) &			
	Commissioning, Fiber Optics,			
	Networking, Fiber Optic Cable Design,			
	and Installation, Fiber Termination and			
	Fusion Splicing (FOC Fusion Machine),			
	FOC Patch Panel Splicing, and			
	Termination, Continuity Testing Power			
	source and Light Meters Configuration,			
	Installation/termination and			
	adjustment, and Programming, for the			
	entire IP CCTV system;			
1.58	Clean and restore the areas affected	1.00	Lot	
	during and after the installation and			
	testing including rectification/correction			
	of punch-listed items;			
1.59	Demobilization. Dismantling of	1.00	Lot	
	temporary facilities, pullout of debris			
1.00	resulting from the conduct of the works			
1.60	The Contractor/Supplier shall provide a	1.00	Lot	
	quarterly preventive maintenance			
	checkup, free of charge for at least one			

Item	Specification	Qty	unit	Statement of Compliance
	year after the system has been			•
	commissioned and accepted by DAP;			
1.61	commissioned and accepted by DAP;  Submission of Post Documentary requirements:  Original Copy of "Record Drawings/Plans" complete with legend, technical specifications, and measurements;  Compilation of Periodic Project Reports including photo documentations before, during, and after implementation works. Each photo-documentation should have the date and time stamps, in jpgformat;  As-Built Plans: ✓ Six (6) set of original copy in 30" x 40" sheets (drawn on a mylar sheets) signed and sealed by appropriate professional and/or engineers; ✓ Six (6) sets of blue print copies in 30" x 40" sheets signed and sealed by appropriate professional architects and engineers; and ✓ Complete set of electronic files in USB Thumb Drive of "AS-BUILT PLANS" in PDF and CAD format.  Manuals of all supplied and installed equipment comprising the Technical Specifications and Product Installation Instructions; Operational Brochure/s;  Maintenance Manuals, including draft of Process and Work Instruction Manual (PAWIM) for the use of DAPCC Maintenance Personnel; Conduct training of the DAP maintenance personnel who will operate and maintain all equipment, facilities and utilities installed;  Warranty Certificate that complies to the GCC Clause 5 Warranty under Section V Special Conditions of	1.00	Lot	


## Section X. FILENAMES

Notes to the Bidders:

This Section of the OBD provides the information necessary for interested Bidders to prepare responsive bids, in accordance with the requirements of DAP.

The tendered Bid shall be assessed on the basis of what is deemed advantageous to DAP, in particular, and to the Government, in general before an award will be served.

This Section contains provisions that are to be used unchanged. For illustration purposes, the following shall be packaged as follows:



Below are information and a step-by-step guide in preparing the FILENAMES acceptable to DAP:

- 1. The submitted secured zip.file-bid should contain the Technical and Financial Components of the Bid. The e-files that can be found in the said secured zip/rar.file-bid must be certified by the Bidder as the faithful electronic copies of the submitted requirements.
- 2. The Bidder certifies that all of the electronic files with suffix < BidderName > had been diligently and carefully examined;

The Bidder must ensure that each file is inspected, and that the files enumerated here below are saved and uploaded in the designated **bidms.dap.edu.ph** account of the Bidder.

	FILENAME	
	INSTRUCTIONS: * The structure of the "final-filename" followed the file structure below. The first 3 characters of the filename refers to the document-tag;	Filetype
N	* The "_XXX" represents the page-number of the file (if in jpg-format), or the last page-number if the file is in pdf-format. In case there is only one page, "_XXX" will be "_000"; and,	
	* The suffix " <biddername>" was replaced by the Company Name of the Bidder.</biddername>	
01	LOA_XXX=signed_Letter_of_Authorization= <biddername></biddername>	Pdf, or jpg, or
	INSTRUCTIONS: The duly adjusted/filled-out, printed, and signed LOA should be placed prior to the Opening of the secured zip-file bid. The LOA can be read without opening any part of the submitted bid.	word
	. Technical Components (Class A Documents)	
02	T01_XXX=PhilGEPS_Registration= <biddername></biddername>	pdf or jpg
03	T02_XXX=EXCEL_All_Ongoing_Contracts= <biddername></biddername>	EXCEL
	T02_XXX=IMAGE_All_Ongoing_Contracts= <biddername></biddername>	pdf or jpg
04	T03_XXX=Single_Largest_Completed_Contract= <biddername></biddername>	EXCEL
	T03_XXX=Single_Largest_Completed_Contract= <biddername></biddername>	pdf or jpg
05	T04_XXX=Bid_Security= <biddername></biddername>	pdf or jpg
06	T05_XXX=Technical_Specifications= <biddername></biddername>	pdf or jpg
07	T06_XXX=Omnibus_Sworn_Statement= <biddername></biddername>	pdf or jpg
08	T07_XXX=Cert_Site+Inspection= <biddername></biddername>	pdf or jpg
09	T08_XXX=Company_Profile= <biddername></biddername>	pdf or jpg
10	T09_XXX=Cert_Distribution and Service= <biddername></biddername>	pdf or jpg
11	T10_XXX=NFCC_computation= <biddername></biddername>	pdf or jpg
12	T11_XXX=VALID_Joint_Venture_Agreement= <biddername></biddername>	pdf or jpg
	INSTRUCTIONS: If the Bidder will not have any joint venture agreement (JVA) with any juridical entity/ies, the Bidder is still required to issue a Statement, written in its letterhead, clearly indicating that the Bidder will not enter into any JVA for this Project.	
	II. Financial Components	
14	F01_XXX=FINANCIAL_BID_FORM= <biddername></biddername>	pdf or jpg
15	F02_XXX= PRICE_SCHEDULE= <biddername></biddername>	pdf or jpg

## Section XI. Guide on How to Submit Electronic-bids

# ACCESSING AND USING THE BIDDING DOCUMENT MANAGEMENT SYSTEM (BiDMS):

- 1. Each prospective bidder, who bought the Official Bidding Documents (OBD) amounting to the required OBD Fee and with an issued Official Receipt (OR) from DAP's Finance Department, will be provided by the BAC Secretariat with its own BiDMS credentials (username and password);
- 2. The given password by the BAC Secretariat must be changed upon logging in and the Bidder should not disclose their password to any unauthorized personnel from their Company nor to the Procuring Entity;
- 3. The Bidders should access the BiDMS web portal through: <a href="http://bidms.dap.edu.ph">http://bidms.dap.edu.ph</a> and to log-in using the username and password;



4. The Bidder dashboard will be loaded;



5. The Bidder should change their password;






6. After changing the password, the Bidder can now upload their electronic bid submission in two (2) password protected compressed folders (zip/rar);



7. The Bidder could either upload the compressed folders using the upload button or dragging and dropping the compressed from a device.




- 8. The Bidders site folder should contain only three (3) files:
  - 1st: Duly Notarized Scanned-copy of the Letter of Authorization;
  - 2<sup>nd</sup>: A secured folder containing the secured compressed file of Eligibility and Technical Documents; and
  - <u>3rd</u>: A secured folder containing the secured compressed file of Financial Documents.

**Note:** Passwords for each "secured"-folder should be different from each other.

9. The Bidder may update/upload their bidding documents by first deleting the initially uploaded compressed folders. Bidders are allowed to upload before the set deadline which is prior to the announced schedule of the Opening of Bids.

Note: On the set deadline of submission of e-Bids, the system will disable Bidders access to ensure that the most recent uploaded e-Bid will not be modified.

- 10. The Bidders will only be asked to provide their passwords during the Opening of Bids by typing into the chat-box while in session.
- 11. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.







GF DAP Bldg., San Miguel Avenue, Pasig City 1600 P.O. Box 12788, Ortigas Center, Pasig City 1600 Telephone: (632) 8631 0921 loc. 133 website: http://www.dap.edu.ph

email address of BAC Secretariat: dapbacsec@dap.edu.ph