Official Bid Documents (OBD)

NOTE: This OBD is compliant with the Philippine Bidding Documents (Goods), 6th Edition As of July 2020 prepared by GPPB.

Some minor changes have been made to suit the requirements of the

Development Academy of the Philippines (DAP)

as the Procuring Entity

for

"FABRICATION, ACQUISITION AND INSTALLATION OF ONE (1) LOT SUPPLY OF DESIGN FIT-OUT, FURNISHING AND FIXTURES (DFOFF'S) FOR THE CENTER FOR STRATEGIC FUTURES AT FLOOR 2A IN DAP MAIN BUILDING, PASIG CITY"

with Approved Budget for the Contract of P4,000,000.00

Invitation to Bid No.: IB No. IB23-406611-02

DAP Bldg., San Miguel Avenue, Pasig City 1600 P.O. Box 12788, Ortigas Center, Pasig City 1600 Telephone: (632) 8631 0921 loc. 133

website: http://www.dap.edu.ph

email address of BAC Secretariat: dapbacsec@dap.edu.ph

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No.9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign- Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	
Section I. Invitation to Bid	8
Section II. Instructions to Bidders	11
1. Scope of Bid	
2. Funding Information	11
3. Bidding Requirements	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5. Eligible Bidders	12
6. Origin of Goods	12
7. Subcontracts	12
8. Pre-Bid Conference	12
9. Clarification and Amendment of Bidding Documents	12
10. Documents comprising the Bid: Eligibility and Technical Components	12
11. Documents comprising the Bid: Financial Component	. 13
12. Bid Prices	. 13
13. Bid and Payment Currencies	14
14. Bid Security	14
15. Sealing and Marking of Bids	. 14
16. Deadline for Submission of Bids	15
17. Opening and Preliminary Examination of Bids	15
18. Domestic Preference	. 15
19. Detailed Evaluation and Comparison of Bids	15
20. Post-Qualification	
21. Signing of the Contract	
Section III. Bid Data Sheet	
Section IV. General Conditions of Contract	
1. Scope of Contract	
2. Advance Payment and Terms of Payment	
3. Performance Security	
4. Inspection and Tests	
5. Warranty	
6. Liability of the Supplier	21
Section V. Special Conditions of Contract	
Section VI. Schedule of Requirements	
Section VII. Technical Specifications	
Section VIII. Checklist of Technical and Financial Documents	
Section IX: Bidding Forms	
Section X. Filenames	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

(2016 revised IRR, Section5[i])

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to:
(i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies.

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight. **CIP** –

Carriage and Insurance Paid. CPI -

Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

 $\mathbf{EXW} - \mathbf{Ex}$ works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related

construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



INVITATION TO BID

FOR

"FABRICATION, ACQUISITION AND INSTALLATION OF ONE (1) LOT SUPPLY OF DESIGN FIT-OUT, FURNISHING AND FIXTURES (DFOFF'S) FOR THE CENTER FOR STRATEGIC FUTURES AT FLOOR 2A IN DAP MAIN BUILDING, PASIG CITY"

per Invitation to Bid No.: IB23-406611-02

1. The **Development Academy of the Philippines (DAP)**, through the Corporate Operating Budget (COB) for FY 2023 intends to apply the sum of **FOUR MILLION PESOS (P4,000,000.00)** being the Approved Budget for the Contract (ABC) under the contract for "FABRICATION, ACQUISITION AND INSTALLATION OF ONE (1) LOT SUPPLY OF DESIGN FIT-OUT, FURNISHING AND FIXTURES (DFOFF'S) FOR THE CENTER FOR STRATEGIC FUTURES AT FLOOR 2A IN DAP MAIN BUILDING, PASIG CITY" per Invitation to Bid No.: IB23-406611-02.

Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The **DAP** now invites bids for the above Project. Delivery of the Goods is required within **90 calendar days** after the receipt of the Notice to Proceed. Bidders should have completed, within a 5-year period, at least two (2) similar contracts and the aggregate contract amounts should be equivalent to at least fifty percent (50%) of the ABC; and that the largest of these similar contracts must be equivalent to at least twenty-five percent (25%) of the ABC. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

- 4. The Prospective Bidders may obtain further information about the Bid Documents thru this email <u>dapbacsec@dap.edu.ph</u> from Monday to Friday, 9:00AM to 4:30PM.
- 5. A complete set of Official Bidding Documents (OBD) may be bought by interested Bidders on **21 Jul 2023** (**Fri**) to **01 September 2023** (**Fri**) from 09:00AM to 04:30PM of the non-refundable applicable fee for the Bidding Documents, and pursuant to the latest Guidelines issued by the GPPB, the cost for the Official Bidding Documents is **FOUR THOUSAND PESOS** (**P4,000.00**).

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the DAP. In order for bidders to participate, they shall pay the cost of the OBD, three (3) days before the scheduled Submission and Opening of Bids

6. Interested bidders must make payment to:

Account Name:	Development Academy of the Philippines
Account Number:	0671-0105-40
Bank:	Landbank of the Philippines
Branch of Account:	Pasig Capitol Branch

A copy of proof of payment must be emailed to DAP's Finance Department at: <u>cashtreasury@dap.edu.ph</u> for the issuance of Official Receipt (OR) and copy furnish BAC Secretariat, which will provide assistance to the On-line Bidder for the creation of "bidms account" and dedicated site in the bidms.dap.edu.ph.

- 7. The DAP will hold a Pre-Bid Conference on **10 August 2023 (Thu) 10:00AM** via Google Meet Platform which shall be opened to all interested Bidders upon formal request through the BAC Secretariat. Requests shall be coursed through email at dapbacsec@dap.edu.ph and an invitation link will then be provided to at most three (3) email addresses per On-line Bidder.
- 8. In compliance with GPPB Resolutions Nos. 09-2020 and 12-2020, all electronic-Bids must be duly received by the Bids and Awards Committee (BAC) Secretariat, through the designated bidms.dap.edu.ph secured account on or before **05**September 2023 (Tue) and not later than 9:30AM. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause14.
- 9. Bid opening shall be on **05 September 2023 (Tue)** at **10:00AM** via Google Meet Platform. Electronic-bids will be opened in the presence of the bidders' authorized representative/s who are authorized to attend the proceedings, as evidenced by the Bidders' Notarized Letter of Authorization. **LATE BIDS SHALL NOT BE ACCEPTED**.
- 10. The **DAP** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time in accordance with the provisions of RA 9184

and its IRR, without thereby incurring any liability to the affected bidder or bidders.

11. For further information, please refer to:

RODEL DV. CASTILLO Division Chief, BAC Secretariat Division

Development Academy of the Philippines

GF DAP Bldg., San Miguel Avenue, Pasig City 1600

P.O. Box 12788 Ortigas Center, Pasig City 1600 Philippines

Telephone No. : (632) 8631-0921 loc. 133

BAC Secretariat email : dapbacsec@dap.edu.ph
: http://www.dap.edu.ph

12. You may visit the following websites:

For downloading of Official Bidding Documents: https://www.dap.edu.ph/invitation-to-bid/
For online bid submission: http://bidms.dap.edu.ph/page/

Issued this 21st day of July 2023.

For the Sap Bids & Awards Committee 2:

-original signed-ALAN S. CAJES Chairperson, BAC 2

>> Nothing Follows <

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, Development Academy of the Philippines wishes to receive Bids for the "FABRICATION, ACQUISITION AND INSTALLATION OF ONE (1) LOT SUPPLY OF DESIGN FIT-OUT, FURNISHING AND FIXTURES (DFOFF'S) FOR THE CENTER FOR STRATEGIC FUTURES AT FLOOR 2A IN DAP MAIN BUILDING, PASIG CITY" per IB No. IB23-406611-02, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1 The GOP through the source of funding as indicated below for the year 2023 in the amount of **FOUR MILLION PESOS (P4,000,000.00).**
- 2.2 The source of funding is:
 - a. NGA, the Corporate Operation Budget.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder should have completed at least two (2) similar contracts and the aggregate contract amounts should be equivalent to at least fifty percent (50%) of the ABC; and that the largest of these similar contracts must be equivalent to at least twenty five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No.9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. b. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time **through videoconferencing/webcasting** as indicated in paragraph 7 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

10.1 The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).

- 10.2 The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **5 years** prior to the deadline for the submission and receipt of bids.
- 10.3 If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines.Similartotherequiredauthenticationabove,forContractingPart ies to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 11.2 If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No.9184.
- 11.3 Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No.9184.

12. Bid Prices

- 12.1 Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex- warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs

incidental to delivery of the Goods to their final destination; and

iv. The price of other (incidental) services, if any, listed in e.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1 For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2 Payment of the contract price shall be made in **Philippine Pesos.**

14. Bid Security

- 14.1 The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2 The Bid and bid security shall be valid for 120 calendar days. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1 The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 8 of the **ITB**.

17. Opening and Preliminary Examination of Bids

17.1 The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **ITB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2 The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No.9184.

18.Domestic Preference

18.1 The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1 The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No.9184.
- 19.2 If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3 The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are

indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4 The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5 Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1 Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, that it is one of the eligible bidders who have submitted bids that are found to be technically and financially compliant, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

	Section III. Bid Data Sheet
ITB Clause	Details of BID DATA SHEET
5.3 Eligible Bidders	For this purpose, contracts similar to the Project shall be: a. Supply of Fabricated DFOFF's b. At least two (2) similar contracts and the aggregate contract amounts should be equivalent to at least fifty percent (50%) of the ABC; and that the largest of these similar contracts must be equivalent to at least twenty percent (25%) of the ABC. c. The bidder must be a fabricator and supplier.
7.1 Subcontracts	Subcontracting is not allowed.
10.1 Documents	Bidders shall submit the following: FOR ELIGIBILITY & TECHNICAL DOCUMENTS:
comprising the Bid: Eligibility and Technical	1. Valid PhilGEPS Certificate of Registration under PLATINUM CATEGORY with the current, updated, and clear copy of the documents as follows: 1.1. Clear and readable Photocopy of Registration Certificate from The
Components	Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI), or Cooperative Development Authority (CDA), whichever is applicable;
	1.2. Clear and readable Photocopy of valid Mayor's/Business Permit or its Equivalent Document;
	1.3. Clear and readable Photocopy of Tax Clearance Certificate for FY2022 issued by the Bureau of Internal Revenue (BIR);
	1.4. Clear and readable Photocopy of Audited Financial Statements for FY2021 and FY2022 stamped "received" by the BIR or its duly accredited and authorized institutions.
	 Statement of ALL its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid. Submit accomplished FORM 6: STATEMENT OF ALL ONGOING CONTRACTS INCLUDING AWARDED BUT NOT YET STARTED;
	3. Statement of its Single Largest Completed Contract (SLCC) , in accordance with BDS clause 5.3, similar to the contract to be bid and supported by a Certificate of Completion or Final Acceptance or any supporting proof of documents to the Final Acceptance of the project (e.g. Official Receipt or Sales Invoice) issued by the project owner. Submit accomplished FORM 7: STATEMENT OF BIDDER'S SINGLE LARGEST COMPLETED CONTRACT (SLCC) ;

ITB Clause	Details of BID DATA SHEET					
	4. Bid Security in accordance with BDS Clause 14.1;					
	5. Technical Specifications - Bidders must state on the statement of compliance column whether the Bidder will "Comply" or "Not Comply" on the stated requirements; Submit accomplished FORM 10. Technical Specifications Compliance					
	6. Duly Notarized Omnibus Sworn Statement (please refer to FORM 5: OMNIBUS SWORN STATEMENT);					
	7. Audited Financial Statements (AFS) showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, or in accordance to the Revenue Memorandum Circular 49-2020 re: Providing Additional Options in the Acceptance and Processing of the Filed 2019 Income Tax Returns and Its Required Attachments and Providing Guidelines Thereon, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission and signed by bidder's Certified Public Accountant;					
	8. NFCC computation of at least equal to the ABC in accordance with ITB Clause 5.4. Submit accomplished FORM 8: NET FINANCIAL CONTRACTING CAPACITY (NFCC);					
	9. Certificate of Site Inspection duly signed by TWG –End Use Representative or TWG Chairperson or the End User (please refer to FORM 9: CERTIFICATE OF SITE INSPECTION); and					
	10. Company Profile inclusive of:					
	Company OfficersCompany Address					
	All Completed Projects within the last 5 years					
	11. Joint Venture Agreement (JVA), if applicable. Submit requirements as required by Section 23.1 (b) for Goods. If not applicable, the bidder must indicate in writing that they will not be partaking in a Joint Venture for this project.					
11.1	Bidders shall submit the following:					
Documents comprising	FINANCIAL DOCUMENTS:					
the Bid: Financial	Financial Bid Form or "F01" – duly signed and accomplished by the bidder. (please refer to FORM 1: FINANCIAL BID FORM); and					
Component	Price Schedule or "F02" – duly signed and accomplished by the bidder. (please refer to FORM 2: PRICE SCHEDULE).					

ITB Clause	Details of BID DATA SHEET
12 Bid Prices	The price of the Goods shall be quoted in Philippine Peso and valid for only 120 calendar days.
14.1 Bid Security	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a The amount of not less than EIGHTY THOUSAND PESOS
	(P80,000.00) or 2% of the ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b The amount of not less than TWO HUNDRED THOUSAND PESOS ONLY (P200,000. <i>or</i> 5% <i>of the</i> ABC , if bid security is in Surety Bond.
19.3	FABRICATION, ACQUISITION AND INSTALLATION OF ONE (1)
Detailed	LOT SUPPLY OF DESIGN FIT-OUT, FURNISHING AND FIXTURES
Evaluation	(DFOFF'S) FOR THE CENTER FOR STRATEGIC FUTURES AT
and	FLOOR 2A IN DAP MAIN BUILDING, PASIG CITY
Comparison	
of Bids	
20.1	No further instructions.
Post-	
Qualification	
21.1	No further instructions.
Signing of	
the Contract	

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No.9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier

in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No.9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

	it vi special conditions of continuer						
GCC Clause	Details of SPECIAL CONDITIONS OF CONTRACT						
1	Delivery and Documents						
Scope of Contract	The delivery terms applicable to this Contract are delivered to Development Academy of the Philippines, DAP Building, San Miguel Ave, Ortigas Center, Pasig, Metro Manila . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.						
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).						
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is MS. JENNIFER GAYLE G. FLORES.						
	Incidental Services –						
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:						
	 a. Provide material board, inclusive of sample and swatches for each fabricated DFOFF. For approval by End-User; b. Provide shop/fabrication drawings for each DFOFFs; c. Provide mock-up sample for fabricated DFOFFs in multiple quantities; d. Perform or supervise on-site assembly and/or start-up of the supplied goods; e. Furnish all tools required for assembly and/or maintenance of the supplied goods; f. Furnish detailed operations and maintenance manuals for each appropriate unit of the supplied goods; g. Supervise, maintain and/or repair supplied goods for a period covered by the warranty, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; h. Provide service unit to the Procuring Entity during claims of replacement or repair within the warranty period; and i. Provide product demo and technical expertise for the supplied goods The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services. 						

GCC Clause	Details of SPECIAL CONDITIONS OF CONTRACT					
	Packaging –					
	The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.					
	The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.					
	The outer packaging must be clearly marked on at least four (4) sides as follows:					
	Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross Weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications					
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.					
	Transportation-					
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.					
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract,					

GCC Clause	Details of SPECIAL CONDITIONS OF CONTRACT
	shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights – The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
	Installation of the fabricated acquired DFOFF's — The Supplier shall do the installation of the DFOFF's within the prescribed DAP office / location.
2.2 Terms of Payment	One hundred percent (100%) in thirty (30) days after final acceptance of the delivered items per Area as shown in the DFOFFs Tabulation.
4 Inspection and Tests	The inspections and tests that will be conducted are: Inspection and testing of DFOFF's upon delivery.
5 Warranty	A warranty security is required for a minimum period of three (3) years.
· · · · · · · · · · · · · · · · · · ·	Three (3) years warranty and a minimum of One (1) year for components and workmanship.
	Warranty shall start from the date of the issuance of the Certificate of Completion and Final Acceptance.
	Upon the Supplier's and Owner's agreed joint diagnosis of unserviceable

GCC Clause	Details of SPECIAL CONDITIONS OF CONTRACT
	goods, the Supplier shall replace it with a new unit/component (same or better compatible model) within thirty (30) calendar days.
	The obligation for the warranty shall be covered by retention money equivalent to 5% of the contract price.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Delivered, Weeks/Months			
AREA 1						
	DFOFF'S for Receiving/	6	Within 90 days from receipt of			
	Reception Lounge		NTP			
	DFOFF'S for Reception	5	Within 90 days from receipt of NTP			
AREA	2	ı	1111			
	DFOFF'S for Collaborative	31	Within 90 days from receipt of			
	Working Space 1		NTP			
	DFOFF'S for Assembly Area	14	Within 90 days from receipt of NTP			
	DFOFF'S for Collaborative	11	Within 90 days from receipt of			
	Working Space 2		NTP			
	DFOFF'S for Breakout Room 1	4	Within 90 days from receipt of NTP			
	DFOFF'S for Breakout Room 2	4	Within 90 days from receipt of			
			NTP			
AREA		<u> </u>				
	DFOFF'S for Data Laboratory Room	14	Within 90 days from receipt of NTP			
	DFOFF'S for Meeting Room 1	8	Within 90 days from receipt of NTP			
	DFOFF'S for Meeting Room 2	8	Within 90 days from receipt of NTP			
AREA	4					
	DFOFF'S for Office 1	11	Within 90 days from receipt of NTP			
	DFOFF'S for Office 2	2	Within 90 days from receipt of NTP			
	DFOFF'S for Office 3	2	Within 90 days from receipt of NTP			
AREA 5						
	DFOFF'S for Editing Room	2	Within 90 days from receipt of NTP			
	DFOFF'S for Pantry	19	Within 90 days from receipt of NTP			
>>>Nothing Follows<<<						

Section VII. Technical Specifications

Instructions: Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.

A. DFOFF's Specifications (Please refer to Annex A1-A10: Detailed Fabricated DFOFFs Technical Specifications)

I. AREA 1						
Location	Specifications		Qty	Unit	Item	Statement of compliance Comply / Not Comply
I.1	Round	Dimensions: 0.5m DIA x	2	pc/s		2 -
Receiving/	Ottoman	0.45m H		•		
Reception	(with glides)	Material Finish: Upholstered				
Lounge		foam cushion with Off				
		White fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
	4	metal glides, 4 in. H			-	
	4- seater	Overall Dimensions: 0.7m x	1	pc	T/% #	
	Curved Sectional	1.5m x. 3m dia.			7	
	(Half-Circle)	Finishes:				
	(Han-Chele)	Upholstery: Foam cushion				
		with Pastel Orange Fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H				
	Round	Round Coffee Table	1	pc		
	Center Table	Dimensions: 1.0m DIA x				
		0.45m H				
	Feature:					
	- display shelf	Material Finishes:				
	below the	Table Top: Matte Plain				
	table top	Black Laminate				
		Display Shelf: Matte Plain				
		Black Laminate Legs: Tubular metal legs 1"x				
		1", automotive Black paint				
		finish				
		11111511			1	

					T	
	Custom	Custom fabricated logos,	1	lot		
	Logos	laser cutout				
					40-9	
		Thickness: 10mm			PARE	
		Dimensions: .6m			Aug .	
		Finish: Matte Brass Finish				
		(golden yellow hue)				
		Letter size and Fonts : to be				
		discussed to the winning			at QAmerica	
		bidder			The Laboratory	
		Mounting height: 1.70m				
		****Please refer to the			The Part of	
		photo attached				
		Backdrop: Painted matte				
		Finish				
		Color: For approval of end-				
		user				
		_				
		Logos:				
		- DAP Logo				
	C412 - 1-4	- CSF Logo	1	1.4		
	Spotlights	Ceiling Track, two (2) spots	1	lot		
		Material Finishes:				
		Lighting - Ceiling track				
		(White finish)				
		(White Innish)				
		Lighting Classification:				
		Tracklight				
		Wattage: 12W				
		Operating Voltage: 100-				
		240V (AC)				
		Materials: Aluminum Alloy				
		+ PC				
		Dimensions:				
		223*140*66mm				
		Beam Angle: 20° 24° 36°				
		45°				
I.2	Reception	Overall Dimensions: 2.5m L	1	pc		
Reception	Desk with	x 2.5m W				
	Counter	Overall Finish: Matte Plain				
		White Laminate				
	Features:					
	- Hanging	Hanging Accent Panel:			110	
	Accent Panel	W: 1.00 m on center				
	resting on the	H: 0.75 m				
	counter	Material Finish: Matte Plain			12	
	- Built-in 2	Black Laminate				
	sets of 3-layer					
	drawer (with	Counter				
	single lock)	H: 1.10 m				
	- 3-layer	W: 0.20 m				
	interior corner	5 1				
	shelves	Desk				
	- Cable	H: 0.75 m				
	management	W: 0.50 m				
	- 2pcs 3-Gang,					

		D 0 11 110	1		ı	
	3 pin universal	Drawers (Desk height)				
	outlets (one on	W: 0.40 m				
	each side)	*****				
	D 4	With single lock	1	,		
	Reception	Swivel Chair with Arm Rest,	1	pc/s		
	Chair (Office	high-back, Star Base with 5				
	Chair)	legs and Casters				
		F: : 1				
		Finishes:				
		Seat: Upholstered foam				
		cushion with Sedona Orange				
		fabric				
		Body: White				
		Base: Chrome-plated				
		Aluminum Alloy				
		Backrest: Nylon plastic frame with breathable White				
		mesh				
	Long John 1	Dimensions: 1.5m L x 0.5m	1	nc		
	(with glides)	W x 0.5m H	1	pc		
	(with Sildes)	Material Finish: Upholstered				
		foam cushion with Pastel				
		Light Blue fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H				
	Long John 2	Dimensions: 1.0m L x 0.5m	1	рс		
	(with glides)	W x 0.5m H		1		
		Material Finish: Upholstered				
		foam cushion with Light				
		Yellow Ochre fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H				
	Square	Dimensions: 0.5m x 0.5m x	1	pc		
	Ottoman	0.45m H				
	(with glides)	Material Finish: Upholstered				
		foam cushion with Light				
		Yellow Ochre fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
II ADEA 2		metal glides, 4 in. H				
II. AREA 2 II.1	Custom-	Overall Dimensions: 4.60m	3	sets		
Collabora	design and	L x 2.9m W	ر	SCIS		
tive	Built	L A 2.7111 W				
Working	Workstation	Partition Panels:				
Space 1		H: 1.20 m				
	Features:	THK: 4.89 in				
	- 6 Working	Material Finish: Matte Plain				
	Nooks	Black Laminate			SA THE PERSON	
	- White Board					
	fixed on	Nook Desk:				
	partition	W: 0.60m				
	panels facing	THK: 1 in				
	working nooks	Material Finish: Matte Plain				
	- Fabric panel	White Laminate				
	on part of the					
	partition	White Board				
	panels facing	Nominal Size: 0.5x 0.4m				

	working nooks					
	- Hollow	End penal				
		End panel				
	panels for	finish: fabric finish interior				
	cable	laminate finish exterior				
	organization					
	- Built-in					
	outlet panels					
	or grommets			<u> </u>	j	
	Office Chair	Swivel Chair with Arm Rest,	18	pc/s		
		mid-back, Star Base with 5				
		legs and Casters				
		*DIA of the legs should be				
		bigger than the seat				
		organ triain the seat				
		Finishes:				
		Seat: Upholstered foam				
		cushion with Sedona Orange				
		fabric				
		Body: White				
		Base: Chrome-plated				
		Aluminum Alloy				
		Backrest: Nylon plastic				
		frame with breathable White				
		mesh (to match with the				
		existing office chair)				
	Long Johns	Dimensions: 1.85m L x	4	pc/s		
	(with glides)	0.5m W x 0.5m H				
		Finish: Upholstered foam				
		cushion with Light Yellow				
		Ochre fabric (2), Pastel				
		Light Blue fabric (1), and				
		Light Olive Green fabric (1)				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H			STREET OF LA	
	Laptop Stand	Dimensions: 0.40m W x	3	pc/s	PARTIE DE	
	(with casters)	0.55m L x 0.65m H		F	The same of	
	(
		Material Finishes:				
		Table Top: Matte Plain				
		White Laminate				
		Legs: Tubular metal legs 1"x				
		1" (C-Shape Configuration),				
		automotive Black paint				
		finish, with casters				
		(lockable)				
	Round	Dimensions: 0.5m DIA x	3	po/s	1	
	Ottoman	0.45m H	3	pc/s		
	(with glides)					
	(with glides)	Material Finish: Upholstered				
		foam cushion with Light				
		Yellow Ochre fabric (1), and				
		Light Olive Green fabric (2)				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
	<u> </u>	metal glides, 4 in. H				
II.2	Round	Round Laptop/Coffee Table	2	pc/s	*NOTE: TV	
Assembly	Center Table	Dimensions: 1.0m DIA x			not included	
Area		0.6m H				
		Material Finishes:				
	· 	·				·

	Γ	m 11 m N N				
		Table Top: Matte Plain				
		White Laminate				
		Legs: Tubular metal legs 1"x				
		1", automotive Black paint				
		finish	0		-	
	Bean Bags	Dimensions: 0.8m DIA X	8	pc/s		
		0.7m H				
		Material: Synthetic Fabric				
		Finish in various colors (2				
		Pastel Light Blue, 2 Pastel				
		Pink, 2 Light Yellow Ochre,				
		and 2 Light Olive Green)				
		*sample for approval				
	Long John 1	Dimensions: 1.85m L x	1	pc	CVIII	
	(with glides)	0.5m W x 0.5m H				
		Finish: Upholstered foam				
		cushion with Light Yellow				
		Ochre fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H				
	Long John 2	Dimensions: 1.55m L x	1	pc		
	(with glides)	0.5m W x 0.5m H				
		Finish: Upholstered foam				
		cushion with Pastel Light				
		Blue fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H				
	Long John 3	Dimensions: 1.25m L x	1	pc		
	(with glides)	0.5m W x 0.5m H				
		Finish: Upholstered foam				
		cushion with Pastel Light				
		Blue fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H			-	
	Long John 4	Dimensions: 0.95m L x	1	pc		
	(with glides)	0.5m W x 0.5m H				
		Finish: Upholstered foam				
		cushion with Light Yellow				
		Ochre fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
II 2	Constant	metal glides, 4 in. H	1			
II.3	Custom-	Overall Dimensions: 4.60m	1	set		
Collabora	design and	L x 2.9m W				
tive	Built	Dortition Donale				
Working	Workstation	Partition Panels:			ПТТ	
Space 2	Footures	H: 1.20 m				
	Features:	Material Finish: Matte Plain				
	- 5 Working Nooks	Black Laminate			1 / 2	
	Nooks - White Board	Nook Desk:				
	fixed on	W: 0.60m			200	
		Material Finish: Matte Plain				
	partition	White Laminate			-	
	panels facing working	wille Lammate				
	nooks, size	White Board				
	HOURS, SIZE	willie Doald			1	

	TBD	Nominal Size: 0.5x 0.4m				
	- Fabric panel	Nominal Size. 0.3x 0.4m				
	on part of the	End panel				
	partition	finish: fabric finish interior				
		laminate finish exterior				
	panels facing	lammate milsii exterior				
	working					
	nooks, size					
	TBD					
	- Hollow					
	panels for					
	cable					
	organization					
	- Built-in					
	outlet panels					
	or grommets					
	Office Chair	Swivel Chair with Arm Rest,	5	pc/s		
		mid-back, Star Base with 5				
		legs and Casters				
		*DIA of the legs should be				
		bigger than the seat				
		Finishes:				
		Seat: Upholstered foam				
		cushion with Sedona Orange				
		fabric				
		Body: White				
		Base: Chrome-plated				
		Aluminum Alloy				
		Backrest: Nylon plastic				
		frame with breathable White				
		mesh (to match with the				
	7 71	existing office chair)	2	,		
	Long Johns	Dimensions: 1.85m L x	2	pc/s		
	(with glides)	0.5m W x 0.5m H				
		Finish: Upholstered foam				
		cushion with Light Yellow				
		Ochre fabric (1), and Pastel			4 5	
		Light Blue fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H				
	Square	Dimensions: 0.5m x 0.5m x	3	pc/s		
	Ottoman	0.45m H				
	(with glides)	Material Finish: Upholstered				
		foam cushion with Light				
		Yellow Ochre fabric (1), and				
		Pastel Light Blue fabric (2)				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H				
II.4	Round Table	Round Table	1	pc		
Breakout		Dimensions: 1.0m DIA x				
Room 1		0.75m H				
		Material Finishes:				
		Table Top: Matte Plain				
		Black Laminate				
		Legs: Tubular metal legs 2"x				
		2", automotive Black paint			**	
		finish				
	1	11111011			l .	

			•			
	Office Chair	Swivel Chair with Arm Rest,	3	pc/s		
		mid-back, Star Base with 5				
		legs and Casters				
		**DIA of the legs should be				
		bigger than the seat				
		organi than the seat				
		Finishes:				
		Seat: Upholstered foam				
		cushion in fabric				
		Base: Chrome-plated				
		Aluminum Alloy				
		Color Scheme: White and				
		Sedona Orange				
II.5	Round Table	Round Table	1	pc/s		
Breakout		Dimensions: 1.0m DIA x				
Room 2		0.75m H				
		Material Finishes:				
		Table Top: Matte Plain				
		Black Laminate				
		Legs: Tubular metal legs 2"x				
		2", automotive Black paint				
		finish				
	Office Chair	Swivel Chair with Arm Rest,	3	pc/s	1-00	
	Office Chair	mid-back, Star Base with 5	3	pc/s	The second	
		legs and Casters				
		**DIA - C41 - 1 1 - 111 -			30,636	
		**DIA of the legs should be				
		bigger than the seat				
		Finishes:				
		Seat: Upholstered foam				
		cushion in fabric				
		Base: Chrome-plated				
		Aluminum Alloy				
		Color Scheme: White and				
		Sedona Orange				
III. AREA	3 - MAIN DATA	CENTER				
III.1	Office Chair	Swivel Chair with Arm Rest,	10	pc/s		
Data		high-back, Star Base with 5		1		
Laborator		legs and Casters				
y Room		**DIA of the legs should be				
		bigger than the seat				
		- 60 50 				
		Finishes:				
		Seat: Upholstered foam				
		cushion with Sedona Orange				
		fabric				
					State of the last	
		Rody: White				
		Body: White			建物的 自由在注意	
		Base: Chrome-plated			LI L	
		Base: Chrome-plated Aluminum Alloy			HAN	
		Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic			A	
		Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White			A	
		Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh	,		HA	
	Conference	Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh Dimensions: 1.80m L x	4	pc		
	Conference Table	Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh	4	pc		
	Table	Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh Dimensions: 1.80m L x 0.90m W x 0.75m H	4	pc		
		Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh Dimensions: 1.80m L x	4	pc		

	Power Outlets	White Laminate				
	per table	Legs: Tubular metal legs 2"x 2", automotive Black paint finish				
		*Cable management duct for the feature				
III.2 Meeting Room 1	Office Chairs	Swivel Chair with Arm Rest, high-back (or with headrest), Star Base with 5 legs and Casters **DIA of the legs should be bigger than the seat	4	pc/s		
		Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh			WE TO	
	Long Tables	Dimensions: 1.50m L x 0.60m W x 0.75m H	4	pc/s		
	Features: - Built-in Power Outlets per table	Material Finishes: Table Top: Matte Plain White Laminate Legs: Tubular metal legs 2"x 2", automotive Black paint finish				
		*Cable management duct for				
III.3 Meeting Room 2	Office Chair	the feature Swivel Chair with Arm Rest, high-back (or with headrest), Star Base with 5 legs and Casters **DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy	4	pc/s	*NOTE: No built-in power outlets for tables	
		Backrest: Nylon plastic frame with breathable White mesh				
	Long Tables	Dimensions: 1.50m L x 0.60m W x 0.75m H	4	pc/s		
		Material Finishes: Table Top: Matte Plain White Laminate				

	I	I T. 1. 1				
		Legs: Tubular metal legs 2"x				
		2", automotive Black paint finish				
IV. AREA 4		HIIISH		<u> </u>		
IV. AKEA 4	Executive	Dimensions: 1800mm L x	1	set		
Office 1	Pneumatic Desk Features: - Motorized or power-free height-adjusting mechanism - Low noise (-25 dB) - Glides - Cable	800mm W Height varies from 740mm to 1140mm Load Capacity: up to 90kg Preferred Material Finish: Table Top: Matte Plain Black Laminate	1	set	11	
	Management - 1pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval)	Suring Chair with Arm Doct	1			
	High-back Executive Chair	Swivel Chair with Arm Rest, high-back, Star Base with 5 legs and Casters	1	рс		
	Features: - Reclining - Foot/Leg rest	**DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out)				
	5-Layer Bookcase with Bottom Cabinets	4-layer Shelf and 1-layer operable cabinet with 0.10m toe-kick Height: 2.10 m a. 4 layers shelf: 0.40m H per layer = 1.60m b. 1 layer operable cabinet: 0.40m c. toe-kick: 0.10m	1	lot	atheath for a	


I	Г			T	
	Width: 1.00 m Depth: 0.40 m Material: 3/4' MDF with laminate Colors: See Perspective				
Center Meeting Table	Round Table Dimensions: 1.2m DIA x 0.75m H	1	pc		
	Material Finishes: Table Top: Matte Plain Black Laminate Legs: Tubular metal legs 2"x 2", automotive Black paint finish				
Office Meeting Chair	Swivel Chair with Arm Rest, mid-back, Star Base with 5 legs and Casters	5	pc/s		
	**DIA of the legs should be bigger than the seat				
	Finishes: Seat: Upholstered foam cushion in fabric Base: Chrome-plated Aluminum Alloy Color Scheme: White and Sedona Orange				
Office Desk (Junior Officer)	Dimensions: 1.50m L x 0.80m W x 0.75m H, 25 mm THK	1	pc		
Features: - 3 storage drawers with single lock - Cable Management - 1pc 3-Gang, 3 pin universal outlet	Material Finishes: Desk Top: Matte Plain Black Laminate Side Panel: Matte Plain Black Laminate Drawers: Matte Plain White Laminate				
High-back Chair	Swivel Chair with Arm Rest, high-back, Star Base with 5 legs and Casters	1	pc		
	**DIA of the legs should be bigger than the seat				
	Finishes: Seat: Upholstered foam cushion with black leatherette Body: Chrome-plated Aluminum Alloy Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion				

		with black leatherette			
IV.2 Office 2	Office Desk (Junior Officer)	Dimensions: 1.50m L x 0.80m W x 0.75m H, 25 mm THK	1	pc	
	Features: - 3 storage drawers with single lock - Cable Management - 1pc 3-Gang, 3 pin universal outlet	Material Finishes: Desk Top: Matte Plain Black Laminate Side Panel: Matte Plain Black Laminate Drawers: Matte Plain White Laminate			
	High-back Chair	Swivel Chair with Arm Rest, high-back, Star Base with 5 legs and Casters **DIA of the legs should be bigger than the seat	1	pc	
		Finishes: Seat: Upholstered foam cushion with black leatherette Body: Chrome-plated Aluminum Alloy Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leatherette			
IV.3 Office 3	Office Desk (Junior Officer)	Dimensions: 1.50m L x 0.80m W x 0.75m H, 25 mm THK	1	pc	
	Features: - 3 storage drawers with single lock - Cable Management - 1pc 3-Gang, 3 pin universal outlet	Material Finishes: Desk Top: Matte Plain Black Laminate Side Panel: Matte Plain Black Laminate Drawers: White Laminate			
	High-back Chair	Swivel Chair with Arm Rest, high-back, Star Base with 5 legs and Casters **DIA of the legs should be bigger than the seat Material Finishes:	1	pc	
		Seat: Upholstered foam cushion with black leatherette Body: Chrome-plated Aluminum Alloy Base: Chrome-plated Aluminum Alloy			

		Back and headrest:				
		Upholstered foam cushion				
		with black leatherette				
V AREA 5	- ANCILLARY	with black leatherette	<u> </u>			
V.AKEA 3	Office Chair	Swivel Chair with Arm Rest,	1	рс		
Editing	Office Chair	mid-back, Star Base with 5	1	pc		
Room		legs and Casters				
		*DIA of the legs should be				
		bigger than the seat				
		Finishes:				
		Seat: Upholstered foam				
		cushion with Sedona Orange				
		fabric				
		Body: White				
		Base: Chrome-plated Aluminum Alloy			20	
		Backrest: Nylon plastic			()	
		frame with breathable White				
		mesh (to match with the				
		existing office chair)				
	Pneumatic	Dimensions: 1.50m L x	1	рс		
	Desk (Editing	0.60m W (or standard				
	Table)	manufactured size)				
	.	Height varies from 740mm				
	Features:	to 1140mm				
	 Motorized or power-free 	Load Capacity: up to 90kg				
	height-	Preferred Material Finish:				
	adjusting	Table Top: Matte Plain				
	mechanism	Black Laminate				
	- Low noise (-					
	25 dB)					
	- Glides					
	- Cable					
	Management					
	- 1pc 3					
	universal pins					
	and 2 USBs					
	outlet (provide sample for					
	end-user					
	approval)					
V.2	Round	Round Table	2	pc/s		
Pantry	Dining Table	Dimensions: 1.2m DIA x		1		
		0.75m H				
		Material Finishes:				
		Table Top: Matte Plain				
		Black Laminate				
		Legs: Tubular metal legs 2"x				
		2", automotive Black paint				
		finish				
	Dining Chair	Modern Dining Side Chair	10	pc	- 新原	
		Material Finishes:			FRANK PL	
		Seat: Upholstered foam				
		cushion in leatherette				
		Body and Legs: metal,				
		tubular, matte black finish				

	Backrest: Upholstered foam			
	cushion in leatherette			
	Colors: Pastel Pink, Pastel			
	Light Blue, Light Olive			
	Green, Pastel Teal, Light			
	Yellow Ochre, Pastel			
	Lavender			
High Table	Dimensions: 4.00m L x	1	pc/s	
	0.50m W x 1.00m H			
	Material Finishes:			
	Table Top: Matte Plain			
	Black Laminate			
	Legs: Tubular metal legs 2"x			
	2", automotive Black paint			
	finish			
High Chair	Plastic High Chair	6	pc/s	
Tright Chun	Trastic High Chan	O	Pers	
	Dimensions:			
	Width: 50.5 cm			
	Depth: 55 cm			
	Height: 111.5 cm			
	Seat Height: 72 cm			
	Material Finishes:			
	Seat: PP Plastic in various			
	colors (Pastel Pink, Pastel			
	Light Blue, Light Olive			
	Green, Pastel Teal, Light			
	Yellow Ochre, Pastel			
	Lavender, Pastel Orange)			
	Legs*: thick metal tube in			
	automative paint finish			
	(Black)			
	*1			
	*sample for approval			

B. DRAWINGS



2ND FLOOR BUILDING A GENERAL LAYOUT

Section VIII. Checklist of Technical and Financial Documents

Bid Document CHECKLIST - Technical (Including Eligibility)

- 01. All submissions of the Bidder must clearly indicate the paper the document number. For example, photocopy of valid PhilGEPS registration papers (i.e., 5pcs) of "Bidder Corporation", Technical Component should be marked "E01~1", "E01~2", "E01~3", "E01~4", and "E01~5" OR "T01~1", "T01~2", "T01~3", "T01~4", and "T01~5".
- 02. On this checklist; the column "As Checked" shall be marked ...
 - "PASSED" to indicate that said document was available; or
 - ✓ "FAILED" when the document listed is not available in the bid proposal submitted; or
 - ✓ "NO NEED" if the item in the checklist will not be appropriate
- 03. At any stage of the procurement process, a proposal may still be declared "not eligible" if the contents/substance of the document is missing, or its found inappropriate or does not comply with the given requirements for this transaction.

Bidding No	IB23-406611-02	Total ABC:	P4,000,000.00							
Particulars	: "FABRICATION, A	CQUISITION	N AND INSTALLATION OF ONE (1)							
	LOT SUPPLY OF DI	ESIGN FIT-C	OUT, FURNISHING AND FIXTURES							
	(DFOFF'S) FOR THE CENTER FOR STRATEGIC FUTURES AT									
	FLOOR 2A IN DAP	MAIN BUILI	LDING , PASIG CITY"							
	Venue of Bid Via Google Meet Platform DATE & TIME of Bid September 5, 2023									
Openin	9		Opening (Tue) at 10:00AM							
	COMPANY NAME:									
Ø >										
Z. STION	COMPANY HEAD OFFICE MAI	ILING ADDRESS:	:							
DEF RMA										
BIDDER's INFORMATION	COMPANY WEBSITE OR EMAI	L ADDRESS:								
ш –										
Representati	INAME OF THE COMPANY	REPRESENTATIV	VE:							
attending th										
Biddin	Bidding: POSITION TITLE OF THE COMPANY REPRESENTATIVE:									
JV Inf	o: IS THE BIDDER INTO J	OINT VENTURE	RE AGREEMENT WITH ANOTHER							
9 1111	ENTITY/IES? YES /NO									

Technical Component Envelope

DAP DOES NOT ALLOW ANY BIDDER from any country outside the Philippines

Class "A" Documents		
Legal Documents	mark	As Checked
 Valid PhilGEPS Certificate of Registration (Platinum Membership), with the current, updated, and clear copy of the documents as follows, per BDS Clause 10.1, item no. 1. Clear and readable Photocopy of Registration Certificate from Securities and Exchange Commission (SEC), 	E01	□ Passed □ Failed

-	
Mayor's/Business	
nped "received" by	
mark	As Checked
contracts awarded not similar in nature E02	□Passed □Failed
amounts should be the ABC; and that be equivalent to at nt to the exception 4.2.4 of the 2016 relevant period as	□Passed □Failed
rance Commission.	□Passed □Failed
T01	□Passed □Failed
board, mock-ups, fter- sales/parts, if T02	□Passed □Failed
ertificate in case of or Original Special eventure giving full OSS and do acts to	□Passed □Failed
	E02 F all its ongoing a contracts awarded not similar in nature (BDS Clause 10.1, E02 two (2) completed amounts should be the ABC; and that be equivalent to at an to the exception (4.2.4 of the 2016 relevant period as Clause 10.1, item E03 To1 St 5 years Is, which may include board, mock-ups, fter- sales/parts, if .5; ement (OSS); and ertificate in case of or Original Special

	Financi	al Documents		mark	As Checked		
	The Supplier's Audited Fiamong others, the Supplier's stamped "received" by the authorized institutions, on Memorandum Circular 49-2 in the Acceptance and Proceeding and Its Required A Thereon for the preceding earlier than two (2) years fro Clause 10.1, item no. 7;	T04	□ Passed □ Failed				
9	The prospective bidder's cor Capacity (NFCC); <u>or</u> a comp <u>or</u> Commercial Bank in lied Clause 10.1, item no. 8; and	a Universal	T05	□ Passed □ Failed			
10) Certificate of Site Inspection duly signed by TWG-End-user representative or TWG Chairperson or the End-User, per BDS Clause 10.1, item no. 9;					□ Passed □ Failed		
	Class "B	" Documents					
11) If applicable, valid Joint Venture Agreement (JVA), in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful, shall be included in the bid, per BDS Clause 10.1, item no. 11.					□ Passed □ Failed □ N/A		
BA	C's Evaluation on the submit	NENT:	ASSED	□ FAILED			
	<u>EN</u>	D OF TECHNICAL COMPONENT (CHECKLIST				
BAC	BAC's Remarks: ELIGIBLE INELIGIBLE FOR RECONSIDERATION						
CHEC	CKED BY:	NOTED BY:	DOCUMENTS R	ECEIVED B	Y:		
ENGR. VENER V. MADERAJE TWG Chairperson ALAN S. CAJES BAC Chairperson BAC Secretariat Division Chief, BAC Secretariat Division							

Checklist No.2 FINANCIAL DOCUMENTS

- 01. All submissions of the Bidder must clearly indicate the paper the document number. For example, Financial Component (i.e., 4pcs) should be marked "F01~1", "F01~2", "F01~3", "F01~4".
- 02. On this checklist; the column "As Checked" shall be marked ...
 - ✓ "PASSED" to indicate that said document was available; or
 - ✓ "FAILED" when the document listed is not available in the bid proposal submitted; or
- 03. At any stage of the procurement process, a proposal may still be declared "not eligible" if the contents/substance of the document is missing, or its found inappropriate or does not comply with the given requirements for this transaction.

Bidding No	7 No. IB23-406611-02 Total ABC: P4,000,000.00							
Particulars			CQUISITION DESIGN FIT-O					
			IE CENTER F					
			MAIN BUILD					
Venue of Bi		gle Meet Platforr	n	D/	ATE & TIME of Bi	Ochi	ember 5, 2023	
Openin	g				Openin	g (Tue	e) at 10:00AM	
	COMPANY	Name:						
S NOI								
BIDDER'S INFORMATION	COMPANY	HEAD OFFICE M	AILING ADDRESS:					
BID INFC	COMPANY	WEBSITE OR EMA	AIL ADDRESS:					
Representation attending the	VO	OF THE COMPANY	'REPRESENTATIVE					
Biddin	a.	ON TITLE OF THE	COMPANY REPRES	SENTATIVE	<u> </u>			
JV Inf	٥.	BIDDER INTO Y/IES? YES/N	JOINT VENTURE	AGREEM	MENT WITH AN	IOTHER		
		nponent Enve	PIOPE country outside the F	Philinnines				
DOLON	OT ALLOW A		DOCUMENTS			mark	As Checked	
1) 0:	. 1 6				' 1 D' 1			
	_	duly signed a	nd accomplished	ed Finan	icial Bid	F01	□ Passed □ Failed	
1 01	iii, pei DL	Clause 11.1	L•				alled	
			accomplished H	Price Sch	nedule(s),	F02	□Passed	
per	BDS Cla	use 11.1.					□Failed	
	BAC's Eva	luation on the s	ubmitted Financ	ial Comp	onent: 🔲 🖡	PASSED	□ FAILED	
		END OF	F FINANCIAL DOCUM	MENTS CHE	ECKLIST			
BAC's Re	emarks:	☐ ELIGIBLE	☐ INELIGI	IBLE	☐ FOR REC	ONSIDERA ⁻	TION	
CHECKE	D BY:		NOTED BY:		DOCUMENT	S RECEIVE	D BY:	
ENGR.	VENER V.	MADERAJE	ALAN S. CA	JES	RODI	EL DV. CA	STILLO	
1	TWG Chairpe	erson	BAC-Chairpe	erson	Division Chief	, BAC Secr	etariat Division	

Section IX. BIDDING FORMS

TABLE OF CONTENTS

Form 1: BID FORM	46
Form 2: PRICE SCHEDULE FOR GOODS OFFERED FROM WITHIN THE PHILIPPINES	48
Form 3: BID SECURING DECLARATION	77
Form 4: CONTRACT AGREEMENT FORM	79
Form 5: OMNIBUS SWORN STATEMENT	81
Form 6: STATEMENT OF ALL ONGOING CONTRACTS INCLUDING CONTRACTS AWARDED BUT NOT STARTED	84
Form 7: STATEMENT OF BIDDER'S SINGLE LARGEST COMPLETED CONTRACT (SLCC)	84
Form 8: NET FINANCIAL CONTRACTING CAPACITY	85
Form 9: CERTIFICATE OF SITE INSPECTION	87
Form 10: TECHNICAL SPECIFICATIONS COMPLIANCE	88

Bidder's LETTERHEAD

FORM 1: FINANCIAL BID FORM

INSTRUCTIONS to BIDDERS:

- **01.** THIS FORM SHOULD BE ACCOMPLISHED USING THE BIDDER'S LETTERHEAD, SIGNED COPY SHOULD BE SUBMITTED AS PART OF THE FINANCIAL DOCUMENTS MARKED AS "**F01**";
- 02. THE SIGNED COPY OF THIS DOCUMENT (IN PDF OR JPEG FORMAT) MUST BE PART OF THE ELECTRONIC FILES THAT SHOULD BE CONTAINED IN THE SUBMITTED ELECTRONIC BID; AND,
- 03. THE FILENAME STRUCTURE SHOULD BE "FOI XXX=FINANCIAL BID FORM=<BIDDERNAME>".

BID FORM

Issued by the GPPB through GPPB Resolution 16-2020, dated 16 September 2020

Date:

Invitation to Bid No.: **IB23-406611-02**

BIDS & AWARDS COMMITTEE

Development Academy of the Philippines 3F, DAP Bldg., San Miguel Avenue, Pasig City 1600 P.O. Box 12788 Ortigas Center, Pasig City1600 Philippines Telephone: (632) 8631-0921 loc. 133

BAC Secretariat email: dapbacsec@dap.edu.ph

Website address: http://www.dap.edu.ph

Having examined the Bidding Documents, including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledge, we undersigned, offer to supply, install and deliver for the Contract: FABRICATION, ACQUISITION AND INSTALLATION OF ONE (1) LOT SUPPLY OF DESIGN FIT-OUT, FURNISHING AND FIXTURES (DFOFF'S) FOR THE CENTER FOR STRATEGIC FUTURES AT FLOOR 2A IN DAP MAIN BUILDING, PASIG CITY with the said OBDs for the sum of:

[insert Total Bid amount in words _______ and in figures Php_____] or the total calculated bid price as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties, which are itemized herein or in the Price Schedules.

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the OBD;
- b. to provide a performance security in the form, amounts, and within the times prescribed in the ORD:
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period;

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below¹:

¹Applicable only if the Funding Source is the ADB, JICA or WB.

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity				
NOTE: if none, state " <i>None</i> "						

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the lowest or any Bid you may receive; and,

We certify/confirm that we complied with the eligibility requirements pursuant to the OBD.

The undersigned is authorized to submit the bid on behalf of *[insert name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

	Yours sincerely,
SIGNATURE OF THE AUTHORIZED REPRESENTATIVE	
Name of the Authorized Representative	
Position Title of Signatory:	
Name of Firm\Bidder:	
Postal Address:	
Telephone Number:	
EMAIL ADDRESS:	

Bidder's LETTERHEAD

FORM 2: PRICE SHEDULE (AS PER GPPB RESOLUTION NO. 16-2020)

INSTRUCTIONS to BIDDERS:

- 01. THIS FORM SHOULD BE ACCOMPLISHED USING THE BIDDER'S LETTERHEAD, SIGNED COPY SHOULD BE SUBMITTED AS PART OF THE FINANCIAL DOCUMENTS MARKED AS "F02";
- 02. THE SIGNED COPY OF THIS DOCUMENT (IN PDF OR JPEG FORMAT) MUST BE PART OF THE ELECTRONIC FILES THAT SHOULD BE CONTAINED IN THE SUBMITTED ELECTRONIC BID; AND
- 03. DO NOT LEAVE BLANK CELLS. KINDLY PUT **N/A** IF "NOT APPLICABLE";
- 04. KINDLY USE ADDITIONAL SHEETS IF NECESSARY; AND
- 05. THE FILENAME STRUCTURE SHOULD BE "FO2 XXX=PRICE SCHEDULE=<BIDDERNAME>".

Name of Bidder _____ Page __ of ____.

Invitation to Bid Number: **IB23-406611-02**

1	2		3	4	5	6	7	8	9	10
Item		Description	Country of origin/ Quantity	Unit	Unit price EXW per item	Transport ation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable , per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
I. AREA	1									
I.1 Recei	ving/Reception	n Lounge								
	Round	Dimensions: 0.5m	2	pc/s						
	Ottoman	DIA x 0.45m H								
	(with	Material Finish:								
	glides)	Upholstered foam								
		cushion with Off								
		White fabric								
		Legs: Straight foot,								
		conical varnished								
		wooden legs, with								
		metal glides, 4 in. H								
	4- seater	Overall Dimensions:	1	pc						
	Curved	0.7m x 1.5m x. 3m								
	Sectional	dia.								
	(Half-									
	Circle)	Finishes:								
		Upholstery: Foam								
		cushion with Pastel								
		Orange Fabric								
		Legs: Straight foot,								
		conical varnished								
		wooden legs, with								
		metal glides, 4 in. H								
	Round	Round Coffee Table	1	pc						
	Center	Dimensions: 1.0m								
1	Table	DIA x 0.45m H								
ĺ										

	1					1	1		
	Feature:	Material Finishes:							
	- display	Table Top: Matte							
	shelf	Plain Black Laminate							
	below the	Display Shelf: Matte							
	table top	Plain Black Laminate							
		Legs: Tubular metal							
		legs 1"x 1",							
		automotive Black							
		paint finish							
	C4		1	1.4					
	Custom	Custom fabricated	1	lot					
	Logos	logos, laser cutout							
		Thickness: 10mm							
		Dimensions: .6m							
		Finish : Matte Brass							
		Finish (golden yellow							
		hue)							
		Letter size and Fonts							
		: to be discussed to							
		the winning bidder							
		Mounting height:							
		1.70m							
		1.70m							
		****Please refer to							
		the photo attached							
		•							
		Daaladaan, Daintad							
		Backdrop: Painted							
		matte Finish							
		Color: For approval							
		of end-user							
		Logos							
		Logos:							
		- DAP Logo							
		- CSF Logo							
	Spotlights	Ceiling Track, two	1	lot					
		(2) spots							
		· / I							
		Material Finishes:							
		Lighting - Ceiling							
		track (White finish)							
1									
1		Lighting							
		Classification:							
1		Tracklight							
1		Wattage: 12W							
1		Operating Voltage:							
1		100-240V (AC)							
1		Materials: Aluminum							
1		Alloy + PC							
1		Dimensions:							
		223*140*66mm							
		Beam Angle: 20° 24°							
		36° 45°						<u></u>	
I.2 Recept	ion								
•	Reception	Overall Dimensions:		pc					
	Desk with	2.5m L x 2.5m W		r,					
	Counter	Overall Finish: Matte							
	Counter								
1		Plain White Laminate							
	Features:					<u> </u>			

		T				ı	1	ı	
	- Hanging	Hanging Accent							
	Accent	Panel:							
	Panel	W: 1.00 m on center							
	resting on	H: 0.75 m							
	the counter	Material Finish:							
	- Built-in 2	Matte Plain Black							
	sets of 3-	Laminate							
		Lammate							
	layer								
	drawer	Counter							
	(with	H: 1.10 m							
	single	W: 0.20 m							
	lock)								
	- 3-layer	Desk							
	interior	H: 0.75 m							
	corner	W: 0.50 m							
	shelves								
	- Cable	Drawers (Desk							
	manageme	height)							
	nt	W: 0.40 m							
	- 2pcs 3-								
	Gang, 3	With single lock							
	pin	With Shight fock							
	universal								
	outlets								
	(one on								
	each side)								
	Reception	Swivel Chair with	1	pc/s					
	Chair	Arm Rest, high-back,							
	(Office	Star Base with 5 legs							
	Chair)	and Casters							
		Finishes:							
		Seat: Upholstered							
		foam cushion with							
		Sedona Orange fabric							
		Body: White							
		Base: Chrome-plated							
		Aluminum Alloy							
		Backrest: Nylon							
		plastic frame with							
		breathable White							
		mesh							
	Long John	Dimensions: 1.5m L	1	pc					
	1 (with	x 0.5m W x 0.5m H							
	glides)	Material Finish:							
		Upholstered foam							
		cushion with Pastel							
		Light Blue fabric							
		Legs: Straight foot,							
		conical varnished							
		wooden legs, with							
		metal glides, 4 in. H							
	Long John	Dimensions: 1.0m L	1	рс					
	2 (with	x 0.5m W x 0.5m H	1	рс					
		Material Finish:							
	glides)								
		Upholstered foam							
		cushion with Light							
		Yellow Ochre fabric							
		Legs: Straight foot,							
1		conical varnished							

Square Dimensions: 0.5m x 1 pc	
Square Ottoman	
Ottoman (with Material Finish: Upholstered foam cushion with Light Yellow Ochre fabric Legs: Straight foot, conical varnished wooden legs, with metal glides, 4 in. H II. AREA 2 II.1 Collaborative Working Space 1 Custom design and Built Workstati On H: 1.20 m THK: 4.89 in Features: Material Finish:	
(with glides) Upholstered foam cushion with Light Yellow Ochre fabric Legs: Straight foot, conical varnished wooden legs, with metal glides, 4 in. H II. AREA 2 II.1 Collaborative Working Space 1 Custom- design and 4.60m L x 2.9m W Built Workstati Partition Panels: on H: 1.20 m THK: 4.89 in Features: Material Finish:	
glides) Upholstered foam cushion with Light Yellow Ochre fabric Legs: Straight foot, conical varnished wooden legs, with metal glides, 4 in. H II. AREA 2 II.1 Collaborative Working Space 1 Custom- design and Built Workstati On H: 1.20 m THK: 4.89 in Features: Material Finish:	
Custom- design and Built Workstati on H: 1.20 m THK: 4.89 in Features: Material Finish:	
Yellow Ochre fabric Legs: Straight foot, conical varnished wooden legs, with metal glides, 4 in. H II. AREA 2 II.1 Collaborative Working Space 1 Custom- design and Built Workstati on H: 1.20 m THK: 4.89 in Features: Material Finish:	
Legs: Straight foot, conical varnished wooden legs, with metal glides, 4 in. H II. AREA 2 II.1 Collaborative Working Space 1 Custom- design and Built Workstati On H: 1.20 m THK: 4.89 in Features: Material Finish:	
conical varnished wooden legs, with metal glides, 4 in. H II. AREA 2 II.1 Collaborative Working Space 1 Custom- design and design and Built Workstati Partition Panels: on H: 1.20 m THK: 4.89 in Features: Material Finish:	
Wooden legs, with metal glides, 4 in. H	
Metal glides, 4 in. H	
II. AREA 2 II.1 Collaborative Working Space 1 Custom- design and Built Workstati	
Custom- Overall Dimensions: 3 sets	
Custom- design and H: 1.20 m THK: 4.89 in Features: Material Finish: Overall Dimensions: 3 sets H sets This is sets Sets	
design and Built Workstati On Features: Washin H: 1.20 m THK: 4.89 in Features: Material Finish:	
Built Workstati Partition Panels: on H: 1.20 m THK: 4.89 in Features: Material Finish:	
Built Workstati Partition Panels: on H: 1.20 m THK: 4.89 in Features: Material Finish:	
on H: 1.20 m THK: 4.89 in Features: Material Finish:	
THK: 4.89 in Features: Material Finish:	
Features: Material Finish:	
- 6 Matte Plain Black	
Working Laminate	
Nooks	ľ
- White Nook Desk:	
Board W: 0.60m	
fixed on THK: 1 in	
partition Material Finish:	
panels Matte Plain White	
facing Laminate	
working	
nooks White Board	
- Fabric Nominal Size: 0.5x	
panel on 0.4m	
part of the	
partition End panel	
panels finish: fabric finish	
facing interior	
working laminate finish	
nooks exterior	
- Hollow	
panels for	
cable	
organizatio	
- Built-in	
outlet	
panels or	
grommets	
Office Swivel Chair with 18 pc/s	
Chair Arm Rest, mid-back,	
Star Base with 5 legs	
and Casters	
*DIA of the legs	
should be bigger than	
the seat	
Finishes:	
Seat: Upholstered	
foam cushion with	

	ı					ı	1	1	1
		Sedona Orange fabric							
		Body: White							
		Base: Chrome-plated							
		Aluminum Alloy							
		Backrest: Nylon							
		plastic frame with							
		breathable White							
		mesh (to match with							
		the existing office							
		chair)							
	Long	Dimensions: 1.85m L	4	pc/s					
	Johns	x 0.5m W x 0.5m H		•					
	(with	Finish: Upholstered							
	glides)	foam cushion with							
	gnues)	Light Yellow Ochre							
		fabric (2), Pastel							
		Light Blue fabric (1),							
		and Light Olive							
		Green fabric (1)							
		Legs: Straight foot,							
		conical varnished							
		wooden legs, with							
		metal glides, 4 in. H							
	Laptop	Dimensions: 0.40m	3	pc/s					
	Stand	W x 0.55m L x	3	pc/s					
	(with	0.65m H							
	casters)								
		Material Finishes:							
		Table Top: Matte							
		Plain White Laminate							
		Legs: Tubular metal							
		legs 1"x 1" (C-Shape							
		Configuration),							
		automotive Black							
		paint finish, with							
	D J	casters (lockable)	2						
	Round	Dimensions: 0.5m	3	pc/s					
	Ottoman	DIA x 0.45m H							
	(with	Material Finish:							
	glides)	Upholstered foam							
		cushion with Light							
		Yellow Ochre fabric							
		(1), and Light Olive							
		Green fabric (2)							
		Legs: Straight foot,							
		conical varnished							
		wooden legs, with							
		metal glides, 4 in. H							
II.2 Assem	hly Aron	metar grides, + III. II				<u> </u>		<u> </u>	
11.2 ASSUII	Round	Round Lanton/Coffee	2	po/s					
		Round Laptop/Coffee	2	pc/s					
	Center	Table							
	Table	Dimensions: 1.0m							
		DIA x 0.6m H							
		Material Finishes:							
		Table Top: Matte							
		Plain White Laminate							
		Legs: Tubular metal							
		legs 1"x 1",							
		automotive Black							
	<u>I</u>	automotive Ditter		1		ı	i .	l	

		paint finish							
	Bean Bags	Dimensions: 0.8m	8	pc/s					
	g	DIA X 0.7m H		P					
		Material: Synthetic							
		Fabric Finish in							
		various colors (2							
		Pastel Light Blue, 2							
		Pastel Pink, 2 Light							
		Yellow Ochre, and 2							
		Light Olive Green)							
		*sample for approval							
	Long John	Dimensions: 1.85m L	1	pc					
	1 (with	x 0.5m W x 0.5m H							
	glides)	Finish: Upholstered							
		foam cushion with							
		Light Yellow Ochre							
		fabric							
		Legs: Straight foot,							
		conical varnished							
		wooden legs, with							
	Long John	metal glides, 4 in. H Dimensions: 1.55m L	1	no					
	2 (with	x 0.5m W x 0.5m H	1	pc					
	glides)	Finish: Upholstered							
	glides)	foam cushion with							
		Pastel Light Blue							
		fabric							
		Legs: Straight foot,							
		conical varnished							
		wooden legs, with							
		metal glides, 4 in. H							
	Long John	Dimensions: 1.25m L	1	pc					
	3 (with	x 0.5m W x 0.5m H							
	glides)	Finish: Upholstered							
		foam cushion with							
		Pastel Light Blue							
		fabric							
		Legs: Straight foot,							
		conical varnished							
		wooden legs, with							
	Long John	metal glides, 4 in. H Dimensions: 0.95m L	1	nc					
	4 (with	x 0.5m W x 0.5m H	1	pc					
	glides)	Finish: Upholstered							
	3	foam cushion with							
		Light Yellow Ochre							
		fabric							
		Legs: Straight foot,							
		conical varnished							
		wooden legs, with							
***	==-	metal glides, 4 in. H							
II.3 Collab	orative Worl		1						
	Custom-	Overall Dimensions:	1	set					
	design and Built	4.60m L x 2.9m W							
	Bunt Workstati	Partition Panels:							
	on vvorkstati	H: 1.20 m							
	311	Material Finish:							
	Features:	Matte Plain Black							
	1 cataros.	I min Black	<u> </u>	L	l	l	l	l	<u> </u>

	I		,		1	ı	ı	
- 5	Laminate							
Working								
Nooks	Nook Desk:							
- White	W: 0.60m							
Board	Material Finish:							
fixed on	Matte Plain White							
	Laminate Laminate							
partition	Lammate							
panels								
facing	White Board							
working	Nominal Size: 0.5x							
nooks, size	0.4m							
TBD								
- Fabric	End panel							
panel on	finish: fabric finish							
part of the	interior							
partition	laminate finish							
	exterior							
panels	exterior							
facing								
working								
nooks, size								
TBD								
- Hollow								
panels for								
cable								
organizatio								
n								
- Built-in								
outlet								
panels or								
_								
grommets								
grommets Office	Swivel Chair with	5	pc/s					
grommets	Arm Rest, mid-back,	5	pc/s					
grommets Office		5	pc/s					
grommets Office	Arm Rest, mid-back,	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes:	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with	5	pc/s					
grommets Office	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office	5	pc/s					
grommets Office Chair	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office chair)							
Grommets Office Chair	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office chair) Dimensions: 1.85m L	5	pc/s					
Office Chair	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office chair) Dimensions: 1.85m L x 0.5m W x 0.5m H							
Chair Long Johns (with	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office chair) Dimensions: 1.85m L x 0.5m W x 0.5m H Finish: Upholstered							
Office Chair	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office chair) Dimensions: 1.85m L x 0.5m W x 0.5m H Finish: Upholstered foam cushion with							
Chair Long Johns (with	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office chair) Dimensions: 1.85m L x 0.5m W x 0.5m H Finish: Upholstered foam cushion with Light Yellow Ochre							
Chair Long Johns (with	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office chair) Dimensions: 1.85m L x 0.5m W x 0.5m H Finish: Upholstered foam cushion with Light Yellow Ochre fabric (1), and Pastel							
Chair Long Johns (with	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office chair) Dimensions: 1.85m L x 0.5m W x 0.5m H Finish: Upholstered foam cushion with Light Yellow Ochre							
Chair Long Johns (with	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office chair) Dimensions: 1.85m L x 0.5m W x 0.5m H Finish: Upholstered foam cushion with Light Yellow Ochre fabric (1), and Pastel Light Blue fabric							
Chair Long Johns (with	Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office chair) Dimensions: 1.85m L x 0.5m W x 0.5m H Finish: Upholstered foam cushion with Light Yellow Ochre fabric (1), and Pastel							

		wooden legs, with				1	1		
	G.	metal glides, 4 in. H		,					
	Square	Dimensions: 0.5m x	3	pc/s					
	Ottoman	0.5m x 0.45m H							
	(with	Material Finish:							
	glides)	Upholstered foam							
		cushion with Light							
		Yellow Ochre fabric							
		(1), and Pastel Light							
		Blue fabric (2)							
		Legs: Straight foot,							
		conical varnished							
		wooden legs, with							
		metal glides, 4 in. H							
II 4 Rreak	out Room 1	mean graces, 1 m. 11							
11.4 DICAK	Round	Round Table	1	no					
	Table	Dimensions: 1.0m	1	pc					
	Table								
		DIA x 0.75m H							
		36							
		Material Finishes:							
		Table Top: Matte							
		Plain Black Laminate							
		Legs: Tubular metal							
		legs 2"x 2",							
		automotive Black							
		paint finish							
	Office	Swivel Chair with	3	pc/s					
	Chair	Arm Rest, mid-back,							
		Star Base with 5 legs							
		and Casters							
		**DIA of the legs							
		should be bigger than							
		the seat							
		Finishes:							
		Seat: Upholstered							
		foam cushion in							
		fabric							
		Base: Chrome-plated							
		Aluminum Alloy							
		Color Scheme: White							
TI 5 D	1 D 0	and Sedona Orange							
II.5 Break	out Room 2	D 15511	-	,					
	Round	Round Table	1	pc/s					
	Table	Dimensions: 1.0m							
		DIA x 0.75m H							
1									
		Material Finishes:							
		Table Top: Matte							
		Plain Black Laminate							
1		Legs: Tubular metal							
		legs 2"x 2",							
		automotive Black							
		paint finish							
1	Office	Swivel Chair with	3	pc/s					
	Chair	Arm Rest, mid-back,		1					
		Star Base with 5 legs							
		and Casters							
<u> </u>	I	1		1		1	1	1	l

		T			1	ı	1	1	1	
		**DIA of the legs								
		should be bigger than								
		the seat								
		Finishes:								
		Seat: Upholstered								
		foam cushion in								
		fabric								
		Base: Chrome-plated								
		Aluminum Alloy								
		Color Scheme: White								
		and Sedona Orange								
III ADEA	2 MAIND	ATA CENTER		<u> </u>						
III.I Data	Laboratory I			1 .	ı	ı	I	I	I	
	Office	Swivel Chair with	10	pc/s						
	Chair	Arm Rest, high-back,								
		Star Base with 5 legs								
		and Casters								
		**DIA of the legs								
		should be bigger than								
		the seat								
		the seat								
		Finishes:								
		Seat: Upholstered								
		foam cushion with								
		Sedona Orange fabric								
		Body: White								
		Base: Chrome-plated								
		Aluminum Alloy								
		Backrest: Nylon								
		plastic frame with								
		breathable White								
		mesh								
	Conferenc	Dimensions: 1.80m	4	рс						
	e Table	L x 0.90m W x	•	P						
	Clabic	0.75m H								
	.	0.73III H								
	Features:									
	- Built-in	Material Finishes:								
	Power	Table Top: Matte								
	Outlets per	Plain White Laminate								
	table	Legs: Tubular metal								
	· -	legs 2"x 2",								
		automotive Black								
		paint finish								
		panii miisii								
		#G 11								
		*Cable management								
		duct for the feature								
III.2 Meeti	ing Room 1					_				
	Office	Swivel Chair with	4	pc/s						
	Chairs	Arm Rest, high-back								
		(or with headrest),								
		Star Base with 5 legs								l
		and Casters								
		**DIA of the legs								
		should be bigger than								
		the seat								
		Finishes:								
		Seat: Upholstered								
		foam cushion with								
		Toani Cushion With		Ì	l		L	<u> </u>	<u> </u>	

				ı		1	ı	
		Sedona Orange fabric Body: White						
		Base: Chrome-plated Aluminum Alloy						
		Backrest: Nylon						
		plastic frame with breathable White						
		mesh						
	Long	Dimensions: 1.50m L	4	pc/s				
	Tables	x 0.60m W x 0.75m H						
	Features:							
	- Built-in Power	Material Finishes: Table Top: Matte						
	Outlets per	Plain White Laminate						
	table	Legs: Tubular metal legs 2"x 2",						
		automotive Black						
		paint finish						
		*Cable management						
III 2 Mand	D 1	duct for the feature						
III.3 Meet	ing Room 2 Office	Swivel Chair with	4	pc/s				
	Chair	Arm Rest, high-back		1				
		(or with headrest), Star Base with 5 legs						
		and Casters						
		**DIA of the legs						
		should be bigger than						
		the seat						
		Finishes:						
		Seat: Upholstered foam cushion with						
		Sedona Orange fabric						
		Body: White						
		Base: Chrome-plated Aluminum Alloy						
		Backrest: Nylon						
		plastic frame with breathable White						
		mesh						
	Long Tables	Dimensions: 1.50m L x 0.60m W x 0.75m	4	pc/s				
	Tables	H						
		Material Finishes:						
		Table Top: Matte						
		Plain White Laminate Legs: Tubular metal						
		legs 2"x 2",						
		automotive Black						
IV. AREA	4	paint finish						
IV.1 Office	e 1			1				
	Executive Pneumatic	Dimensions: 1800mm L x 800mm	1	set				
	Desk	W						

Features:							1	1	
Features: - Motorized or power- free height adjusting mechanism - Low moise (-25 dB) - Glides - Cable Manugeme at t - Ipc 3 universal pins and 2 USBs outlet (grovide sample for end-user approval) - High-back Executive Chair with Chair Star Base with 5 legs and Casters - Reclining - Foot Leg rest - Features: - Reclining - Foot Leg rest - Foot Leg rest - Factures: - Reclining - Foot Leg rest - Gamman Alloy (optional: covered in black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) - Base: Chrome-plated Aluminum Alloy (optional: covered in black leather) - Base: Chrome-plated Aluminum Alloy (optional: covered in black leather) - Base: Chrome-plated Aluminum Alloy (optional: covered in black leather) - Base: Chrome-plated Aluminum Alloy (optional: covered in black leather) - Base: Chrome-plated Aluminum Alloy (optional: covered in black leather) - Base: Chrome-plated Aluminum Alloy (optional: covered in black leather) - Base: Chrome-plated Aluminum Alloy (optional: covered in black leather) - Leg Rest: - Uphobstered foam custion with black leather - Leg Rest: - Uphobstered foam custion with black leather, monoibitisc/continued surface with the seatt (folds inwards/under the seat, or can be pulled out) - 4-layer Shelf and 1- alloyer Shelf and			Height varies from						
Motorized or power- free height- adjusting mechanism - Low noise (-25 dB) - Glides - Cahle Manageme in - 1pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair with Seatures: - Reclining - Foot/Leg should be logger than test eat of Finishes: Seat: Upholstered foam cushion with black leather Bolack Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather the seat, or can be pulled out) 4-layer Shelf and 1- 1 lot leg Sh		Footures							
Motorized or power- free height- adjusting mechanism - Low noise (-25 dB) - Glides - Cable Manageme nt - 1 pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair with Stack Hamilton Stack Sta		reatures.							
free height- adjusting mechanism - Low moise (-25 dB) - Citides - Cable Manageme nt - 1pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) High-back Star Base with 5 legs and Casters - Rectining - Foot Leg rest - Rectining - Foot Leg rest - Rectining - Foot Leg rest - Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) - Base: Chrome-plated Aluminum Alloy - Base with 5 legs and Casters - Seat: Upholstered foam cushion with black leather - Body: Chrome-plated Aluminum Alloy - Seat Upholstered foam cushion with black leather - Leg Rest: Upholstered foam cushion with black leather		-	Load Capacity: up to						
free height- adjusting mechanism - Low moise (-25 dB) - Cilides - Cable Manageme nt - 1pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair Features: - Reclining - Foot leg rest Features: - Reclining - Foot leg rest Finishes: Seai: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Log Rest: U		Motorized	90kg						
rece height adjusting mechanism — Low moise (-25 dB) — Cilides — Cable Management to — 1 pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) — High-back Star Base with 5 legs and Casters — Rectlining — Foot/Leg frest —			> 011B						
heightadjusting mechanism - Low noise (25 dB) - Glides - Cable Manageme nt - 1 pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair - Reclining - Foou'Leg rest - Reclining - Foou'Leg rest - Reclining - Foou'Leg rest - Hinishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Led With a sea of the seat (folds inwards/under the seat, or can be puiled out) 5-Layer 8-Layer Beff and 1- 1 lot layer Bef									
mechanism - Low noise (-25 dB) - Glides - Cable Manageme nt - 1- 1pc 3 universal pins and 2 USBs outlet (provide sample for end-user approvab) High-back Executive Chnir Features: - Reclining - Foot Leg rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy (optional: covered in black leather Body: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Head out) 4-layer Shelf and 1- Bookcase		free	Preferred Material						
mechanism - Low noise (-25 dB) - Glides - Cable Manageme nt - 1- 1pc 3 universal pins and 2 USBs outlet (provide sample for end-user approvab) High-back Executive Chnir Features: - Reclining - Foot Leg rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy (optional: covered in black leather Body: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Head out) 4-layer Shelf and 1- Bookcase		height-	Finish.						
mechanism - Low noise (25 dB) - Glides - Cable Manageme nt - 1pe 3 universal pins and 2 USBs outlet (provide sample for end-user approvai) High-back Executive Chair Features: - Reclining - Foot/Leg rest. ***PDIA of the legs and Casters ***PDIA of the legs and Casters ***PDIA of the legs sent Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather and the seat Finishes: Sear: Upholstered foam cushion with black leather and the seat Finishes: Sear: Upholstered foam cushion with black leather and the seat Finishes: Sear: Upholstered foam cushion with black leather and the seat Finishes: Sear: Upholstered foam cushion with black leather and the seat Finishes: Sear: Upholstered foam cushion with black leather and the seat Finishes: Sear: Upholstered foam cushion with black leather and the seat Finishes: Sear: Upholstered foam cushion with black leather and the seat Finishes: Sear: Upholstered foam cushion with black leather and the seat Finishes: Sear: Upholstered foam cushion with black leather and the seat Finishes: Sear: Upholstered foam cushion with black leather and the seat Finishes: Sear: Upholstered foam cushion with black leather and the seat Finishes: Sear: Upholstered foam cushion with black leather and the seat Finishes: Finishes: Sear: Upholstered foam cushion and the seat Finishes: Finishes: Beat Carlor Finishes: Finishes: Beat Carlor Finishes: Finishes: Beat Carlor Beat Carlor Finishes: Beat Carlor Beat Carlor Finishes: Beat C									
- 1.0w noise (-25 dB) - Glides - Cable Manageme nt - 1 pc 3 universal pins and 2 USBs outlet (provide sample for cnd-user approval) High-back Star Base with 5 legs and Casters Features: - Reclining - FootLeg rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Leg									
noise (-25 dB) dB) - Glides - Cable Manageme nt - 1pc 3 universal pins and 2 USBs outlet (provide sample for end-user approvan) High-back Executive Chair Features: - Reclining - Foot/Leg rest **PIA of the legs should be bigger than the scat Finishes: Sear: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Re		mechanism	Plain Black Laminate						
noise (-25 dB) dB) - Glides - Cable Manageme nt - 1pc 3 universal pins and 2 USBs outlet (provide sample for end-user approvan) High-back Executive Chair Features: - Reclining - Foot/Leg rest **PIA of the legs should be bigger than the scat Finishes: Sear: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Re		- Low							
dB) - Gildes - Cable Manageme nt - 1pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair - Rest, high-back, Star Base with 5 legs and Casters - Reclining - Foot/Leg rest **DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black keather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushio									
- Glides - Cable Manageme nt - 1pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair Features: - Reclining - Foot Leg rest Finishes: Scatt Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Basek and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monoithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer 8-Layer Bookcase 4-layer Shelf and 1- alyer operable cabinet									
- Glides - Cable Manageme nt - 1pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair Features: - Reclining - Foot Leg rest Finishes: Scatt Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Basek and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monoithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer 8-Layer Bookcase 4-layer Shelf and 1- alyer operable cabinet		dB)							
- Cable Manageme nt - 1 pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) - High-back Chair with Arm Rest, high-back, Star Base with 5 legs and Casters - Reclining - Foot/Leg rest - Features: - Reclining - Foot/Leg should be bigger than the seat Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) - Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather - Leg Rest: Upholstered - Leg Rest: Upholst		- Glides							
Manageme nt - 1pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair Features: - Reclining - Foot/Log rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy (optional: covered in black leather) Log Rest: Upholstered foam cushion with black leather Log Rest: Upholstered foam cushion with bl									
nt - 1 pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair with Arm Rest, high-back, Star Base with 5 legs and Casters Features: - Reclining - Foot/Leg rest - Foot/Leg r									
nt - 1 pc 3 universal pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair with Arm Rest, high-back, Star Base with 5 legs and Casters Features: - Reclining - Foot/Leg rest - Foot/Leg r		Manageme							
a universal pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair With Arm Rest, high-back, Star Base with 5 legs and Casters Features: - Reclining - Foot/Leg rest - Reclining deserting rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered									
pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair Features: - Reclining - Foot/Leg rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Base: An beadrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest Upholstered foam cushion with									
pins and 2 USBs outlet (provide sample for end-user approval) High-back Executive Chair Features: - Reclining - Foot/Leg rest **DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholst									
USBs outlet (provide sample for end-user approval) High-back Executive Chair Mark Star Base with 5 legs and Casters Features: - Reclining - Foot/Leg rest - Foot/Leg rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monoithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase Swivel Chair with 1 pc									
USBs outlet (provide sample for end-user approval) High-back Executive Chair Mark Star Base with 5 legs and Casters Features: - Reclining - Foot/Leg rest - Foot/Leg rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monoithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase Swivel Chair with 1 pc		pins and 2							
outlet (provide sample for end-user approval) High-back Executive Chair Features: - Reclining - Foot/Leg rest **DIA of the legs should be bigger than the seat the seat Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase									
(provide sample for end-user approval) High-back Executive Chair with Arm Rest, high-back, Star Base with 5 legs and Casters Features: - Reclining - Foot/Leg rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Moloy Base chrome-plated Aluminum Moloy Base chrome-plated Aluminum Moloy Base chrome-plated Aluminum Alloy Base chrome-p									
sample for end-user approval) High-back Executive Chair with Star Base with 5 legs and Casters Features: - Reclining - Foot/Leg rest the seat Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Cleg Rest: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Res									
sample for end-user approval) High-back Executive Chair with Star Base with 5 legs and Casters Features: - Reclining - Foot/Leg rest the seat Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Cleg Rest: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Res		(provide							
end-user approval) High-back Executive Chair Chair Star Base with 5 legs and Casters Features: - Reclining - Foot/Leg rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather honolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer 4-layer Shelf and 1- lot lot									
### Approval #### Approval ##### Approval ##### Approval ##### Approval ##### Approval ##### Approval ##### Approval ###### Approval ####################################									
High-back Executive Chair Chair Features: - Reclining - Foot/Leg rest Finishes: Seat: Upholstered foam cushion with black leather) Base: Chrome-plated Aluminum Alloy Goptional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather - Leg Rest: Upholstered foam									
High-back Executive Chair Chair Features: - Reclining - Foot/Leg rest Finishes: Seat: Upholstered foam cushion with black leather) Base: Chrome-plated Aluminum Alloy Goptional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather - Leg Rest: Upholstered foam		approval)							
Executive Chair Star Base with 5 legs and Casters Features: - Reclining - Foot/Leg rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer 4-layer Shelf and 1- 1 lot layer operable cabinet			Swivel Chair with	1	nc				
Chair Star Base with 5 legs and Casters Features: - Reclining - Foot/Leg rest #*DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather - Leg Rest: Upholstered foam cushion with black leather - Leg Rest: - Upholstered foam cushion with black leather - Leg Rest: - Upholstered foam cushion with black leather - Leg Rest: - Upholstered foam cushion with black leather - Leg Rest: - Upholstered foam cushion with black leather - Leg Rest: - Upholstered foam cushion with black leather - Leg Rest: - Upholstered foam cushion with black leather - Leg Rest: - Upholstered foam cushion with black leather - Leg Rest: - Upholstered foam cushion with black leather - Leg Rest: - Upholstered foam cushion with black leather - Leg Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholstered foam cushion with black leather - Lag Rest: - Upholste				1	PC				
Features: - Reclining - Foot/Leg rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase and Casters **PIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather; monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase									
Features: - Reclining - Foot/Leg rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) S-Layer Bookcase **DIA of the legs **DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, ## Monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase		Chair	Star Base with 5 legs						
Features: - Reclining - Foot/Leg rest Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) S-Layer Bookcase **DIA of the legs **DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, ## Monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase			and Casters						
- Reclining - Foot/Leg should be bigger than the seat the		Features:							
- Foot/Leg rest should be bigger than the seat Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer 4-layer Shelf and 1- lot lot			distribute C. d. d.						
rest the seat Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather 4-layer Shelf and 1- Bookcase layer operable cabinet		- Reclining	**DIA of the legs						
rest the seat Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather 4-layer Shelf and 1- Bookcase layer operable cabinet		- Foot/Leg	should be bigger than						
Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer 4-layer Shelf and 1- Bookcase layer operable cabinet		_							
Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase 4-layer Shelf and 1- latot		icst	the seat						
Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase 4-layer Shelf and 1- latot									
Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase 4-layer Shelf and 1- latot			Finishes:						
foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase S-Layer Bookcase									
black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase Bookcase Bookcase Bookcase Bookcase Bookcase Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) Bookcase Bookcase									
Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase 4-layer Shelf and 1- layer operable cabinet									
Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase 4-layer Shelf and 1- layer operable cabinet			black leather						
Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase Aluminum Alloy (optional: covered in black leather) Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out)									
(optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase Optional: covered in black									
black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase black leather) leather leather leather, monolithic/continued surface with the seat leather									
black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase black leather) leather leather leather, monolithic/continued surface with the seat leather			(optional: covered in						
Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out)									
Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase Aluminum Alloy Back and headrest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 1 lot									
Back and headrest: Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase Back and headrest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 1 lot									
Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase Upholstered foam Uphols									
Upholstered foam cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase Upholstered foam Uphols			Back and headrest:						
cushion with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer 4-layer Shelf and 1- Bookcase layer operable cabinet									
leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase layer operable cabinet									
Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase layer operable cabinet									
Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase layer operable cabinet			leather						
Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase layer operable cabinet									
cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase layer operable cabinet									
leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase layer operable cabinet									
leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase layer operable cabinet			cushion with black						
monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer 4-layer Shelf and 1- 1 lot Bookcase layer operable cabinet									
surface with the seat (folds inwards/under the seat, or can be pulled out) 5-Layer Bookcase layer operable cabinet									
(folds inwards/under the seat, or can be pulled out) 5-Layer 4-layer Shelf and 1- 1 lot Bookcase layer operable cabinet									
the seat, or can be pulled out) 5-Layer 4-layer Shelf and 1- 1 lot Bookcase layer operable cabinet			surface with the seat						
the seat, or can be pulled out) 5-Layer 4-layer Shelf and 1- 1 lot Bookcase layer operable cabinet									
pulled out) 5-Layer 4-layer Shelf and 1- Bookcase layer operable cabinet			`						
5-Layer 4-layer Shelf and 1- 1 lot Bookcase layer operable cabinet									
5-Layer 4-layer Shelf and 1- 1 lot Bookcase layer operable cabinet					<u> </u>	<u></u>		 	
Bookcase layer operable cabinet		5-Laver		1	lot				
					-50				
with with U.10m toe-kick									
		with	with 0.10m toe-kick						

r _	1				1	ı	
Bottom							
Cabinets	Height: 2.10 m						
	a. 4 layers shelf:						
	0.40m H per layer =						
	1.60m						
	b. 1 layer operable						
	cabinet: 0.40m						
	c. toe-kick: 0.10m						
	Width: 1.00 m						
	Depth: 0.40 m						
	Material: 3/4' MDF						
	with laminate						
	Colors: See						
	Perspective						
Center	Round Table	1	рс				
Meeting	Dimensions: 1.2m	1	PC				
Table	DIA x 0.75m H						
	Material Finishes:						
	Table Top: Matte						
	Plain Black Laminate						
	Legs: Tubular metal						
	legs 2"x 2",						
	automotive Black						
	paint finish						
Office	Swivel Chair with	5	pc/s				
Meeting	Arm Rest, mid-back,		-				
Chair	Star Base with 5 legs						
Chan	and Casters						
	and Casters						
	**DIA of the legs						
	should be bigger than						
	the seat						
	Finishes:						
	Seat: Upholstered						
	foam cushion in						
	fabric						
	Base: Chrome-plated						
	Aluminum Alloy						
	Color Scheme: White						
	and Sedona Orange						
Office	Dimensions: 1.50m L	1	pc				
Desk	x 0.80m W x 0.75m	1	PC				
(Junior	H, 25 mm THK						
Officer)							
	Material Finishes:						
Features:	Desk Top: Matte						
- 3 storage	Plain Black Laminate						
drawers	Side Panel: Matte						
with single	Plain Black Laminate						
lock	Drawers: Matte Plain						
- Cable	White Laminate						
Manageme							
nt							
- 1pc 3-							
Gang, 3							
pin							
universal							

	outlet									
-	High-back	Swivel Chair with	1	ne	 					
	Chair	Arm Rest, high-back,	1	pc						
	Chan	Star Base with 5 legs								
		and Casters								
		and Casters								
		**DIA of the less								
		**DIA of the legs								
		should be bigger than the seat								
		the seat								
		Finishes:								
		Seat: Upholstered foam cushion with								
		black leatherette								
		Body: Chrome-plated								
		Aluminum Alloy								
		Base: Chrome-plated								
		Aluminum Alloy								
		Back and headrest:								
		Upholstered foam								
		cushion with black								
		leatherette								
IV.2 Office	2	15umorotto		<u> </u>						
I VIII OIIIC	Office	Dimensions: 1.50m L	1	рс						
	Desk	x 0.80m W x 0.75m	1	PC						
	(Junior	H, 25 mm THK								
	Officer)	, -								
	,	Material Finishes:								
	Features:	Desk Top: Matte								
	- 3 storage	Plain Black Laminate								
	drawers	Side Panel: Matte								
	with single	Plain Black Laminate								
	lock	Drawers: Matte Plain								
	- Cable	White Laminate								
	Manageme									
	nt									
	- 1pc 3-									
	Gang, 3									
	pin									
	universal									
	outlet	0 1 101 1 11								
	High-back	Swivel Chair with	1	pc						
	Chair	Arm Rest, high-back,								
		Star Base with 5 legs								
		and Casters								
		**DIA of the less								
		**DIA of the legs should be bigger than								
		the seat								
		the scat								
		Finishes:								
		Seat: Upholstered								
		foam cushion with								
		black leatherette								
		Body: Chrome-plated								
		Aluminum Alloy								
		Base: Chrome-plated								
		Aluminum Alloy								
		Back and headrest:								
		Upholstered foam								
		opnoisiereu toani			L	l	i	1	<u>I</u>	

		cushion with black					
		leatherette					
IV.3 Office	e 3	10001010					
	Office Desk (Junior	Dimensions: 1.50m L x 0.80m W x 0.75m H, 25 mm THK	1	pc			
	Features: - 3 storage drawers with single lock - Cable Manageme nt - 1pc 3- Gang, 3 pin universal outlet	Material Finishes: Desk Top: Matte Plain Black Laminate Side Panel: Matte Plain Black Laminate Drawers: White Laminate					
	High-back Chair	Swivel Chair with Arm Rest, high-back, Star Base with 5 legs and Casters	1	pc			
		**DIA of the legs should be bigger than the seat					
		Material Finishes: Seat: Upholstered foam cushion with black leatherette Body: Chrome-plated Aluminum Alloy Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leatherette					
V AREA	5 - ANCILLA						
V. AREA .		AAV A					
	Office Chair	Swivel Chair with Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat	1	pc			
		Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon					

									1	
		plastic frame with								
		breathable White								
		mesh (to match with								
		the existing office								
		chair)								
	Pneumatic	Dimensions: 1.50m L	1	рс						
	Desk	x 0.60m W (or	1	PC						
		standard								
	(Editing									
	Table)	manufactured size)								
	_	Height varies from								
	Features:	740mm to 1140mm								
	_	Load Capacity: up to								
	Motorized	90kg								
	or power-									
	free	Preferred Material								
	height-	Finish:								
	adjusting	Table Top: Matte								
	mechanism	Plain Black Laminate								
	- Low									
	noise (-25									
	dB)									
	- Glides									
	- Cable									
	Manageme									
	nt									
	- 1pc 3									
	universal									
	pins and 2									
	USBs									
	outlet									
	(provide									
	sample for									
	end-user									
	approval)									
V.2 Pantry				1 .	ı	l	1	l		
	Round	Round Table	2	pc/s						
	Dining	Dimensions: 1.2m								
	Table	DIA x 0.75m H								
		Material Finishes:								
		Table Top: Matte								
		Plain Black Laminate								
		Legs: Tubular metal								
		legs 2"x 2",								
		automotive Black								
		paint finish								
	Dining	Modern Dining Side	10	рс						
	Chair	Chair		1						
		Material Finishes:								
		Seat: Upholstered								
		foam cushion in								
		leatherette								
		Body and Legs:								
		metal, tubular, matte								
		black finish								
		Backrest:								
		Upholstered foam								
		cushion in leatherette								
						•	1			

High Table	Colors: Pastel Pink, Pastel Light Blue, Light Olive Green, Pastel Teal, Light Yellow Ochre, Pastel Lavender Dimensions: 4.00m L x 0.50m W x 1.00m	1	pc/s			
	H Material Finishes: Table Top: Matte Plain Black Laminate Legs: Tubular metal legs 2"x 2", automotive Black paint finish					
High	Plastic High Chair Dimensions: Width: 50.5 cm Depth: 55 cm Height: 111.5 cm Seat Height: 72 cm Material Finishes: Seat: PP Plastic in various colors (Pastel Pink, Pastel Light Blue, Light Olive Green, Pastel Teal, Light Yellow Ochre, Pastel Lavender, Pastel Orange) Legs*: thick metal tube in automative paint finish (Black) *sample for approval	6	pc/s			

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign Bid for and on behalf of: _	

1	For	Coode	Offered	from	Ahrond
	HAR	บรดดกร	Offeren	trom	A nrosa

Name of Bidder	Page	of	
tuille of Diddel	I age _	_ 01 _	

Invitation to Bid Number: **IB23-406611-02**

1	2		3	4	5	6	7	8	9
Item		Description	Country of origin/ Quantity	Unit	Unit price CIF port of entry (specify port) or CIP named place (Specify border point	Total CIF or CIP price per item (col.4 x 5)	Unit Price Delivered Duty Unpaid (DDU	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col.4 x 8)
					or place of destination)				
	REA 1								
I.1 R	eceiving/Reception		<u> </u>	1 .		I	I		
	Round	Dimensions: 0.5m DIA x	2	pc/s					
	Ottoman (with	0.45m H Material Finish:							
	glides)	Upholstered foam cushion							
		with Off White fabric							
		Legs: Straight foot, conical							
		varnished wooden legs,							
		with metal glides, 4 in. H							
	4- seater	Overall Dimensions: 0.7m x	1	pc					
	Curved	1.5m x. 3m dia.							
	Sectional (Half-Circle)	Finishes:							
	Circle)	Upholstery: Foam cushion							
		with Pastel Orange Fabric							
		Legs: Straight foot, conical							
		varnished wooden legs,							
		with metal glides, 4 in. H							
	Round Center	Round Coffee Table	1	pc					
	Table	Dimensions: 1.0m DIA x 0.45m H							
	Feature:	0.431111							
	- display shelf	Material Finishes:							
	below the table	Table Top: Matte Plain							
	top	Black Laminate							
		Display Shelf: Matte Plain							
		Black Laminate							
		Legs: Tubular metal legs 1"x 1", automotive Black							
		paint finish							
	Custom Logos	Custom fabricated logos,	1	lot					
	G	laser cutout							
		Thickness: 10mm							
		Dimensions: .6m Finish: Matte Brass Finish							
		(golden yellow hue)							
		Letter size and Fonts: to be							
		discussed to the winning							
		bidder							
		Mounting height: 1.70m							
		alcalcalcate TOT							
		****Please refer to the							
		photo attached	j			<u> </u>			

		T				1		
		Backdrop: Painted matte Finish Color: For approval of enduser Logos: - DAP Logo - CSF Logo						
	Spotlights	Ceiling Track, two (2) spots	1	lot				
		Material Finishes: Lighting - Ceiling track (White finish) Lighting Classification: Tracklight Wattage: 12W Operating Voltage: 100- 240V (AC) Materials: Aluminum Alloy + PC Dimensions: 223*140*66mm Beam Angle: 20° 24° 36°						
		45°						
1.2 R	eception	Overall Dimensions: 2.5m	T		1	I	1	
	Reception Desk with Counter Features: - Hanging Accent Panel resting on the counter - Built-in 2 sets of 3-layer drawer (with single lock) - 3-layer interior corner shelves - Cable management - 2pcs 3-Gang, 3 pin universal outlets (one on each side)	L x 2.5m W Overall Finish: Matte Plain White Laminate Hanging Accent Panel: W: 1.00 m on center H: 0.75 m Material Finish: Matte Plain Black Laminate Counter H: 1.10 m W: 0.20 m Desk H: 0.75 m W: 0.50 m Drawers (Desk height) W: 0.40 m With single lock		pc				
	Reception Chair (Office Chair)	Swivel Chair with Arm Rest, high-back, Star Base with 5 legs and Casters Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White	1	pc/s				

	D 01			1	I	I	
	Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh						
Long John 1 (with glides)	Dimensions: 1.5m L x 0.5m W x 0.5m H Material Finish: Upholstered foam cushion with Pastel Light Blue fabric Legs: Straight foot, conical varnished wooden legs, with metal glides, 4 in. H	1	рс				
Long John 2 (with glides)	Dimensions: 1.0m L x 0.5m W x 0.5m H Material Finish: Upholstered foam cushion with Light Yellow Ochre fabric Legs: Straight foot, conical varnished wooden legs, with metal glides, 4 in. H	1	рс				
Square Ottoman (with glides)	Dimensions: 0.5m x 0.5m x 0.45m H Material Finish: Upholstered foam cushion with Light Yellow Ochre fabric Legs: Straight foot, conical varnished wooden legs, with metal glides, 4 in. H	1	pc				
II. AREA 2	with metal glides, 4 m. H		<u> </u>			<u> </u>	
II.1 Collaborative World	king Space 1						
Custom-design	Overall Dimensions: 4.60m	3	sets			I	
and Built Workstation	L x 2.9m W	3	3013				
Features: - 6 Working Nooks - White Board fixed on partition panels	Partition Panels: H: 1.20 m THK: 4.89 in Material Finish: Matte Plain Black Laminate Nook Desk:						
facing working nooks - Fabric panel on part of the partition panels facing working	W: 0.60m THK: 1 in Material Finish: Matte Plain White Laminate White Board						
nooks - Hollow panels for cable organization - Built-in outlet panels or	Nominal Size: 0.5x 0.4m End panel finish: fabric finish interior laminate finish exterior						
office Chair	Swivel Chair with Arm Rest, mid-back, Star Base with 5 legs and Casters	18	pc/s				

		*DIA . C.(1111111111			1	I	
		*DIA of the legs should be					
		bigger than the seat					
		F: 1					
		Finishes:					
		Seat: Upholstered foam					
		cushion with Sedona					
		Orange fabric					
		Body: White					
		Base: Chrome-plated					
		Aluminum Alloy					
		Backrest: Nylon plastic					
		frame with breathable					
		White mesh (to match with					
		the existing office chair)					
	Long Johns	Dimensions: 1.85m L x	4	pc/s			
	(with glides)	0.5m W x 0.5m H					
		Finish: Upholstered foam					
		cushion with Light Yellow					
		Ochre fabric (2), Pastel					
		Light Blue fabric (1), and					
		Light Olive Green fabric (1)					
		Legs: Straight foot, conical					
		varnished wooden legs,					
	Laptop Stand	with metal glides, 4 in. H Dimensions: 0.40m W x	3	100/0			
	(with casters)	0.55m L x 0.65m H	3	pc/s			
	(with casters)	0.55III L X 0.05III H					
		Material Finishes:					
		Table Top: Matte Plain					
		White Laminate					
		Legs: Tubular metal legs					
		1"x 1" (C-Shape					
		Configuration), automotive					
		Black paint finish, with					
		casters (lockable)					
	Round	Dimensions: 0.5m DIA x	3	pc/s			
	Ottoman (with	0.45m H	3	pc/s			
	glides)	Material Finish:					
	B	Upholstered foam cushion					
		with Light Yellow Ochre					
		fabric (1), and Light Olive					
		Green fabric (2)					
		Legs: Straight foot, conical					
		varnished wooden legs,					
		with metal glides, 4 in. H					
II.2	Assembly Area						
	Round Center	Round Laptop/Coffee Table	2	pc/s			
	Table	Dimensions: 1.0m DIA x					
		0.6m H					
		Material Finishes:					
		Table Top: Matte Plain					
		White Laminate					
		Legs: Tubular metal legs					
		1"x 1", automotive Black					
	D D	paint finish	0	/			
	Bean Bags	Dimensions: 0.8m DIA X	8	pc/s			
		0.7m H					
		Material: Synthetic Fabric					
		Finish in various colors (2					

					Т	Г	
		Pastel Light Blue, 2 Pastel					
		Pink, 2 Light Yellow Ochre, and 2 Light Olive					
		Green)					
		/					
		*sample for approval					
	Long John 1	Dimensions: 1.85m L x	1	pc			
	(with glides)	0.5m W x 0.5m H					
		Finish: Upholstered foam					
		cushion with Light Yellow Ochre fabric					
		Legs: Straight foot, conical					
		varnished wooden legs,					
		with metal glides, 4 in. H					
	Long John 2	Dimensions: 1.55m L x	1	pc			
	(with glides)	0.5m W x 0.5m H		_			
		Finish: Upholstered foam					
		cushion with Pastel Light					
		Blue fabric Legs: Straight foot, conical					
		varnished wooden legs,					
		with metal glides, 4 in. H					
	Long John 3	Dimensions: 1.25m L x	1	pc			
	(with glides)	0.5m W x 0.5m H					
		Finish: Upholstered foam					
		cushion with Pastel Light					
		Blue fabric Legs: Straight foot, conical					
		varnished wooden legs,					
		with metal glides, 4 in. H					
	Long John 4	Dimensions: 0.95m L x	1	pc			
	(with glides)	0.5m W x 0.5m H					
		Finish: Upholstered foam					
		cushion with Light Yellow					
		Ochre fabric Legs: Straight foot, conical					
		varnished wooden legs,					
		with metal glides, 4 in. H					
II.3 (Collaborative Wor						
	Custom-design	Overall Dimensions: 4.60m	1	set			
	and Built	L x 2.9m W					
	Workstation	Partition Panels:					
	Features:	H: 1.20 m					
	- 5 Working	Material Finish: Matte Plain					
	Nooks	Black Laminate					
	- White Board						
	fixed on	Nook Desk:					
	partition panels	W: 0.60m Material Finish: Matte Plain					
	facing working nooks, size TBD	White Laminate					
	- Fabric panel on	William Dailling					
	part of the	White Board					
	partition panels	Nominal Size: 0.5x 0.4m					
	facing working						
	nooks, size TBD	End panel					
	- Hollow panels for cable	finish: fabric finish interior laminate finish exterior					
	organization	rammate minsh exterior					
	- Built-in outlet						
<u> </u>	Sum in outlet				l .	l .	

	panels or							
	grommets							
	Office Chair	Swivel Chair with Arm Rest, mid-back, Star Base with 5 legs and Casters *DIA of the legs should be bigger than the seat	5	pc/s				
		Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy						
		Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office chair)						
	Long Johns (with glides)	Dimensions: 1.85m L x 0.5m W x 0.5m H Finish: Upholstered foam cushion with Light Yellow Ochre fabric (1), and Pastel Light Blue fabric Legs: Straight foot, conical varnished wooden legs, with metal glides, 4 in. H	2	pc/s				
HA	Square Ottoman (with glides)	Dimensions: 0.5m x 0.5m x 0.45m H Material Finish: Upholstered foam cushion with Light Yellow Ochre fabric (1), and Pastel Light Blue fabric (2) Legs: Straight foot, conical varnished wooden legs, with metal glides, 4 in. H	3	pc/s				
11.4	Breakout Room 1	D 177.11	1			1	1	
	Round Table	Round Table Dimensions: 1.0m DIA x 0.75m H Material Finishes: Table Top: Matte Plain Black Laminate Legs: Tubular metal legs 2"x 2", automotive Black paint finish	1	pc				
	Office Chair	Swivel Chair with Arm Rest, mid-back, Star Base with 5 legs and Casters **DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion in fabric Base: Chrome-plated	3	pc/s				

		Aluminum Alloy					T	<u> </u>
		Color Scheme: White and						
		Sedona Orange					L	
II.5 l	Breakout Room 2			_	T	1	•	T
	Round Table	Round Table	1	pc/s				
		Dimensions: 1.0m DIA x						
		0.75m H						
		Material Finishes:						
		Table Top: Matte Plain						
		Black Laminate						
		Legs: Tubular metal legs						
		2"x 2", automotive Black						
		paint finish						
	Office Chair	Swivel Chair with Arm	3	pc/s				
		Rest, mid-back, Star Base		•				
		with 5 legs and Casters						
		**DIA of the legs should be						
		bigger than the seat						
		Finishes:						
		Seat: Upholstered foam						
		cushion in fabric						
		Base: Chrome-plated						
		Aluminum Alloy						
		Color Scheme: White and						
		Sedona Orange						
III. A	AREA 3 - MAIN D	ATA CENTER						
III.1	Data Laboratory	Room						
	Office Chair	Swivel Chair with Arm	10	pc/s				
		Rest, high-back, Star Base		•				
		with 5 legs and Casters						
		**DIA of the legs should be						
		bigger than the seat						
		Finishes:						
		Seat: Upholstered foam						
		cushion with Sedona						
		Orange fabric						
		Body: White						
		Base: Chrome-plated						
		Aluminum Alloy						
		Backrest: Nylon plastic						
		frame with breathable						
		White mesh						
	Conference	Dimensions: 1.80m L x	4	pc				
	Table	0.90m W x 0.75m H						
	Features:	Material Finishes:						
	- Built-in Power	Table Top: Matte Plain						
	Outlets per table	White Laminate						
		Legs: Tubular metal legs						
		2"x 2", automotive Black						
		paint finish						
		*Cable management duct						
		for the feature					L	
III.2	Meeting Room 1				T	ı	1	ı
	Office Chairs	Swivel Chair with Arm	4	pc/s				

		Rest, high-back (or with					
		headrest), Star Base with 5					
		legs and Casters					
		**DIA of the legs should be					
		bigger than the seat					
		Finishes:					
		Seat: Upholstered foam					
		cushion with Sedona					
		Orange fabric					
		Body: White					
		Base: Chrome-plated					
		Aluminum Alloy					
		Backrest: Nylon plastic					
		frame with breathable					
		White mesh					
	Long Tables	Dimensions: 1.50m L x	4	pc/s			
	Long Tables		_	pc/s			
	T	0.60m W x 0.75m H					
	Features:						
	- Built-in Power	Material Finishes:					
	Outlets per table	Table Top: Matte Plain					
		White Laminate					
		Legs: Tubular metal legs					
		2"x 2", automotive Black					
		paint finish					
		F					
		*Cable management duct					
		for the feature					
III 2	Meeting Room 2	for the feature		<u> </u>			
111.3		Swivel Chair with Arm	1	/-		<u> </u>	
	Office Chair		4	pc/s			
		Rest, high-back (or with					
		headrest), Star Base with 5					
		legs and Casters					
		**DIA of the legs should be					
		bigger than the seat					
		88					
		Finishes:					
		Seat: Upholstered foam					
		cushion with Sedona					
		Orange fabric					
		Body: White					
		Base: Chrome-plated					
		Aluminum Alloy					
		Backrest: Nylon plastic					
		frame with breathable					
		White mesh					
—	Long Tables	Dimensions: 1.50m L x	4	pc/s			
	Long Tables	0.60m W x 0.75m H	_	pc/s			
		0.00III W X 0.73III H					
		Mark at a Triat at					
		Material Finishes:					
		Table Top: Matte Plain					
	ì	White Laminate					
				ĺ	1		
		Legs: Tubular metal legs					
		Legs: Tubular metal legs 2"x 2", automotive Black					
IV. A	AREA 4	2"x 2", automotive Black					
		2"x 2", automotive Black					
	Office 1	2"x 2", automotive Black paint finish	1	set			
		2"x 2", automotive Black	1	set			

Features: - Reclining - Foot/Leg rest	**DIA of the legs should be bigger than the seat Finishes: Seat: Upholstered foam cushion with black leather Body: Chrome-plated Aluminum Alloy (optional: covered in black leather) Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion					
	with black leather Leg Rest: Upholstered foam cushion with black leather, monolithic/continued surface with the seat (folds inwards/under the seat, or can be pulled out)					
5-Layer Bookcase with Bottom Cabinets	4-layer Shelf and 1-layer operable cabinet with 0.10m toe-kick Height: 2.10 m a. 4 layers shelf: 0.40m H per layer = 1.60m b. 1 layer operable cabinet: 0.40m c. toe-kick: 0.10m	1	lot			
Center Meeting	Width: 1.00 m Depth: 0.40 m Material: 3/4' MDF with laminate Colors: See Perspective Round Table	1	рс			
Table	Dimensions: 1.2m DIA x 0.75m H		*			

				1		
	Material Finishes: Table Top: Matte Plain Black Laminate Legs: Tubular metal legs 2"x 2", automotive Black paint finish					
Office Meeting Chair	Swivel Chair with Arm Rest, mid-back, Star Base with 5 legs and Casters **DIA of the legs should be bigger than the seat	5	pc/s			
	Finishes: Seat: Upholstered foam cushion in fabric Base: Chrome-plated Aluminum Alloy Color Scheme: White and Sedona Orange					
Office Desk (Junior Officer)	Dimensions: 1.50m L x 0.80m W x 0.75m H, 25 mm THK	1	pc			
Features: - 3 storage drawers with single lock - Cable Management - 1pc 3-Gang, 3 pin universal	Material Finishes: Desk Top: Matte Plain Black Laminate Side Panel: Matte Plain Black Laminate Drawers: Matte Plain White Laminate					
outlet High-back Chair	Swivel Chair with Arm Rest, high-back, Star Base with 5 legs and Casters	1	pc			
	**DIA of the legs should be bigger than the seat					
	Finishes: Seat: Upholstered foam cushion with black leatherette Body: Chrome-plated Aluminum Alloy Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leatherette					
IV.2 Office 2	with black featherette					
Office Desk (Junior Officer)	Dimensions: 1.50m L x 0.80m W x 0.75m H, 25 mm THK	1	pc			
Features: - 3 storage drawers with single lock - Cable	Material Finishes: Desk Top: Matte Plain Black Laminate Side Panel: Matte Plain					

	Management - 1pc 3-Gang, 3 pin universal outlet	Black Laminate Drawers: Matte Plain White Laminate					
	High-back Chair	Swivel Chair with Arm Rest, high-back, Star Base with 5 legs and Casters	1	рс			
		**DIA of the legs should be bigger than the seat					
		Finishes: Seat: Upholstered foam cushion with black leatherette Body: Chrome-plated Aluminum Alloy Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion					
13/ 2	Office 2	with black leatherette					
17.3	Office 3 Office Desk	Dimensions: 1.50m L x	1	рс			
	(Junior Officer)	0.80m W x 0.75m H, 25 mm THK	1	Pe			
	Features: - 3 storage	Material Finishes:					
	drawers with	Desk Top: Matte Plain					
	single lock	Black Laminate					
	- Cable Management	Side Panel: Matte Plain Black Laminate					
	- 1pc 3-Gang, 3	Drawers: White Laminate					
	pin universal outlet						
	High-back	Swivel Chair with Arm	1	pc			
	Chair	Rest, high-back, Star Base with 5 legs and Casters					
		**DIA of the legs should be bigger than the seat					
		Material Finishes:					
		Seat: Upholstered foam					
		cushion with black leatherette					
		Body: Chrome-plated					
		Aluminum Alloy					
		Base: Chrome-plated Aluminum Alloy					
		Back and headrest:					
		Upholstered foam cushion					
V. A	REA 5 - ANCILLA	with black leatherette ARY					
	Editing Room						
	Office Chair	Swivel Chair with Arm	1	pc			
		Rest, mid-back, Star Base with 5 legs and Casters					
		*DIA of the legs should be					
		bigger than the seat					

		T	1		1	1	
	Pneumatic Desk (Editing Table) Features: - Motorized or power-free height-adjusting mechanism - Low noise (-25 dB) - Glides - Cable Management	Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh (to match with the existing office chair) Dimensions: 1.50m L x 0.60m W (or standard manufactured size) Height varies from 740mm to 1140mm Load Capacity: up to 90kg Preferred Material Finish: Table Top: Matte Plain Black Laminate	1	рс			
	- 1pc 3 universal pins and 2 USBs outlet (provide sample for end-						
	user approval)			L			
VI.1	Pantry		ı		ı	Ī	
	Round Dining Table	Round Table Dimensions: 1.2m DIA x 0.75m H Material Finishes: Table Top: Matte Plain Black Laminate Legs: Tubular metal legs 2"x 2", automotive Black paint finish	2	pc/s			
	Dining Chair	Modern Dining Side Chair Material Finishes: Seat: Upholstered foam cushion in leatherette Body and Legs: metal, tubular, matte black finish Backrest: Upholstered foam cushion in leatherette Colors: Pastel Pink, Pastel Light Blue, Light Olive Green, Pastel Teal, Light Yellow Ochre, Pastel Lavender	10	pc			
	High Table	Dimensions: 4.00m L x 0.50m W x 1.00m H	1	pc/s			

	Material Finishes: Table Top: Matte Plain Black Laminate Legs: Tubular metal legs 2"x 2", automotive Black paint finish					
High Chair	Plastic High Chair Dimensions: Width: 50.5 cm Depth: 55 cm Height: 111.5 cm Seat Height: 72 cm Material Finishes: Seat: PP Plastic in various colors (Pastel Pink, Pastel Light Blue, Light Olive Green, Pastel Teal, Light Yellow Ochre, Pastel Lavender, Pastel Orange) Legs*: thick metal tube in automative paint finish (Black) *sample for approval	6	pc/s			

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign Bid for and on behalf of:	

BID-SECURING DECLARATION

Invitation to Bid No. **IB23-406611-02**

To: Development Academy of the Philippines dapbacsec@dap.edu.ph

I/We², the undersigned, declare that:

- 1. **I/We** understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. **I/We** understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

² Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

SUBSCRIBED AND SWORN to before me <i>execution]</i> , Philippines. Affiant/s is/are personall through competent evidence of identity as defined No. 02-8-13-SC). Affiant/s exhibited to me his/cards used], with his/her photograph and signature issued on at and 2 nd ID No	y known to me and was/were identified by me d in the 2004 Rules on Notarial Practice (A.M. her <i>[insert</i> two (2) government identification are appearing thereon, with 1 st ID No.
Witness my hand and seal this day o	
Seri	ME OF NOTARY PUBLIC fal No. of Commission
	ary Public for until l of Attorneys No
PTF	R No [date issued], [place issued] No [date issued], [place issued]
Doc. No Page No Book No Series of	

FORM 4: CONTRACT AGREEMENT FORM

CONTRACT AGREEMENT

Invitation to Bid No. IB23-406611-02

THIS AGREEMENT made the _____ day of _____ 20____ between Development Academy of the Philippines hereinafter called "DAP" of the one part and *[name of Supplier]* of *[city and country of Supplier]* (hereinafter called "the Supplier") of the other part:

WHEREAS the Entity invited Bids for certain goods and ancillary services, viz., "FABRICATION, ACQUISITION AND INSTALLATION OF ONE (1) LOT SUPPLY OF DESIGN FIT-OUT, FURNISHING AND FIXTURES (DFOFF'S) FOR THE CENTER FOR STRATEGIC FUTURES AT FLOOR 2A IN DAP MAIN BUILDING, PASIG CITY" and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, viz.:
 - i. Official Bidding Documents (OBDs);
 - i. Schedule of requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contracts;
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Name of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The **DAP** agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

for the Development Academy of the Philippines("DAP"):	for the {name of the Firm of the Winning Bidder} ("SUPPLIER"):
Atty. ENGELBERT C. CARONAN, JR., MNSA President and CEO	name of Authorized Representative. position-title of "Supplier"
***witness	es ***
Witness1 of DAP position-title of "DAP's Witness1"	Witness1 of the Bidder position-title of "Supplier's Witness1"
Witness2 of DAP position-title of "DAP's Witness2"	Witness2 of the Bidder position-title of "Supplier's Witness2"

REMINDER: [Addendum showing the corrections, if any, made during the bid evaluation and/or negotiation should be attached to this Contract]

FORM 5: OMNIBUS SWORN STATEMENT

INSTRUCTIONS: THIS FORM SHOULD BE ACCOMPLISHED USING THE BIDDER'S LETTERHEAD

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor of [Name of Bidder] with office address at [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. Select one, delete the other:

[If a sole proprietorship:] As the owner and sole proprietor, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for FABRICATION, ACQUISITION AND INSTALLATION OF ONE (1) LOT SUPPLY OF DESIGN FIT-OUT, FURNISHING AND FIXTURES (DFOFF'S) FOR THE CENTER FOR STRATEGIC FUTURES AT FLOOR 2A IN DAP MAIN BUILDING, PASIG CITY of the Development Academy of the Philippines, as shown in the attached duly notarized Special Power of Attorney;

"[If a sole proprietorship:] As authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for FABRICATION, ACQUISITION AND INSTALLATION OF ONE (1) LOT SUPPLY OF DESIGN FIT-OUT, FURNISHING AND FIXTURES (DFOFF'S) FOR THE CENTER FOR STRATEGIC FUTURES AT FLOOR 2A IN DAP MAIN BUILDING, PASIG CITY of the Development Academy of the Philippines, as shown in the attached duly notarized Special Power of Attorney;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the FABRICATION, ACQUISITION AND INSTALLATION OF ONE (1) LOT SUPPLY OF DESIGN FIT-OUT, FURNISHING AND FIXTURES (DFOFF'S) FOR THE CENTER FOR STRATEGIC FUTURES AT FLOOR 2A IN DAP MAIN BUILDING, PASIG CITY and/or to represent the [Name of Bidder] in the bidding as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate issued by the corporation or the members of the joint venture)];

3. **[Name of Bidder]** is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been

recognized by the Government Procurement Policy Board, <u>by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;</u>

- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. *[Name of Bidder]* is authorizing the Head of the **Development Academy of the Philippines** or its duly authorized representative(s) to verify all the documents submitted;
- 6. Select one, delete the rest:

[If a sole proprietorship:] I am not related by consanguinity or affinity up to the third civil degree to the Head of the **Development Academy of the Philippines**, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the Head of the Project Management Office or the end-user unit, and the project consultants;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related by consanguinity or affinity up to the third civil degree to the Head of the **Development Academy of the Philippines**, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the Head of the Project Management Office or the end-user unit, and the project consultants;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related by consanguinity or affinity up to the third civil degree to the Head of the **Development Academy of the Philippines**, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the Head of the Project Management Office or the end-user unit, and the project consultants;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
 - a) Carefully examined all of the Bidding Documents;
 - b) Acknowledged all conditions, local or otherwise, affecting the implementation of the Contract:
 - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and,
 - d) Inquired or secured Supplemental/Bid Bulletin(s) issued for the **FABRICATION**, **ACQUISITION AND INSTALLATION OF ONE** (1) **LOT SUPPLY OF DESIGN FIT-OUT**, FURNISHING AND FIXTURES (DFOFF'S) FOR THE CENTER FOR STRATEGIC FUTURES AT FLOOR 2A IN DAP MAIN BUILDING, PASIG CITY.
- 9. **[Name of Bidder]** did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the

orejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.
N WITNESS WHEREOF, I have hereunto set my hand this day of, 20 at, Philippines.
Bidder's Representative/Authorized Signatory (JURAT)

FORM 6: STATEMENT OF ALL ONGOING CONTRACTS INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED

INSTRUCTIONS to BIDDERS:

- **01.** THIS FORM SHOULD BE ACCOMPLISHED USING THE BIDDER'S LETTERHEAD, SIGNED COPY SHOULD BE SUBMITTED AS PART OF THE TECHNICAL DOCUMENTS MARKED AS "E02":
- **02.** IF THERE IS NO ONGOING INCLUDING AWARDED BUT NOT YET STARTED GOVERNMENT OR PRIVATE CONTRACTS, STATE "NONE", OR EQUIVALENT TERM;
- **03.** THE TOTAL AMOUNT OF THE ONGOING AND AWARDED BUT NOT YET STARTED CONTRACTS SHOULD BE CONSISTENT WITH THOSE FIGURES USED IN THE NET FINANCIAL CONTRACTING CAPACITY (NFCC).

Note: Excel file will be provided through email, which forms part of the OBD bought by the Bidder.

Bidder's LETTERHEAD

FORM 7: STATEMENT OF BIDDER'S SINGLE LARGEST COMPLETED CONTRACT (SLCC)

INSTRUCTIONS to BIDDERS:

- **01.** THIS FORM SHOULD BE ACCOMPLISHED USING THE BIDDER'S LETTERHEAD, SIGNED COPY SHOULD BE SUBMITTED AS PART OF THE TECHNICAL DOCUMENTS MARKED AS "E03";
- **02.** ATTACHED PHOTOCOPY OF CERTIFICATE OF FINAL ACCEPTANCE OR OFFICIAL RECEIPT ISSUED TO THE PROCURING ENTITY OR ANY EQUIVALENT DOCUMENT WITH INDICATED AMOUNT;
- 03. THE TOTAL AMOUNT OF THE SLCC SHOULD BE EQUIVALENT TO AT LEAST FIFTY PERCENT (50%) OF THE ABC.

Note: Excel file will be provided in email, which forms part of the OBD bought by the Bidder.

FORM 8: NET FINANCIAL CONTRACTING CAPACITY

INSTRUCTIONS to BIDDERS

THIS FORM SHOULD BE ACCOMPLISHED USING THE BIDDER'S LETTERHEAD, SIGNED COPY SHOULD BE SUBMITTED AS PART OF THE TECHNICAL COMPONENT MARKED AS "T04".

A. Summary of the Applicant/Bidder's assets and liabilities on the basis of the attached income tax return and audited financial statement, stamped "RECEIVED" by the Bureau of Internal Revenue or BIR authorized collecting agent, for the immediately preceding year and a certified copy of Schedule of Fixed Assets particularly the list of construction equipment.

	Year 2022	
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NFCC = [(current asset minus current liabilities) ($\underline{15}$)] minus [value of all outstanding or uncompleted portions of the projects under ongoing contracts including awarded contracts yet to be started coinciding with the contract to be bid].

The values of the domestic bidder's current assets and current liabilities shall be based on the <u>latest Audited Financial Statements</u> submitted to the BIR.

	Amount
Current Assets	
Less: Current Liabilities	
Net Current Assets	
Multiplied by 15	x 15
Sub-Total	
Less: Total value of all outstanding or	
uncompleted portions of the projects	
under on-going contracts including	
awarded contracts yet to be started	
coinciding with the contract to be	
negotiated	
Net Financial Contracting Capacity	
(NFCC)	

Herewith attached are certified true copies of the Income Tax Return (filed through the Electronic Filing and Payments System (EFPS) and Audited Financial Statement: stamped "RECEIVED" by the BIR or BIR authorized collecting agent for the immediately preceding year.

SIGNATURE OF THE AUTHORIZED REPRESENTATIVE
Name of the Authorized Representative
POSITION TITLE OF SIGNATORY:

Name of Firm\Bidder:
Postal Address:
TELEPHONE NUMBER:
EMAIL ADDRESS:

NOTE: If Partnership or Joint Venture, each Partner or Member Firm of Joint Venture shall submit the above requirements.

FORM 9: CERTIFICATE OF SITE INSPECTION

INSTRUCTIONS to BIDDERS:

- 01. SIGNED COPY SHOULD BE SUBMITTED AS PART OF THE TECHNICAL DOCUMENTS MARKED AS "T02";
- 02. THE SIGNED COPY OF THIS DOCUMENT (IN PDF OR JPEG FORMAT) MUST BE PART OF THE ELECTRONIC FILES THAT SHOULD BE CONTAINED IN THE SUBMITTED ELECTRONIC BID;
- 03. THE FILENAME STRUCTURE SHOULD BE "TO5 XXX=CERT SITE INSPECTION=<BIDDERNAME>".

CERTIFICATE OF SITE INSPECTION in DAP Pasig City

CONTRACT:	EADDICATION ACOLL	
	(1) LOT SUPPLY OF D FIXTURES (DFOFF'S)	ISITION AND INSTALLATION OF ONE ESIGN FIT-OUT, FURNISHING AND FOR THE CENTER FOR STRATEGIC 2A IN DAP MAIN BUILDING, PASIG CITY
Bidder's Company		
Name:		
Bidder's Rep.#1		
Name /Position		
Bidder's Rep.#2		
Name / Position		
Bidder's Rep.#3		
Name / Position		
Bidder's Rep.#4 Name / Position		
DAP Representative		
during inspection		
Date and time of		
Inspection		
inspected the DAP-Pasis	t we have adequately ig facilities and was able pertaining to the above	This is to certify that the above-named Bidder/Bidder's Representative had indeed visited/ inspected the DAP-Pasig facilities in reference to the above stated Project.
By Bidder/ Bidder's Au	ıthorized	By:
Representative:		
1		Signature:
Signature:		
		Name:
Name:		
		Position Title:
Position Title:		

FORM 10: TECHNICAL SPECIFICATIONS COMPLIANCE

Instructions: Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.

A. DFOFF's Specifications

I. AREA 1	rr s bpeci					
Location	Specifications		Qty	Unit	Item	Statement of compliance Comply / Not Comply
I.1 Receiving/ Reception Lounge	Round Ottoman (with glides)	Dimensions: 0.5m DIA x 0.45m H Material Finish: Upholstered foam cushion with Off White fabric Legs: Straight foot, conical varnished wooden legs, with metal glides, 4 in. H	2	pc/s		
	4- seater Curved Sectional (Half-Circle)	Overall Dimensions: 0.7m x 1.5m x. 3m dia. Finishes: Upholstery: Foam cushion with Pastel Orange Fabric Legs: Straight foot, conical varnished wooden legs, with metal glides, 4 in. H	1	pc		
	Round Center Table Feature: - display shelf below the table top	Round Coffee Table Dimensions: 1.0m DIA x 0.45m H Material Finishes: Table Top: Matte Plain Black Laminate Display Shelf: Matte Plain Black Laminate Legs: Tubular metal legs 1"x 1", automotive Black paint finish	1	рс		
	Custom Logos	Custom fabricated logos, laser cutout	1	lot		

		Γ=	1		1	
		Thickness: 10mm			69 A	
		Dimensions: .6m			THE ARM NAMED IN	
		Finish: Matte Brass Finish			+ 1	
		(golden yellow hue)				
		Letter size and Fonts: to be				
		discussed to the winning			an OA man	
		bidder Mounting height: 1 70m			THE REAL PROPERTY.	
		Mounting height: 1.70m				
		****Please refer to the				
		photo attached			The state of the s	
		photo attached				
		Backdrop: Painted matte				
		Finish				
		Color: For approval of end-				
		user				
		dser				
		Logos:				
		- DAP Logo				
		- CSF Logo				
	Spotlights	Ceiling Track, two (2) spots	1	lot		
	•	, , , , , , , , , , , , , , , , , , ,				
		Material Finishes:				
		Lighting - Ceiling track				
		(White finish)				
		Lighting Classification:				
		Tracklight				
		Wattage: 12W				
		Operating Voltage: 100-				
		240V (AC)				
		Materials: Aluminum Alloy				
		+ PC				
		Dimensions:				
		223*140*66mm				
		Beam Angle: 20° 24° 36°				
T.2	D	45°				
I.2	Reception	Overall Dimensions: 2.5m L x 2.5m W		pc		
Reception	Desk with Counter	Overall Finish: Matte Plain				
	Counter	White Laminate				
	Features:	, inc Lammac				
	- Hanging	Hanging Accent Panel:				
	Accent Panel	W: 1.00 m on center				
	resting on the	H: 0.75 m			L'and	
	counter	Material Finish: Matte Plain				
	- Built-in 2	Black Laminate				
	sets of 3-layer					
	drawer (with	Counter				
	single lock)	H: 1.10 m				
	- 3-layer	W: 0.20 m				
	interior corner					
	shelves	Desk				
	- Cable	H: 0.75 m				
	management	W: 0.50 m				
	- 2pcs 3-Gang,	B (B.11.11)				
	3 pin universal	Drawers (Desk height)				
	outlets (one on	W: 0.40 m				
	each side)					

		With single lock				
	Reception	Swivel Chair with Arm Rest,	1	pc/s		
	Chair (Office	high-back, Star Base with 5	-	Pers		
	Chair)	legs and Casters				
	Chun)	legs and Custers				
		Finishes:				
		Seat: Upholstered foam				
		cushion with Sedona Orange				
		fabric				
		Body: White				
		Base: Chrome-plated				
		Aluminum Alloy				
		Backrest: Nylon plastic				
		frame with breathable White				
	T T 1 4	mesh	-			
	Long John 1	Dimensions: 1.5m L x 0.5m	1	pc		
	(with glides)	W x 0.5m H				
		Material Finish: Upholstered				
		foam cushion with Pastel				
		Light Blue fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H			4	
	Long John 2	Dimensions: 1.0m L x 0.5m	1	pc		
	(with glides)	W x 0.5m H				
		Material Finish: Upholstered				
		foam cushion with Light				
		Yellow Ochre fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H				
	Square	Dimensions: 0.5m x 0.5m x	1	pc		
	Ottoman	0.45m H				
	(with glides)	Material Finish: Upholstered				
		foam cushion with Light				
		Yellow Ochre fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H				
II. AREA 2						
II.1	Custom-	Overall Dimensions: 4.60m	3	sets		
Collabora	design and	L x 2.9m W				
tive	Built					
Working	Workstation	Partition Panels:				
Space 1		H: 1.20 m				
	Features:	THK: 4.89 in				
	- 6 Working	Material Finish: Matte Plain			M. Marrie	
	Nooks	Black Laminate			建树	
	- White Board					
	fixed on	Nook Desk:				
	partition	W: 0.60m				
	panels facing	THK: 1 in				
	working nooks	Material Finish: Matte Plain				
	- Fabric panel	White Laminate				
	on part of the					
	partition	White Board				
	panels facing	Nominal Size: 0.5x 0.4m				
	working nooks					
	- Hollow	End panel				
	panels for	finish: fabric finish interior		1		

		1	l		1	
	cable	laminate finish exterior				
	organization					
	- Built-in					
	outlet panels					
	or grommets		4.0		-	
	Office Chair	Swivel Chair with Arm Rest,	18	pc/s		
		mid-back, Star Base with 5				
		legs and Casters				
		*DIA of the legs should be				
		bigger than the seat				
		Finishes:				
		Seat: Upholstered foam				
		cushion with Sedona Orange				
		fabric				
		Body: White				
		Base: Chrome-plated				
		Aluminum Alloy				
		Backrest: Nylon plastic				
		frame with breathable White				
		mesh (to match with the				
		existing office chair)	<u></u>			
	Long Johns	Dimensions: 1.85m L x	4	pc/s		
	(with glides)	0.5m W x 0.5m H		•		
		Finish: Upholstered foam				
		cushion with Light Yellow				
		Ochre fabric (2), Pastel				
		Light Blue fabric (1), and				
		Light Olive Green fabric (1)				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H			TO THE REAL PROPERTY.	
	Laptop Stand	Dimensions: 0.40m W x	3	pc/s		
	(with casters)	0.55m L x 0.65m H		PC/ S		
	(with easters)	0.55m 2 x 0.65m 11				
		Material Finishes:				
		Table Top: Matte Plain				
		White Laminate				
		Legs: Tubular metal legs 1"x				
		1" (C-Shape Configuration),				
		automotive Black paint				
		finish, with casters				
		(lockable)				
	Round	Dimensions: 0.5m DIA x	3	pc/s	1	
	Ottoman	0.45m H		PC/S		
	(with glides)	Material Finish: Upholstered				
	("Tell gildes)	foam cushion with Light				
		Yellow Ochre fabric (1), and				
		Light Olive Green fabric (2)				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H				
II.2	Round	Round Laptop/Coffee Table	2	pc/s	*NOTE: TV	
	Center Table	Dimensions: 1.0m DIA x		PC/S	not included	
Assembly		0.6m H			noi memucu	
Assembly Area			I			
Assembly Area						
_						
_		Material Finishes:				
_		Material Finishes: Table Top: Matte Plain				
_		Material Finishes:				

		1", automotive Black paint				
		finish				
	Bean Bags	Dimensions: 0.8m DIA X	8	pc/s	1	
		0.7m H		•		
		Material: Synthetic Fabric				
		Finish in various colors (2				
		Pastel Light Blue, 2 Pastel				
		Pink, 2 Light Yellow Ochre,				
		and 2 Light Olive Green)				
		*sample for approval				
	Long John 1	Dimensions: 1.85m L x	1	рс		
	(with glides)	0.5m W x 0.5m H	_	P		
	, ,	Finish: Upholstered foam			C 767	
		cushion with Light Yellow				
		Ochre fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
	Long John 2	metal glides, 4 in. H Dimensions: 1.55m L x	1	рс	-	
	(with glides)	0.5m W x 0.5m H	1	рC		
	(With graces)	Finish: Upholstered foam				
		cushion with Pastel Light				
		Blue fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
	T T-h 2	metal glides, 4 in. H	1		-	
	Long John 3 (with glides)	Dimensions: 1.25m L x 0.5m W x 0.5m H	1	pc		
	(with glides)	Finish: Upholstered foam				
		cushion with Pastel Light				
		Blue fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
	T T 1	metal glides, 4 in. H	1		-	
	Long John 4 (with glides)	Dimensions: 0.95m L x 0.5m W x 0.5m H	1	pc		
	(with glides)	Finish: Upholstered foam				
		cushion with Light Yellow				
		Ochre fabric				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
II.3	Custom-	metal glides, 4 in. H Overall Dimensions: 4.60m	1	50 t		
Collabora	design and	L x 2.9m W	1	set		
tive	Built					
Working	Workstation	Partition Panels:				
Space 2		H: 1.20 m				
	Features:	Material Finish: Matte Plain				
	- 5 Working	Black Laminate				
	Nooks - White Board	Nook Desk:				
	fixed on	W: 0.60m				
	partition	Material Finish: Matte Plain				
	panels facing	White Laminate				
	working					
	nooks, size	White Board				
	TBD	Nominal Size: 0.5x 0.4m				
	- Fabric panel	End panel				
	on part of the	End panel			1	

	partition	finish: fabric finish interior				
	panels facing	laminate finish exterior				
	working	Tanimate Timon exterior				
	nooks, size					
	TBD					
	- Hollow					
	panels for					
	cable					
	organization					
	- Built-in					
	outlet panels					
	or grommets		_			
	Office Chair	Swivel Chair with Arm Rest,	5	pc/s		
		mid-back, Star Base with 5				
		legs and Casters				
		*DIA of the legs should be				
		bigger than the seat				
		F				
		Finishes:				
		Seat: Upholstered foam				
		cushion with Sedona Orange				
		fabric				
		Body: White				
		Base: Chrome-plated				
		Aluminum Alloy				
		Backrest: Nylon plastic				
		frame with breathable White				
		mesh (to match with the				
		existing office chair)				
	Long Johns	Dimensions: 1.85m L x	2	pc/s		
	(with glides)	0.5m W x 0.5m H		•		
		Finish: Upholstered foam				
		cushion with Light Yellow				
		Ochre fabric (1), and Pastel				
		Light Blue fabric				
		Legs: Straight foot, conical			I DESCRIPTION OF THE PERSON OF	
		varnished wooden legs, with				
		metal glides, 4 in. H				
	Square	Dimensions: 0.5m x 0.5m x	3	pc/s		
	Ottoman	0.45m H		F		
	(with glides)	Material Finish: Upholstered				
	(Wien griess)	foam cushion with Light				
		Yellow Ochre fabric (1), and				
		Pastel Light Blue fabric (2)				
		Legs: Straight foot, conical				
		varnished wooden legs, with				
		metal glides, 4 in. H				
II.4	Round Table	Round Table	1	рс		
Breakout		Dimensions: 1.0m DIA x	•	P		
Room 1		0.75m H				
2100111						
		Material Finishes:				
		Table Top: Matte Plain				
		Black Laminate				
		Legs: Tubular metal legs 2"x				
		2", automotive Black paint			***	
		finish				
	Office Chair	Swivel Chair with Arm Rest,	3	pc/s	1	
	Jine Chan	mid-back, Star Base with 5	5	Pers		
		legs and Casters				
	l .	rego and Casters			I .	

		T				
		**DIA of the legs should be bigger than the seat				
		Finishes: Seat: Upholstered foam				
		cushion in fabric				
		Base: Chrome-plated				
		Aluminum Alloy Color Scheme: White and				
		Sedona Orange				
II.5	Round Table	Round Table	1	pc/s		
Breakout Room 2		Dimensions: 1.0m DIA x 0.75m H				
		Material Finishes:				
		Table Top: Matte Plain				
		Black Laminate Legs: Tubular metal legs 2"x				
		2", automotive Black paint			1000	
	Office Chair	finish Swivel Chair with Arm Rest,	3	pc/s	1-2-0	
	Office Chair	mid-back, Star Base with 5	3	pc/s	A STATE OF THE STA	
		legs and Casters				
		**DIA of the legs should be bigger than the seat				
		Finishes:				
		Seat: Upholstered foam				
		cushion in fabric Base: Chrome-plated				
		Aluminum Alloy				
		Color Scheme: White and				
III. AREA 3	B - MAIN DATA	Sedona Orange CENTER				
III.1	Office Chair	Swivel Chair with Arm Rest,	10	pc/s		
Data Laborator		high-back, Star Base with 5 legs and Casters				
y Room		**DIA of the legs should be				
·		bigger than the seat				
		Finishes:				
		Seat: Upholstered foam				
		cushion with Sedona Orange fabric				
		Body: White			1000	
		Base: Chrome-plated				
		Aluminum Alloy Backrest: Nylon plastic			· MA	
		frame with breathable White				
	Conforme	mesh	4			
	Conference Table	Dimensions: 1.80m L x 0.90m W x 0.75m H	4	pc		
	Features:	Material Finishes:				
	- Built-in	Table Top: Matte Plain				
	Power Outlets per table	White Laminate Legs: Tubular metal legs 2"x				
	per table	2", automotive Black paint				

		finish				
		*Cable management duct for				
III.2 Meeting Room 1	Office Chairs	the feature Swivel Chair with Arm Rest, high-back (or with headrest), Star Base with 5 legs and Casters **DIA of the legs should be bigger than the seat	4	pc/s		
		Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh				
	Long Tables Features: - Built-in Power Outlets per table	Dimensions: 1.50m L x 0.60m W x 0.75m H Material Finishes: Table Top: Matte Plain White Laminate Legs: Tubular metal legs 2"x 2", automotive Black paint	4	pc/s		
		*Cable management duct for the feature				
III.3 Meeting Room 2	Office Chair	Swivel Chair with Arm Rest, high-back (or with headrest), Star Base with 5 legs and Casters **DIA of the legs should be	4	pc/s	*NOTE: No built-in power outlets for tables	
		bigger than the seat Finishes: Seat: Upholstered foam cushion with Sedona Orange fabric Body: White Base: Chrome-plated Aluminum Alloy Backrest: Nylon plastic frame with breathable White mesh				
	Long Tables	Dimensions: 1.50m L x 0.60m W x 0.75m H	4	pc/s		
		Material Finishes: Table Top: Matte Plain White Laminate Legs: Tubular metal legs 2"x 2", automotive Black paint finish				

IV. AREA	1				
IV.1	Executive	Dimensions: 1800mm L x	1	set	
Office 1	Pneumatic	800mm W			
	Desk	Height varies from 740mm			
		to 1140mm			
	Features:	Load Capacity: up to 90kg			
	- Motorized or				- 4
	power-free	Preferred Material Finish:			
	height-	Table Top: Matte Plain			1
	adjusting	Black Laminate			
	mechanism				
	- Low noise (-				
	25 dB) - Glides				
	- Cable				
	Management				
	- 1pc 3				
	universal pins				
	and 2 USBs				
	outlet (provide				
	sample for				
	end-user				
	approval)				
	High-back	Swivel Chair with Arm Rest,	1	рс	
	Executive	high-back, Star Base with 5		_	
	Chair	legs and Casters			
	Features:	**DIA of the legs should be			
	- Reclining	bigger than the seat			
	- Foot/Leg rest				
		Finishes:			
		Seat: Upholstered foam			
		cushion with black leather			
		Body: Chrome-plated			
		Aluminum Alloy (optional: covered in black leather)			1
		Base: Chrome-plated			The state of the s
		Aluminum Alloy			1 2 m
		Back and headrest:			
		Upholstered foam cushion			
		with black leather			
		Leg Rest: Upholstered foam			
		cushion with black leather,			
		monolithic/continued			
		surface with the seat (folds			
		inwards/under the seat, or			
		can be pulled out)			
	5-Layer	4-layer Shelf and 1-layer	1	lot	
	Bookcase	operable cabinet with 0.10m			
	with Bottom	toe-kick			
	Cabinets	H. 1.1 2.10			
		Height: 2.10 m			## The##Ti
		a. 4 layers shelf: 0.40m H			THT [40.4
		per layer = 1.60m			
		b. 1 layer operable cabinet: 0.40m			The second second
		c. toe-kick: 0.10m			
		c. toc kick. 0.10III			
		Width: 1.00 m			
		Depth: 0.40 m			
		P 0 0		·	

			1		Г	
		Material: 3/4' MDF with				
		laminate				
		Colors: See Perspective				
	Center	Round Table	1	pc		
	Meeting	Dimensions: 1.2m DIA x				
	Table	0.75m H				
		Material Finishes:				
		Table Top: Matte Plain				
		Black Laminate				
		Legs: Tubular metal legs 2"x				
		2", automotive Black paint			LAY &	
	O 001	finish		,		
	Office	Swivel Chair with Arm Rest,	5	pc/s		
	Meeting	mid-back, Star Base with 5			500 N 100	
	Chair	legs and Casters				
		**DIA of the legs should be				
		bigger than the seat				
		Finishes:				
		Seat: Upholstered foam				
		cushion in fabric				
		Base: Chrome-plated				
		Aluminum Alloy				
		Color Scheme: White and				
		Sedona Orange				
	Office Desk	Dimensions: 1.50m L x	1			
			1	pc		
	(Junior	0.80m W x 0.75m H, 25 mm				
	Officer)	THK				
		36				
	Features:	Material Finishes:				
	- 3 storage	Desk Top: Matte Plain Black				
	drawers with	Laminate				
	single lock	Side Panel: Matte Plain				
	- Cable	Black Laminate			THE REAL PROPERTY.	
	Management	Drawers: Matte Plain White			7	
	- 1pc 3-Gang,	Laminate				
	3 pin universal					
	outlet					
	High-back	Swivel Chair with Arm Rest,	1	рс		
	Chair	high-back, Star Base with 5		1		
		legs and Casters				
		<u> </u>				
		**DIA of the legs should be				
		bigger than the seat				
		98-1 tile sent				
		Finishes:				
		Seat: Upholstered foam				
		cushion with black				
		leatherette				
		Body: Chrome-plated				
		Aluminum Alloy				
		Base: Chrome-plated				
		Aluminum Alloy				
		Back and headrest:				
		Upholstered foam cushion				
		with black leatherette				
IV.2	Office Desk	Dimensions: 1.50m L x	1	pc	(CANADA)	
Office 2	(Junior	0.80m W x 0.75m H, 25 mm				
					- 11 m	

	Officer)	THK			
	Features: - 3 storage drawers with single lock - Cable Management - 1pc 3-Gang, 3 pin universal outlet	Material Finishes: Desk Top: Matte Plain Black Laminate Side Panel: Matte Plain Black Laminate Drawers: Matte Plain White Laminate			
	High-back Chair	Swivel Chair with Arm Rest, high-back, Star Base with 5 legs and Casters **DIA of the legs should be bigger than the seat	1	pc	
W	Off. D	Finishes: Seat: Upholstered foam cushion with black leatherette Body: Chrome-plated Aluminum Alloy Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leatherette			
IV.3 Office 3	Office Desk (Junior Officer) Features: - 3 storage drawers with single lock - Cable Management - 1pc 3-Gang, 3 pin universal outlet	Dimensions: 1.50m L x 0.80m W x 0.75m H, 25 mm THK Material Finishes: Desk Top: Matte Plain Black Laminate Side Panel: Matte Plain Black Laminate Drawers: White Laminate	1	pc	
	High-back Chair	Swivel Chair with Arm Rest, high-back, Star Base with 5 legs and Casters **DIA of the legs should be bigger than the seat Material Finishes: Seat: Upholstered foam cushion with black leatherette Body: Chrome-plated Aluminum Alloy Base: Chrome-plated Aluminum Alloy Back and headrest: Upholstered foam cushion with black leatherette	1	pc	

V. AREA 5	- ANCILLARY					
V.1	Office Chair	Swivel Chair with Arm Rest,	1	рс		
Editing		mid-back, Star Base with 5				
Room		legs and Casters				
		*DIA of the legs should be				
		bigger than the seat				
		Finishes:				
		Seat: Upholstered foam				
		cushion with Sedona Orange			20	
		fabric				
		Body: White				
		Base: Chrome-plated				
		Aluminum Alloy				
		Backrest: Nylon plastic				
		frame with breathable White mesh (to match with the				
		existing office chair)				
	Pneumatic	Dimensions: 1.50m L x	1	рс	†	
	Desk (Editing	0.60m W (or standard	•	"		
	Table)	manufactured size)				
		Height varies from 740mm				
	Features:	to 1140mm				
	- Motorized or	Load Capacity: up to 90kg				
	power-free	Preferred Material Finish:				
	height- adjusting	Table Top: Matte Plain				
	mechanism	Black Laminate				
	- Low noise (-	Buck Builling				
	25 dB)					
	- Glides					
	- Cable					
	Management					
	- 1pc 3					
	universal pins and 2 USBs					
	outlet (provide					
	sample for					
	end-user					
	approval)					
V.2	Round	Round Table	2	pc/s		
Pantry	Dining Table	Dimensions: 1.2m DIA x				
		0.75m H				
		Material Finishes:				
		Table Top: Matte Plain				
		Black Laminate				
		Legs: Tubular metal legs 2"x				
		2", automotive Black paint				
	D.	finish	10			
	Dining Chair	Modern Dining Side Chair	10	pc		
		Material Finishes:				
		Seat: Upholstered foam				
		cushion in leatherette				
		Body and Legs: metal,				
		tubular, matte black finish				
		Backrest: Upholstered foam				
		cushion in leatherette				

1			1	1
	Colors: Pastel Pink, Pastel			
	Light Blue, Light Olive			
	Green, Pastel Teal, Light			
	Yellow Ochre, Pastel			
	Lavender			
High Table	Dimensions: 4.00m L x	1	pc/s	
	0.50m W x 1.00m H		•	
	Material Finishes:			
	Table Top: Matte Plain			
	Black Laminate			
	Legs: Tubular metal legs 2"x			
	2", automotive Black paint			
	<u> </u>			
TT' L CL '	finish	-	,	
High Chair	Plastic High Chair	6	pc/s	
	Dimensions:			
	Width: 50.5 cm			
	Depth: 55 cm			
	Height: 111.5 cm			
	Seat Height: 72 cm			
	Material Finishes:			
	Seat: PP Plastic in various			
	colors (Pastel Pink, Pastel			
	Light Blue, Light Olive			
	Green, Pastel Teal, Light			
	Yellow Ochre, Pastel			
	Lavender, Pastel Orange)			
	Legs*: thick metal tube in			
	automative paint finish			
	(Black)			

	*sample for approval			


Section X. FILENAMES

Notes to the Bidders:

This Section of the OBD provides the information necessary for interested Bidders to prepare responsive bids, in accordance with the requirements of DAP.

The tendered Bid shall be assessed on the basis of what is deemed advantageous to DAP, in particular, and to the Government, in general before an award will be served.

This Section contains provisions that are to be used unchanged. For illustration purposes, the following shall be packaged as follows:



Below are information and step-by-step guide in preparing the FILENAMES acceptable to DAP:

- 1. The submitted secured zip.file-bid must be certified by the Bidder as the faithful electronic copies of the submitted requirements.
- 2. The Bidder certifies that all of the electronic files with suffix should contain the Technical and Financial Components of the Bid. The e-files that can be found in the said
- 3. <BidderName> had been diligently and carefully examined;
- **4.** The Bidder must ensure that each file is inspected, and the files enumerated here below are saved and uploaded in the designated **bidms.dap.edu.ph** account of the Bidder.

	FILENAME		
	INSTRUCTIONS: * The structure of the "final-filename" followed the file structure below. The first 3 characters of the filename refers to the document-tag;	Filetype	
N	* The "_XXX" represents the page-number of the file (if in jpg-format), or the last page-number if the file is in pdf-format. In case there is only one page, "_XXX" will be "_000"; and,		
	* The suffix " <biddername>" was replaced by the Company Name of the Bidder.</biddername>		
01	LOA XXX=signed Letter of Authorization= <biddername></biddername>	Daf anima an	
01	LOA_AAA-Signed_Lettel_ol_Authorization=\Diddenvalle>	Pdf, or jpg, or	
01	INSTRUCTIONS: The duly adjusted/filled-out, printed, and signed LOA should be placed prior to the Opening of the secured zip-file bid. The LOA can be read without opening any part of the submitted bid.	word	
	INSTRUCTIONS: The duly adjusted/filled-out, printed, and signed LOA should be placed prior to the Opening of the secured zip-file bid. The LOA can be read		

03	E02_XXX=EXCEL_All_Ongoing_Contracts= <biddername></biddername>	EXCEL					
	E02_XXX=IMAGE_All_Ongoing_Contracts= <biddername></biddername>	pdf or jpg					
04	E03_XXX=Single_Largest_Completed_Contract= <biddername></biddername>	EXCEL					
	E03_XXX=Single_Largest_Completed_Contract= <biddername></biddername>	pdf or jpg					
05	E04_XXX=Bid_Security= <biddername></biddername>	pdf or jpg					
06	T01_XXX=Company_Profile= <biddername></biddername>	pdf or jpg					
07	T02_XXX=Technical_Specifications= <biddername></biddername>	pdf or jpg					
08	T03_ XXX=Omnibus_Sworn_Statement = <biddername></biddername>	pdf or jpg					
09	T04_ XXX=Audited_Financial_Statement = <biddername></biddername>	pdf or jpg					
10	T05_ XXX= NFCC_computation= <biddername></biddername>	pdf or jpg					
11	T06_XXX=Certificate of Site Inspection= <biddername></biddername>	pdf or jpg					
Tec	Technical Components (Class B Documents)						
11	T07_XXX=VALID_Joint_Venture_Agreement= <biddername></biddername>	pdf or jpg					
	INSTRUCTIONS: If the Bidder will not have any joint venture agreement (JVA) with any juridical entity/ies, the Bidder is still required to issue a Statement, written in its letterhead, clearly indicating that the Bidder will not enter into any JVA for this Project.						
_	II. Financial Components						
12	F01_XXX=FINANCIAL_BID_FORM= <biddername></biddername>	pdf or jpg					
13	F02_XXX= PRICE_SCHEDULE= <biddername></biddername>	pdf or jpg					


Section XI. GUIDE ON HOW TO SUBMIT ELECTRONIC BIDS

ACCESSING AND USING THE BIDDING DOCUMENT MANAGEMENT SYSTEM (BiDMS):

- 1) Each prospective bidder, who bought the Official Bidding Documents (OBD) amounting to the required OBD Fee and with an issued Official Receipt (OR) from DAP's Finance Department, will be provided by the BAC Secretariat with its own BiDMS credentials (username and password);
- 2) The given password by the BAC Secretariat must be changed upon logging in and the Bidder should not disclose their password to any unauthorized personnel from their Company nor to the Procuring Entity;
- 3) The Bidders should access the BiDMS web portal through: http://bidms.dap.edu.ph and to log-in using the username and password;



4) The Bidder dashboard will be loaded;




5) The Bidder should change their password;






6) After changing the password, the Bidder can now upload their electronic bid submission in two (2) password protected compressed folders (zip or rar);



7) The Bidder could either upload the compressed folders using the upload button or dragging and dropping the compressed folders from a device.



- 8) The Bidders site folder should contain only three (3) files:
 - 1st: Duly Notarized Scanned-copy of the Letter of Authorization;
- 2^{nd} : A secured folder containing the secured compressed file of Eligibility and Technical Documents; and

3rd: A secured folder containing the secured compressed file of Financial Documents.


Note: Passwords for each "secured"-folder should be different from each other.

9) The Bidder may update/upload their bidding documents by first deleting the initially uploaded compressed folders. Bidders are allowed to upload before the set deadline which is prior to the announced schedule of the Opening of Bids.

Note: On the set deadline of submission of e-Bids, the system will disable Bidders access to ensure that the most recent uploaded e-Bid will not be modified.

Bidders may test to download their updated/uploaded bidding documents to check or ensure that the files contained can be opened and are not corrupted.

- The Bidders will only be asked to provide their passwords during the Opening of Bids by typing into the chat-box while in session.
- ✓ An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.







DAP Bldg., San Miguel Avenue, Pasig City 1600 P.O. Box 12788, Ortigas Center, Pasig City 1600 Telephone: (632) 8631 0921 loc. 133 website: http://www.dap.edu.ph